



AvanTech YOU drawer system

AvanTech YOU double walled drawer system



As individual as you – AvanTech YOU

The AvanTech YOU drawer system scores from design diversity and creative flexibility, from concealed working parts and perfect performance as well as from an efficient product concept geared to the customer.

Give drawers an unmistakable look:

The AvanTech YOU drawer is distinguished by immaculate beauty from its slimline and sleek 13 mm drawer side profile. And by the ability to turn personal ideas into reality every time.

Get a variety of clever functions:

One drawer, two runners and numerous user friendly functions. Flexibly combinable with each other by using one and the same drilling pattern.

Make production more efficient and cost effective:

The comprehensive platform concept and perfect product adjustments to production and assembly processes guarantee cost effectiveness and efficient work flows while at the same time providing the basis for a broad product line-up.



Design diversity and creative flexibility:

Different shapes, colours and materials consistently continue furniture design on the inside too.



Many different options for individualisation:

Creative design flexibility in every detail. Attractive highlights are added with DesignProfiles, DesignCapes or Inlays.



Precision designed furniture:

AvanTech YOU competently combines technology, functionality and performance to suit any preference.




hettich.com/short/a07bc8

Find out more:

You can get inspiration and further product details on our website.

AvanTech YOU double walled drawer system

► Overview



AvanTech YOU

► Range summary	4 – 5
► Exploded diagram	6
► Overview of components	7



AvanTech YOU drawer

► Height 77 mm	8 – 9
► Height 101 mm	10 – 12
► Height 139 mm	14 – 16



AvanTech YOU pot-and-pan drawer

► Height 187 mm	18 – 20
► Height 251 mm	22 – 24

AvanTech YOU Inlay pot-and-pan drawer

► Height 187 mm	26 – 28
-----------------	---------



AvanTech YOU internal front panel / rear panel

► Front options for interior drawer / pot-and-pan drawers	30 – 35
► Rear panel options	36 – 37




AvanTech YOU

► Design options	46 – 49
► Illumination	50 – 52
► Connecting thin front and other accessories	53 – 55



AvanTech YOU drawer runners

► Actro YOU with Silent System	56 – 57
► Push to open Silent for Actro YOU	58 – 59
► Quadro V6 YOU with Silent System	60 – 61
► Push to open Silent for Quadro V6 YOU	62 – 63



Hettich Technical Assistant

► Installation / adjustment	
► Service	

Order number index

64 – 65

hettich.com/short/f1d89a


AvanTech YOU double walled drawer system

- ▶ Range summary
- ▶ Powder coated steel, white / anthracite




Drawer, height 77 mm

8 - 9




Drawer, height 101 mm

10 - 12




Drawer, height 139 mm

14 - 16



Pot-and-pan drawer, height 187 mm

18 - 20




Pot-and-pan drawer, height 251 mm

22 - 24



Inlay pot-and-pan drawer, height 187 mm

26 - 28



Front options for interior drawer /
pot-and-pan drawer

30 - 35



Rear panel options

36 - 37



LightTower

38



Internal drawer

39



Narrow base unit

40



Tall unit

41

AvanTech YOU double walled drawer system

- ▶ Range summary
- ▶ Powder coated steel, white / anthracite




Drawer with bottom cutout

42 - 43



Pantry

44



Design options

46 - 49



Illumination

50 - 52



Connection for thin front panels

53



Other accessories

54 - 55



Drawer runners

56 - 57 / 60 - 61




Push to open Silent


58 - 59 / 62 - 63

AvanTech YOU double walled drawer system

► Exploded diagram / component overview



Exploded diagram



AvanTech YOU double walled drawer system

► Exploded diagram / component overview

AvanTech YOU system components

Basic components

1 Drawer side profile, left and right

- ... **1 A** AvanTech YOU or
- ... **1 B** AvanTech YOU Inlay

2 Design profile for top side of AvanTech YOU drawer side profile

A Front panel, see front panel options

3 Drawer front connectors, left and right

- ... **3 A** for AvanTech YOU or
- ... **3 B** for AvanTech YOU Inlay

4 A / B Stabiliser for front panel / internal front panel

C Rear panel, see rear panel options

5 Rear panel stabiliser

Front panel options

A Front panel

6 Front panel for internal drawer / internal pot-and-pan drawer

7 Customisable front panel for internal pot-and-pan drawer

Rear panel options

C Wooden rear panel

8 Rear panel connector, left and right

9 Rear panel profile for cutting to length

10 Steel rear panel in standard cabinet body widths

Design options

2 A / B / C Design profile in drawer side profile colour / accent colour / customisable

12 DesignCape

14 A / B Illumination for drawer side profile / Inlay drawer side

13 Branding clip

Drawer runners

11 A Actro YOU full extension runner

11 B Quadro V6 YOU full extension runner

Wooden elements cut to size

A Front panel

B Bottom panel

C Wooden rear panel



D AvanTech YOU Inlay - insert in any chosen material

E Customisable internal front panel - insert in any chosen material





AvanTech YOU double walled drawer system



- ▶ Drawer height 77 mm
- ▶ Powder coated steel, white / anthracite




Planning / installation dimensions



* All dimensions identical for Actro YOU and Quadro V6 YOU
** plus optional accessories



Actro YOU / Quadro V6 YOU*






Quadro V6 YOU / Actro YOU*

BB Bottom panel width	KB Cabinet body width	NL Nominal length	LB Clear inside width
BL Bottom panel length	RB Rear panel width	KD Cabinet body side thicknesses	LT Clear inside depth

Dimension	mm
BL	NL - 26
BB	LB - 24
RB	LB - 24
LT	NL + 3**

Positions for attaching Actro YOU / Quadro V6 YOU drawer runner

Nominal length mm	Hole spacing b1 mm	b2 mm**
400	224	
450	256	288
500	256	320
550	256	320




** Hole spacing b2 only for Actro YOU XL
*** plus optional accessories

AvanTech YOU double walled drawer system

- ▶ Drawer height 77 mm
- ▶ Powder coated steel, white / anthracite

1 A Drawer side profile set, height 77 mm




- ▶ Integrated height and side adjustment
- ▶ Powder coated steel

Set comprises:

- ▶ 1 drawer side profile, left and right
- ▶ 2 design profiles in drawer side profile colour
- ▶ 2 drawer front knock in connectors
- ▶ 2 rear panel stabilisers
- ▶ Rear panel screws

Nominal length mm	Order no. / colour		PU
	white	anthracite	
500	9 318 713	9 318 751	1 set

3 A Drawer front connector for drawer side profile, height 77 mm



- ▶ For screwing on (pan head $\varnothing$ 3.5 x 20 mm) or for knocking in
- ▶ Steel, plastic

Mounting option	Order no.	PU
for screwing on	9 255 832	1/100 ea.
for knocking in	9 255 833	1/100 ea.

5 Stabiliser, rear panel



- ▶ For wooden rear panel in conjunction with 77 mm system height
- ▶ 1 each for < 600 mm cabinet body width; 2 each $\geq$ 600 mm, 3 each $\geq$ 900 mm; 4 each = 1200 mm
- ▶ Steel

Order no.	PU
0 079 665	100 ea.

Advice



▶ Design options	46 - 49	▶ Push to open Silent	58 - 59 / 62 - 62
▶ Illumination	50 - 52		
▶ Accessories	53 - 55		
▶ Actro YOU / Quadro V6 YOU	56 - 57 / 60 - 61		




hettich.com/short/fcf727

AvanTech YOU double walled drawer system


- ▶ Drawer height 101 mm
- ▶ Powder coated steel, white / anthracite



Planning / installation dimensions



* All dimensions identical for Actro YOU and Quadro V6 YOU
** plus optional accessories






Dimension	mm
BL	NL - 21
BB	LB - 24
RB	LB - 24
LT	NL + 3**
LT	Internal drawer / internal pot-and-pan drawer NL + 12**
LT	Internal drawer / internal pot-and-pan drawer Push to open Push to open Silent NL + 21**

BB Bottom panel width	KB Cabinet body width	NL Nominal length	LB Clear inside width
BL Bottom panel length	RB Rear panel width	KD Cabinet body side thicknesses	LT Clear inside depth

Positions for attaching Actro YOU / Quadro V6 YOU drawer runner

Nominal length mm	Hole spacing b1 mm	b2 mm**
270	160	
300	160	
350	224	
400	224	
450	256	288
500	256	320
550	256	320
600	256	320
650*	256	416




* Nominal length 650 mm only for Actro YOU XL
** Hole spacing b2 only for Actro YOU XL
*** plus optional accessories

AvanTech YOU double walled drawer system

- ▶ Drawer height 101 mm
- ▶ Powder coated steel, white / anthracite

1 A Drawer side profile set, height 101 mm




- ▶ Integrated height, side and tilt adjustment
- ▶ Powder coated steel

Set comprises:

- ▶ 1 drawer side profile, left and right
- ▶ 2 design profiles in drawer side profile colour
- ▶ 2 drawer front knock in connectors
- ▶ 2 rear panel stabilisers
- ▶ Rear panel screws

Nominal length mm	Order no. / colour		PU
	white	anthracite	
270	9 318 715	9 318 753	1 set
300	9 318 716	9 318 754	1 set
350	9 318 717	9 318 755	1 set
400	9 318 718	9 318 756	1 set
450	9 318 719	9 318 757	1 set
500	9 318 720	9 318 758	1 set
550	9 318 721	9 318 759	1 set
600	9 318 722	9 318 760	1 set
650	9 318 723	9 318 771	1 set

1 A Drawer side profile, height 101 mm



- ▶ Integrated height, side and tilt adjustment
- ▶ Powder coated steel
- ▶ **2 A / B / C** Design profile must be ordered separately
- ▶ **3 A** Drawer front connector must be ordered separately
- ▶ **12** DesignCape can be ordered separately

Nominal length mm	Order no. / colour / mounting side				PU
	white		anthracite		
	left	right	left	right	
400	9 255 094	9 255 095	9 255 174	9 255 175	20 ea.
450	9 255 096	9 255 097	9 255 176	9 255 177	20 ea.
500	9 255 098	9 255 099	9 255 178	9 255 179	20 ea.

Advice

- | | | | |
|--|---------|-----------------------------|-------------------|
| ▶ Front options for interior drawer / pot-and-pan drawer | 30 - 35 | ▶ Accessories | 53 - 55 |
| ▶ Rear panel options | 36 - 37 | ▶ Actro YOU / Quadro V6 YOU | 56 - 57 / 60 - 61 |
| ▶ Design options | 46 - 49 | ▶ Push to open Silent | 58 - 59 / 62 - 62 |
| ▶ Illumination | 50 - 52 | | |




hettich.com/short/5e5af6

AvanTech YOU double walled drawer system

- ▶ Drawer height 101 mm
- ▶ Powder coated steel, white / anthracite


2 A Design profile in drawer side profile colour



- ▶ Any chosen top edge can be selected for drawer side profile
- ▶ For clipping on
- ▶ Recycled plastic, aluminium foil wrapped, anodised or anodised and lacquered

Nominal length mm	Order no. / colour		PU
	white	anthracite	
270	9 347 511	9 347 520	1/200 ea.
300	9 347 512	9 347 521	1/200 ea.
350	9 347 513	9 347 522	1/200 ea.
400	9 347 514	9 347 523	1/200 ea.
450	9 347 515	9 347 524	1/200 ea.
500	9 347 516	9 347 525	1/200 ea.
550	9 347 517	9 347 526	1/200 ea.

3 A Drawer front connector for drawer side profile, height 101 mm



- ▶ For screwing on (pan head $\varnothing$ 3.5 x 20 mm) or for knocking in
- ▶ Steel, plastic

Mounting option	Order no.	PU
for screwing on	9 255 835	1/200 ea.
for knocking in	9 255 836	1/200 ea.

5 Rear panel stabiliser



- ▶ For wooden and aluminium rear panels
- ▶ 1 each for cabinet body width $\geq$ 600 mm; 2 each $\geq$ 800 mm; 3 each = 1200 mm
- ▶ Plastic

Order no.	PU
9 257 702	200 ea.



Advice

▶ Front options for interior drawer / pot-and-pan drawer	30 - 35	▶ Accessories	53 - 55
▶ Rear panel options	36 - 37	▶ Actro YOU / Quadro V6 YOU	56 - 57 / 60 - 61
▶ Design options	46 - 49	▶ Push to open Silent	58 - 59 / 62 - 62
▶ Illumination	50 - 52		



hettich.com/short/5e5af6

- ▶ Drawer height 139 mm
- ▶ Powder coated steel, white / anthracite



Actro YOU / Quadro V6 YOU*

Quadro V6 YOU / Actro YOU*

3D View Dimensions:

- LT**
- NL
- RB
- BL
- LB
- KB
- KD

Dimension	mm
BL	NL - 21
BB	LB - 24
RB	LB - 24
LT	NL + 3**
LT	Internal drawer / internal pot-and-pan drawer NL + 12**
LT	Internal drawer / internal pot-and-pan drawer Push to open NL + 21**

Nominal length mm	Hole spacing b1 mm	b2 mm**
270	160	
300	160	
350	224	
400	224	
450	256	288
500	256	320
550	256	320
600	256	320
650*	256	416


* Nominal length 650 mm only for Actro YOU XL
 ** Hole spacing b2 only for Actro YOU XL
 *** plus optional accessories

Technical drawing illustrating the dimensions and components of the Actro YOU XL handle assembly. The drawing shows the handle mounted on a cabinet body, with dimensions for nominal length, hole spacing (b1, b2), and total length (LT***). The handle is shown in two views: a side view and a front view. The side view shows the handle's profile and the mounting holes. The front view shows the handle's width and the distance from the cabinet body front edge to the mounting holes. The handle is labeled 'XL'.

AvanTech YOU double walled drawer system

- ▶ Drawer height 139 mm
- ▶ Powder coated steel, white / anthracite

1 A Drawer side profile set, height 139 mm




- ▶ Integrated height, side and tilt adjustment
- ▶ Powder coated steel

Set comprises:

- ▶ 1 drawer side profile, left and right
- ▶ 2 design profiles in drawer side profile colour
- ▶ 2 drawer front knock in connectors
- ▶ 2 rear panel stabilisers
- ▶ Rear panel screws

Nominal length mm	Order no. / colour		PU
	white	anthracite	
270	9 318 724	9 318 772	1 set
300	9 318 725	9 318 773	1 set
350	9 318 726	9 318 774	1 set
400	9 318 727	9 318 775	1 set
450	9 318 728	9 318 776	1 set
500	9 318 729	9 318 777	1 set
550	9 318 730	9 318 778	1 set
600	9 318 731	9 318 779	1 set
650	9 318 732	9 318 780	1 set

1 A Drawer side profile, height 139 mm



- ▶ Integrated height, side and tilt adjustment
- ▶ Powder coated steel
- ▶ **2 A / B / C** Design profile must be ordered separately
- ▶ **3 A** Drawer front connector must be ordered separately

Nominal length mm	Order no. / colour / mounting side				PU
	white left	right	anthracite left	right	
270	9 255 106	9 255 107	9 255 186	9 255 187	20 ea.
300	9 255 108	9 255 109	9 255 188	9 255 189	20 ea.
350	9 255 110	9 255 111	9 255 190	9 255 191	20 ea.
400	9 255 112	9 255 113	9 255 192	9 255 193	20 ea.
450	9 255 114	9 255 115	9 255 194	9 255 195	20 ea.
500	9 255 116	9 255 117	9 255 196	9 255 197	20 ea.
550	9 255 118	9 255 119	9 255 198	9 255 199	20 ea.

Advice

- | | | | |
|--|---------|-----------------------------|-------------------|
| ▶ Front options for interior drawer / pot-and-pan drawer | 30 - 35 | ▶ Accessories | 53 - 55 |
| ▶ Rear panel options | 36 - 37 | ▶ Actro YOU / Quadro V6 YOU | 56 - 57 / 60 - 61 |
| ▶ Design options | 46 - 49 | ▶ Push to open Silent | 58 - 59 / 62 - 62 |
| ▶ Illumination | 50 - 52 | | |




hettich.com/short/614d98

AvanTech YOU double walled drawer system

- ▶ Drawer height 139 mm
- ▶ Powder coated steel, white / anthracite


2 A Design profile in drawer side profile colour



- ▶ Any chosen top edge can be selected for drawer side profile
- ▶ For clipping on
- ▶ Recycled plastic, aluminium foil wrapped, anodised or anodised and lacquered

Nominal length mm	Order no. / colour		PU
	white	anthracite	
270	9 347 511	9 347 520	1/200 ea.
300	9 347 512	9 347 521	1/200 ea.
350	9 347 513	9 347 522	1/200 ea.
400	9 347 514	9 347 523	1/200 ea.
450	9 347 515	9 347 524	1/200 ea.
500	9 347 516	9 347 525	1/200 ea.
550	9 347 517	9 347 526	1/200 ea.


3 A Drawer front connector for drawer side profile, height 139 mm



- ▶ For screwing on (pan head $\varnothing$ 3.5 x 20 mm) or for knocking in
- ▶ Steel, plastic

Mounting option	Order no.	PU
for screwing on	9 257 884	1/200 ea.
for knocking in	9 257 885	1/200 ea.

5 Rear panel stabiliser



- ▶ For wooden and aluminium rear panels
- ▶ 1 each for cabinet body width $\geq$ 600 mm; 2 each $\geq$ 800 mm; 3 each = 1200 mm
- ▶ Plastic

Order no.	PU
9 257 702	200 ea.

Advice

▶ Front options for interior drawer / pot-and-pan drawer	30 - 35	▶ Accessories	53 - 55
▶ Rear panel options	36 - 37	▶ Actro YOU / Quadro V6 YOU	56 - 57 / 60 - 61
▶ Design options	46 - 49	▶ Push to open Silent	58 - 59 / 62 - 62
▶ Illumination	50 - 52		




hettich.com/short/614d98

AvanTech YOU double walled drawer system


- Pot-and-pan drawer, height 187 mm
- Powder coated steel, white / anthracite



Planning / installation dimensions




Positions for attaching Actro YOU / Quadro V6 YOU drawer runner



AvanTech YOU double walled drawer system

- ▶ Pot-and-pan drawer, height 187 mm
- ▶ Powder coated steel, white / anthracite

1 A Drawer side profile set, height 187 mm




- ▶ Integrated height, side and tilt adjustment
- ▶ Powder coated steel

Set comprises:

- ▶ 1 drawer side profile, left and right
- ▶ 2 design profiles in drawer side profile colour
- ▶ 2 drawer front knock in connectors
- ▶ 2 rear panel stabilisers
- ▶ Rear panel screws

Nominal length mm	Order no. / colour		PU
	white	anthracite	
270	9 318 733	9 318 791	1 set
300	9 318 734	9 318 792	1 set
350	9 318 735	9 318 793	1 set
400	9 318 736	9 318 794	1 set
450	9 318 737	9 318 795	1 set
500	9 318 738	9 318 796	1 set
550	9 318 739	9 318 797	1 set
600	9 318 740	9 318 798	1 set
650	9 318 741	9 318 799	1 set

1 A Drawer side profile, height 187 mm



- ▶ Integrated height, side and tilt adjustment
- ▶ Powder coated steel
- ▶ **2 A / B / C** Design profile must be ordered separately
- ▶ **3 A** Drawer front connector must be ordered separately
- ▶ **12** DesignCape can be ordered separately

Nominal length mm	Order no. / colour / mounting side				PU
	white		anthracite		
	left	right	left	right	
270	9 255 124	9 255 125	9 255 204	9 255 205	10 ea.
350	9 255 128	9 255 129	9 255 208	9 255 209	10 ea.
400	9 255 130	9 255 131	9 255 210	9 255 211	10 ea.
450	9 255 132	9 255 133	9 255 212	9 255 213	10 ea.
500	9 255 134	9 255 135	9 255 214	9 255 215	10 ea.

Advice

- | | | | |
|--|---------|-----------------------------|-------------------|
| ▶ Front options for interior drawer / pot-and-pan drawer | 30 - 35 | ▶ Accessories | 53 - 55 |
| ▶ Rear panel options | 36 - 37 | ▶ Actro YOU / Quadro V6 YOU | 56 - 57 / 60 - 61 |
| ▶ Design options | 46 - 49 | ▶ Push to open Silent | 58 - 59 / 62 - 62 |
| ▶ Illumination | 50 - 52 | | |




hettich.com/short/da22c2

AvanTech YOU double walled drawer system

- ▶ Pot-and-pan drawer, height 187 mm
- ▶ Powder coated steel, white / anthracite


2 A Design profile in drawer side profile colour



- ▶ Any chosen top edge can be selected for drawer side profile
- ▶ For clipping on
- ▶ Recycled plastic, aluminium foil wrapped, anodised or anodised and lacquered

Nominal length mm	Order no. / colour		PU
	white	anthracite	
270	9 347 511	9 347 520	1/200 ea.
300	9 347 512	9 347 521	1/200 ea.
350	9 347 513	9 347 522	1/200 ea.
400	9 347 514	9 347 523	1/200 ea.
450	9 347 515	9 347 524	1/200 ea.
500	9 347 516	9 347 525	1/200 ea.
550	9 347 517	9 347 526	1/200 ea.

3 A Drawer front connector for drawer side profile, height 187 / 251 mm



- ▶ For screwing on (pan head $\varnothing 3.5 \times 20$ mm) or for knocking in
- ▶ Steel, plastic

Mounting option	Order no.	PU
for screwing on	9 255 838	1/200 ea.
for knocking in	9 255 839	1/200 ea.

5 Rear panel stabiliser



- ▶ For wooden and aluminium rear panels
- ▶ 1 each for cabinet body width ≥ 600 mm; 2 each ≥ 800 mm; 3 each = 1200 mm
- ▶ Plastic

Order no.	PU
9 257 702	200 ea.

Advice

▶ Front options for interior drawer / pot-and-pan drawer	30 - 35	▶ Accessories	53 - 55
▶ Rear panel options	36 - 37	▶ Actro YOU / Quadro V6 YOU	56 - 57 / 60 - 61
▶ Design options	46 - 49	▶ Push to open Silent	58 - 59 / 62 - 62
▶ Illumination	50 - 52		




hettich.com/short/da22c2

AvanTech YOU double walled drawer system


- Pot-and-pan drawer, height 251 mm
- Powder coated steel, white / anthracite



Planning / installation dimensions




Positions for attaching Actro YOU / Quadro V6 YOU drawer runner



AvanTech YOU double walled drawer system

- ▶ Pot-and-pan drawer, height 251 mm
- ▶ Powder coated steel, white / anthracite

1 A Drawer side profile set, height 251 mm




- ▶ Integrated height, side and tilt adjustment
- ▶ Powder coated steel

Set comprises:

- ▶ 1 drawer side profile, left and right
- ▶ 2 design profiles in drawer side profile colour
- ▶ 2 drawer front knock in connectors
- ▶ 2 drawer front knock in connector stabilisers for height 251 mm
- ▶ 2 rear panel stabilisers
- ▶ Rear panel screws

Nominal length mm	Order no. / colour		PU
	white	anthracite	
350	9 318 742	9 318 800	1 set
400	9 318 743	9 318 801	1 set
450	9 318 744	9 318 802	1 set
500	9 318 745	9 318 803	1 set
550	9 318 746	9 318 805	1 set
600	9 318 747	9 318 806	1 set
650	9 318 748	9 318 807	1 set

1 A Drawer side profile, height 251 mm



- ▶ Integrated height, side and tilt adjustment
- ▶ Powder coated steel
- ▶ **2 A / B / C** Design profile must be ordered separately
- ▶ **3 A** Drawer front connector must be ordered separately

Nominal length mm	Order no. / colour / mounting side				PU
	white left	white right	anthracite left	anthracite right	
400	9 255 148	9 255 149	9 255 228	9 255 229	10 ea.
450	9 255 150	9 255 151	9 255 230	9 255 231	10 ea.
500	9 255 152	9 255 153	9 255 232	9 255 233	10 ea.

Advice

- | | | | |
|----------------------|---------|-----------------------------|-------------------|
| ▶ Rear panel options | 36 - 37 | ▶ Actro YOU / Quadro V6 YOU | 56 - 57 / 60 - 61 |
| ▶ Design options | 46 - 49 | ▶ Push to open Silent | 58 - 59 / 62 - 62 |
| ▶ Illumination | 50 - 52 | | |
| ▶ Accessories | 53 - 55 | | |




hettich.com/short/9874cb

AvanTech YOU double walled drawer system

- ▶ Pot-and-pan drawer, height 251 mm
- ▶ Powder coated steel, white / anthracite


2 A Design profile in drawer side profile colour



- ▶ Any chosen top edge can be selected for drawer side profile
- ▶ For clipping on
- ▶ Recycled plastic, aluminium foil wrapped, anodised or anodised and lacquered

Nominal length mm	Order no. / colour		PU
	white	anthracite	
350	9 347 513	9 347 522	1/200 ea.
400	9 347 514	9 347 523	1/200 ea.
450	9 347 515	9 347 524	1/200 ea.
500	9 347 516	9 347 525	1/200 ea.
550	9 347 517	9 347 526	1/200 ea.


3 A Drawer front connector for drawer side profile, height 187 / 251 mm



- ▶ For screwing on (pan head ø 3.5 x 20 mm) or for knocking in
- ▶ Steel, plastic

Mounting option	Order no.	PU
for screwing on	9 255 838	1/200 ea.
for knocking in	9 255 839	1/200 ea.

3 C Drawer front connector stabiliser, height 251 mm



- ▶ For screwing on (pan head ø 3.5 x 20 mm) or for knocking in
- ▶ Steel, plastic

Mounting option	Order no.	PU
for screwing on	9 257 887	1/200 ea.
for knocking in	9 257 888	1/200 ea.

5 Rear panel stabiliser



- ▶ For wooden and aluminium rear panels
- ▶ 1 each for cabinet body width ≥ 600 mm; 2 each ≥ 800 mm; 3 each = 1200 mm
- ▶ Plastic

Order no.	PU
9 257 702	200 ea.

Advice

▶ Rear panel options	36 - 37	▶ Actro YOU / Quadro V6 YOU	56 - 57 / 60 - 61
▶ Design options	46 - 49	▶ Push to open Silent	58 - 59 / 62 - 62
▶ Illumination	50 - 52		
▶ Accessories	53 - 55		



hettich.com/short/9874cb

- ▶ Inlay pot-and-pan drawer, height 187 mm
- ▶ Powder coated steel, white / anthracite



- ▶ For combining with glass inlay or any chosen material
- ▶ For using materials in a thickness of 10 mm (for 8 mm thick materials see additional adapter)
- ▶ Integrated height, side and tilt adjustment
- ▶ Powder coated steel

* All dimensions identical for Actro YOU and Quadro V6 YOU
 ** plus optional accessories

Dimension	mm
BL	NL - 21
BB	LB - 24
RB	LB - 24
LT	NL + 3**
LT	Internal drawer / internal pot-and-pan drawer
	NL + 12**
LT	Internal drawer / internal pot-and-pan drawer
	NL + 21**
	Push to open
	Push to open Silent

Nominal length mm	Hole spacing b1 mm	Hole spacing b2 mm**
350	224	
400	224	
450	256	288
500	256	320
550	256	320
600	256	320
650*	256	416

* Nominal length 650 mm only for Actro YOU XL
 ** Hole spacing b2 only for Actro YOU XL
 *** plus optional accessories

Technical drawing of the Actro YOU XL handle assembly, showing dimensions and components.


Key dimensions and components:

- Nominal length
- Hole spacing b1 mm
- Hole spacing b2 mm**
- 19 mm (hole offset)
- 37 mm (hole spacing)
- 32 mm (hole spacing)
- b1 (hole spacing)
- b2** (hole spacing)
- LT*** (total length)
- 38 mm (handle height)
- 1,25 Push to open Silent (handle operation)
- XL (handle model)
- Cabinet body front edge
- 0 (dimension)
- 37 mm (dimension)
- 9 mm (dimension)
- 32 mm (dimension)
- 2,5 - 5 (dimension)
- Push to open Silent (handle operation)

AvanTech YOU double walled drawer system

- ▶ Inlay pot-and-pan drawer, height 187 mm
- ▶ Powder coated steel, white / anthracite

1 A Set, Inlay drawer side profile, height 187 mm




- ▶ For combining with glass inlay or any chosen material
- ▶ For using materials in a thickness of 10 mm (for 8 mm thick materials see additional adapter)
- ▶ Integrated height, side and tilt adjustment
- ▶ Powder coated steel

Set comprises:

- ▶ 1 Inlay drawer side profile, left and right
- ▶ 1 cap, front, left and right
- ▶ 1 cap, rear, left and right
- ▶ 2 knock in drawer front connectors for Inlay drawer side profile
- ▶ 2 rear panel stabilisers
- ▶ Fixing material

Nominal length mm	Order no. / colour		PU
	white	anthracite	
350	9 318 817	9 318 824	1 set
400	9 318 818	9 318 825	1 set
450	9 318 819	9 318 826	1 set
500	9 318 820	9 318 827	1 set
550	9 318 821	9 318 828	1 set
600	9 318 822	9 318 829	1 set
650	9 318 823	9 318 830	1 set

3 B Drawer front connector for Inlay drawer side profile, height 187 mm



- ▶ For screwing on (pan head $\varnothing$ 3.5 x 20 mm) or for knocking in
- ▶ Steel, plastic

Mounting option	Order no.	PU
for screwing on	9 257 257	1/100 ea.
for knocking in	9 257 258	1/100 ea.

5 Rear panel stabiliser



- ▶ For wooden and aluminium rear panels
- ▶ 1 each for cabinet body width $\geq$ 600 mm; 2 each $\geq$ 800 mm; 3 each = 1200 mm
- ▶ Plastic

Order no.	PU
9 257 702	200 ea.

Advice

▶ Rear panel options	36 - 37	▶ Technical accessories	53 - 55
▶ Internal front panel options	30 - 35	▶ Actro YOU / Quadro V6 YOU	56 - 57 / 60 - 61
▶ Design options	46 - 49	▶ Push to open Silent	58 - 59 / 62 - 62
▶ Illumination	50 - 52		




hettich.com/short/0e02a7

AvanTech YOU double walled drawer system

- Inlay pot-and-pan drawer, height 187 mm
- Powder coated steel, white / anthracite

Glass insert for Inlay drawer side profile



- Clear glass, 10 mm, one longitudinal edge in satin finish
- Single pane safety glass

Nominal length mm	Order no.	PU
350	9 283 178	1 set
400	9 283 179	1 set
450	9 283 180	1 set
500	9 283 181	1 set
550	9 283 182	1 set
600	9 283 183	1 set
650	9 283 184	1 set



Inlay drawer side profile adapter for 8 mm material



- For using material in a thickness of 8 mm
- 2 adapters are required for each drawer side profile
- Plastic, transparent

Order no.	PU
9 268 677	100 ea.

Planning / installation dimensions



	10 mm	8 mm
NL mm	X mm	X mm
350	227	225
400	277	275
450	327	325
500	377	375
550	427	425
600	477	475
650	527	525

Advice


- | | | | |
|--------------------------------|---------|-----------------------------|-------------------|
| ► Rear panel options | 36 - 37 | ► Technical accessories | 53 - 55 |
| ► Internal front panel options | 30 - 35 | ► Actro YOU / Quadro V6 YOU | 56 - 57 / 60 - 61 |
| ► Design options | 46 - 49 | ► Push to open Silent | 58 - 59 / 62 - 62 |
| ► Illumination | 50 - 52 | | |




hettich.com/short/0e02a7

AvanTech YOU double walled drawer system

- ▶ Front panel options
- ▶ Front panel in aluminium for internal drawer / internal pot-and-pan drawer, in heights of 101, 139, 187 mm



6 A Internal front panel, profile for cutting to length




- ▶ For variable and standard cabinet body widths
- ▶ Length 2000 mm
- ▶ Material thickness 6 mm
- ▶ Powder coated aluminium

Advice:

- ▶ Height adjusted components must be used when combined with Illumination design profile
- ▶ **6 B** or **6 C** Connector set must be ordered separately

Nominal height mm	Order no. / colour		For drawer side profile with Illumination		PU
	For drawer side profile without Illumination		white	anthracite	
101	9 257 273	9 257 277	9 327 205	9 327 208	1 ea.
139	9 257 274	9 257 278	9 327 206	9 327 209	1 ea.
187	9 257 275	9 257 279	9 327 207	9 327 210	1 ea.

6 B Connector set for internal front panel for cutting to length, for use with drawer side profile



- ▶ For framing and connecting drawer side profile
- ▶ Steel, plastic

Set comprises:

- ▶ 2 drawer front connectors for drawer side profile
- ▶ 2 end caps
- ▶ 2 stabilisers for internal front panel
- ▶ Fixing material

Advice:

- ▶ Height adjusted components must be used when combined with Illumination design profile
- ▶ For combining with **6 A** internal front for cutting to length

Nominal height mm	Order no. / colour		For drawer side profile with Illumination		PU
	For drawer side profile without Illumination		white	anthracite	
101	9 257 615	9 257 619	9 327 214	9 327 217	1 set
139	9 257 616	9 257 620	9 327 215	9 327 218	1 set
187	9 257 617	9 257 621	9 327 216	9 327 219	1 set

Advice

- | | | | |
|---|---------|---|-------------------|
| ▶ AvanTech YOU drawer | 8 - 16 | ▶ Design options / accessories / Illumination | 46 - 55 |
| ▶ AvanTech YOU pot-and-pan drawer | 18 - 24 | ▶ Actro YOU / Quadro V6 YOU | 56 - 57 / 60 - 61 |
| ▶ AvanTech YOU Inlay pot-and-pan drawer | 26 - 28 | ▶ Push to open Silent | 58 - 59 / 62 - 62 |
| ▶ Rear panel options | 36 - 37 | | |




hettich.com/short/9c1fe2

AvanTech YOU double walled drawer system

► Front panel options

► Front panel in aluminium for internal drawer / internal pot-and-pan drawer, in heights of 101, 139, 187 mm

6 C Connector set for internal front panel for cutting to length, for use with Inlay drawer side profile



- For framing and connecting drawer side profile
- Steel, plastic

Set comprises:

- 2 drawer front connectors for Inlay drawer side profile
- 2 end caps
- 2 stabilisers for internal front panel
- Fixing material

Advice:

- For combining with **6 A** internal front for cutting to length

Nominal height mm	Order no. / colour		PU
	white	anthracite	
187	9 257 625	9 257 627	1 set

3 A Drawer front connector for drawer side profile, height 101 mm



- For screwing on (pan head ø 3.5 x 20 mm)
- Steel, plastic

3 A Drawer front connector for drawer side profile, height 139 mm




- For screwing on (pan head ø 3.5 x 20 mm)
- Steel, plastic

Mounting option	Order no.	PU
for screwing on	9 255 835	1/200 ea.

Mounting option	Order no.	PU
for screwing on	9 257 884	1/200 ea.

3 A Drawer front connector for drawer side profile, height 187 / 251 mm



- For screwing on (pan head ø 3.5 x 20 mm)
- Steel, plastic

3 B Drawer front connector for Inlay drawer side profile, height 187 mm



- For screwing on (pan head ø 3.5 x 20 mm)
- Steel, plastic

Mounting option	Order no.	PU
for screwing on	9 255 838	1/200 ea.

Mounting option	Order no.	PU
for screwing on	9 257 257	1/100 ea.

End caps



- Side edge for internal front panel profile
- Plastic

Advice:


- Height adjusted components must be used when combined with Illumination design profile

Nominal height mm	Order no. / colour				PU
	For drawer side profile without Illumination		For drawer side profile with Illumination		
	white	anthracite	white	anthracite	
101	9 257 633	9 257 637	9 327 226	9 327 229	200 ea.
139	9 257 634	9 257 638	9 327 227	9 327 230	200 ea.
187	9 257 635	9 257 639	9 327 228	9 327 231	200 ea.

AvanTech YOU double walled drawer system

- ▶ Front panel options
- ▶ Front panel in aluminium for internal drawer / internal pot-and-pan drawer, in heights of 101, 139, 187 mm


Catch for internal front panel



- ▶ For pressing in / clipping on
- ▶ PlasticSet comprises:
- ▶ 1 catch
- ▶ 1 housing for catch
- ▶ Fixing material

Order no. / colour		PU
white	anthracite	
9 257 735	9 257 736	1 set






4 B Stabiliser for internal front panel



- ▶ For stabilising wide internal front panels
- ▶ Recommended for cabinet body widths > 600 mm
- ▶ Plastic

Order no.	PU
9 257 641	100 ea.

Planning / installation dimensions



Advice

- ▶ AvanTech YOU drawer 8 - 16
- ▶ AvanTech YOU pot-and-pan drawer 18 - 24
- ▶ AvanTech YOU Inlay pot-and-pan drawer 26 - 28
- ▶ Rear panel options 36 - 37
- ▶ Design options / accessories / Illumination 46 - 55
- ▶ Actro YOU / Quadro V6 YOU 56 - 57 / 60 - 61
- ▶ Push to open Silent 58 - 59 / 62 - 62




hettich.com/short/9c1fe2

AvanTech YOU double walled drawer system

- Front panel options
- Front panel for internal drawer (available on request)

6 D Front panel for internal drawer



- Available on request
- Preassembled for standard cabinet body widths
- With premounted drawer front connectors and end caps
- Powder coated aluminium


Planning / installation dimensions

Nominal length mm	Hole spacing b1 mm	b2 mm**
270	160	
300	160	
350	224	
400	224	
450	256	288
500	256	320
550	256	320
600	256	320
650*	256	416

* Nominal length 650 mm only for Actro YOU XL

** Hole spacing b2 only for Actro YOU XL

*** plus optional accessories



AvanTech YOU double walled drawer system

- ▶ Front panel options
- ▶ Customisable front panel for internal pot-and-pan drawer, in height of 187 mm



7 A Support profile for customisable internal front panel




- ▶ For holding 10 mm glass inlay or any chosen material
- ▶ For variable or standard cabinet body widths
- ▶ Length 2000 mm
- ▶ Powder coated aluminium

Advice:

- ▶ **7 B** or **7 C** Connector for customisable front panel must be ordered separately

Nominal height mm	Order no. / colour		PU
	white	anthracite	
187	9 257 664	9 257 665	1 ea.

7 B Connector set for customisable internal front panel, for use with drawer side profile



- ▶ For combining with 10 mm glass inlay or any chosen material
- ▶ Powder coated steel

Set comprises:


- ▶ 1 connector for customisable internal front panel, left and right
- ▶ 1 drawer front connector for drawer side profile, left and right
- ▶ 2 spacer elements for low application
- ▶ 2 stabilisers for internal front panel
- ▶ Fixing material

Advice:

- ▶ Height adjusted components must be used when combined with Illumination design profile
- ▶ **7 A** Support profile for customisable internal front panel must be ordered separately

Nominal height mm	Order no. / colour				PU
	For drawer side profile without Illumination		For drawer side profile with Illumination		
	white	anthracite	white	anthracite	
187	9 257 652	9 257 653	9 327 221	9 327 222	1 set

7 C Connector set for customisable internal front panel, for use with Inlay drawer side profile



- ▶ For combining with 10 mm glass inlay or any chosen material
- ▶ Powder coated steel

Set comprises:

- ▶ 1 connector for customisable internal front panel, left and right
- ▶ 1 drawer front connector for Inlay drawer side profile, left and right
- ▶ 2 spacer elements for low application
- ▶ 2 stabilisers for internal front panel
- ▶ Fixing material

Advice:


- ▶ **7 A** Support profile for customisable internal front panel must be ordered separately

Nominal height mm	Order no. / colour		PU
	white	anthracite	
187	9 257 658	9 257 659	1 set

AvanTech YOU double walled drawer system

- ▶ Front panel options
- ▶ Customisable front panel for internal pot-and-pan drawer, in height of 187 mm

Glass insert for customisable internal front panel








- ▶ For customisable internal front in half height (66 mm) or full height (130 mm)
- ▶ Clear glass, 10 mm, one longitudinal edge in satin finish
- ▶ Single pane safety glass
- ▶ Suitable for 16 or 18 mm carcass

Set comprises:



- ▶ 1 clear glass panel
- ▶ 2 stick on spacer strips

Cabinet body width mm	Order no. / Height mm		PU
	66	130	
450	9 283 228	9 283 233	1 ea.
600	9 283 229	9 283 235	1 ea.
900	9 283 231	9 283 237	1 ea.
1200	9 283 232	9 283 238	1 ea.


Planning / installation dimensions



Illumination



Illumination



Advice


- | | | | |
|---|---------|---|-------------------|
| ▶ AvanTech YOU drawer | 8 - 16 | ▶ Design options / accessories / Illumination | 46 - 55 |
| ▶ AvanTech YOU pot-and-pan drawer | 18 - 24 | ▶ Actro YOU / Quadro V6 YOU | 56 - 57 / 60 - 61 |
| ▶ AvanTech YOU Inlay pot-and-pan drawer | 26 - 28 | ▶ Push to open Silent | 58 - 59 / 62 - 62 |
| ▶ Rear panel options | 36 - 37 | | |



[hettich.com/short/fe9274](https://www.hettich.com/short/fe9274)

AvanTech YOU double walled drawer system


- ▶ Rear panel options
- ▶ Aluminium profile / accessories



As versatile as you are.

Customised wooden rear panels or aluminium rear panels powder coated in drawer side profile colour can be screwed directly to the drawer side profile without rear panel connectors. Steel rear panels simply clip onto the drawer side profile.


8 Connector for rear panel profile



- ▶ Can be used by way of option for connecting customised rear panels or the rear panel profile for cutting to length
- ▶ Powder coated steel

Nominal height mm	Order no. / colour				PU
	white left	white right	anthracite left	anthracite right	
101	9 257 678	9 257 679	9 257 690	9 257 691	1/20 ea.
139	9 257 680	9 257 681	9 257 692	9 257 693	1/20 ea.
187	9 257 682	9 257 683	9 257 694	9 257 695	1/20 ea.
251	9 257 684	9 257 685	9 257 696	9 257 697	1/20 ea.

9 Rear panel profile for cutting to length



- ▶ For variable and standard cabinet body widths
- ▶ Length 2000 mm
- ▶ Powder coated aluminium

Advice:

- ▶ **8** Rear panel connectors can be ordered separately

Nominal height mm	Order no. / colour		PU
	white	anthracite	
101	9 257 305*	9 257 310*	1 ea.
139	9 257 306*	9 257 311*	1 ea.
187	9 257 307*	9 257 312*	1 ea.
251	9 257 308*	9 257 313*	1 ea.

*Available on request

Advice

- | | | | |
|--|---------|---|-------------------|
| ▶ AvanTech YOU drawer | 8 - 16 | ▶ Design options / accessories / Illumination | 46 - 55 |
| ▶ AvanTech YOU pot-and-pan drawer | 18 - 24 | ▶ Actro YOU / Quadro V6 YOU | 56 - 57 / 60 - 61 |
| ▶ AvanTech YOU Inlay pot-and-pan drawer | 26 - 28 | ▶ Push to open Silent | 58 - 59 / 62 - 62 |
| ▶ Front options for interior drawer / pot-and-pan drawer | 30 - 35 | | |




hettich.com/short/1e2dc5

AvanTech YOU double walled drawer system



- ▶ Rear panel options
- ▶ Rear panel (available on request)

10 Steel rear panel




- ▶ Available on request
- ▶ For standard cabinet body widths
- ▶ Powder coated steel


Planning / installation dimensions




BL	NL - 21	NL - 21
BB	LB - 24	LB - 24
RB	LB - 24	LB - 41
D H 101	54	54
D H 139	92	92
D H 187	140,5	140,5
D H 251	204,5	204,5




H 101




H 139



H 187



H 251




AvanTech YOU double walled drawer system

► Application example LightTower



- LightTower casts a new light on storage
- Tall unit concept for unique style: individually tailored LED lighting that bespoke and practical
- "No plug, just play": easy to add, no cabinet body modification, no complicated connections
- Colour temperature can be changed to suit any preference: between extra warm white at 2700 K or neutral white at 4000 K
- Battery easily recharged via USB-C
- Other configurations are also possible

Application example




No.	Application	see pages
1	AvanTech YOU internal drawer with internal front panel Illumination design profile Actro YOU / Quadro V6 YOU	8 - 16 / 30 - 31 50 - 52 56 - 63
2	AvanTech YOU Inlay internal pot-and-pan drawer with Inlay internal front panel Illumination for Inlay drawer side Actro YOU / Quadro V6 YOU	26 - 28 / 34 - 35 50 - 52 56 - 63
3	AvanTech YOU Inlay internal pot-and-pan drawer with Inlay internal front panel Illumination for Inlay drawer side Actro YOU / Quadro V6 YOU	26 - 28 / 34 - 35 50 - 52 56 - 63
4	AvanTech YOU Inlay internal pot-and-pan drawer with Inlay internal front panel Illumination for Inlay drawer side Actro YOU / Quadro V6 YOU	26 - 28 / 34 - 35 50 - 52 56 - 63
5	AvanTech YOU Inlay internal pot-and-pan drawer with Inlay internal front panel Illumination for Inlay drawer side Actro YOU / Quadro V6 YOU	26 - 28 / 34 - 35 50 - 52 56 - 63

AvanTech YOU double walled drawer system


► Application example for internal drawer





► For configuring an internal front panel in any chosen material



Application example





$$a = 37 + b + c + d$$
$$LT = NL + 5 + b + c + d$$



	B	C
d	- 1	3

No.	Application	see pages
1	AvanTech YOU internal pot-and-pan drawer with custom front Actro YOU / Quadro V6 YOU	26 - 28 56 - 63
2	AvanTech YOU Inlay internal pot-and-pan drawer with custom front Actro YOU / Quadro V6 YOU	26 - 28 56 - 63
3	AvanTech YOU Inlay internal pot-and-pan drawer with custom front Actro YOU / Quadro V6 YOU	26 - 28 56 - 63
4	AvanTech YOU internal pot-and-pan drawer with custom front Actro YOU / Quadro V6 YOU	18 - 24 56 - 63
5	AvanTech YOU internal pot-and-pan drawer with custom front Actro YOU / Quadro V6 YOU	18 - 24 56 - 63

► Application example with narrow base unit



Technical drawing of the Actro YOU / Quadro YOU door handle system, showing side and front views with dimensions in mm.

Side View Dimensions:

- Top plate width: ≤ 300
- Top plate thickness: 6
- Top plate hole diameter: $\varnothing 4$
- Top plate hole offset: 28,5
- Top plate hole diameter: 54
- Top plate hole offset: 16
- Top plate hole diameter: 20
- Top plate hole offset: 14
- Top plate hole diameter: 32
- Top plate hole offset: (14,5)
- Top plate hole diameter: 52,5
- Top plate hole offset: 38
- Top plate hole diameter: 102
- Top plate hole offset: 57

Front View Dimensions:

- Top plate thickness: 1,25
- Top plate hole diameter: $\varnothing 4$
- Top plate hole offset: 28,5
- Top plate hole diameter: 86,5
- Top plate hole offset: 140,5
- Top plate hole diameter: 144
- Top plate hole offset: 32
- Top plate hole diameter: 32
- Top plate hole offset: 32
- Top plate hole diameter: 32
- Top plate hole offset: 32
- Top plate hole diameter: 52,5
- Top plate hole offset: (14,5)
- Top plate hole diameter: 38
- Top plate hole offset: 16

Actro YOU / Quadro YOU*

No.	Application	see pages
1	AvanTech YOU drawer Actro YOU / Quadro V6 YOU	8 - 16 56 - 63
2	AvanTech YOU pot-and-pan drawer Actro YOU / Quadro V6 YOU	18 - 28 56 - 63


AvanTech YOU double walled drawer system

► Application example with tall unit



- Optimum use of storage space
- For individual cabinet body heights and widths
- Recommended cabinet body widths 300 – 600 mm
- Other configurations are also possible

Application example



No.	Application	see pages
1	AvanTech YOU internal drawer Actro YOU / Quadro V6 YOU	8 – 16 / 30 – 35 56 – 63
2	AvanTech YOU pot-and-pan drawer Actro YOU / Quadro V6 YOU	18 – 28 56 – 63
3	AvanTech YOU internal drawer Actro YOU / Quadro V6 YOU	8 – 16 / 30 – 35 56 – 63
4	AvanTech YOU pot-and-pan drawer Actro YOU / Quadro V6 YOU	18 – 28 56 – 63


AvanTech YOU double walled drawer system

► Example showing use of drawer with bottom cutout



- For utilising the space below the sink
- Other configurations are also possible


Application example



No.	Application	see pages
1	AvanTech YOU drawer side profile, 2 each, left and right	8 - 28
2	AvanTech YOU design profile, 4 each	8 - 28
3	AvanTech YOU drawer front connector for drawer side profile, 4 each	8 - 28
4	Front stabiliser	54
5	Rear panel stabiliser	8 - 28
8	AvanTech YOU rear panel connector, 2 each, left and right	36 - 37
9	AvanTech YOU rear panel profile for cutting to length, or C wooden rear panel	36 - 37
11	Actro YOU / Quadro V6 YOU drawer runner	56 - 63
A	Front panel	
B	Bottom panel (material thickness 16 mm)	
C	Wooden rear panel (material thickness 16 mm)	

AvanTech YOU double walled drawer system

► Example showing use of drawer with bottom cutout




AvanTech YOU double walled drawer system


► Application example with larder unit



- Optimum use of storage space
- For individual cabinet body heights and widths
- Recommended cabinet body widths of 450 - 1200 mm, wider than 600 mm with 2 hinged doors
- Recommended hinge: Sensys 8657i fast assembly concealed hinge
- Other configurations are also possible



Application example



No.	Application	see pages
1	AvanTech YOU internal drawer Actro YOU / Quadro V6 YOU	8 - 16 / 30 - 35 56 - 63
2	AvanTech YOU internal drawer Actro YOU / Quadro V6 YOU	8 - 16 / 30 - 35 56 - 63
3	AvanTech YOU internal drawer Actro YOU / Quadro V6 YOU	8 - 16 / 30 - 35 56 - 63
4	AvanTech YOU internal pot-and-pan drawer Actro YOU / Quadro V6 YOU	18 - 28 / 30 - 35 56 - 63
5	AvanTech YOU internal pot-and-pan drawer Actro YOU / Quadro V6 YOU	18 - 28 / 30 - 35 56 - 63
6	AvanTech YOU internal pot-and-pan drawer Actro YOU / Quadro V6 YOU	18 - 28 / 30 - 35 56 - 63

AvanTech YOU double walled drawer system

► Design options / Optional accessories for AvanTech YOU



reddot winner 2022

AvanTech YOU double walled drawer system

► Design options / Optional accessories for AvanTech YOU



Never before has it been possible to create emotive lighting features on furniture!

The AvanTech YOU drawer system provides so much design flexibility in terms of light, colour, shape and material, giving you the key to successfully turning your own furniture design ideas into reality. Feature your drawers with the new LED signature lighting to give them that 'wow' effect. Homogeneous LED light illuminates either the inside of the drawer when it's open or makes a stunning feature statement on the outside. Colour

temperature to suit any preference: 2,700 K or 4,000 K. Eye catching too are the illuminated glass inlays, either with polished or ground edges – for distinctive lighting effects. DesignProfiles or DesignCapes conjure an accentuated, visual transformation. With this versatile system, you can let your own imagination run free. With the option of using any chosen materials, your ideas become distinctive furniture design that stands apart.



Design diversity and creative flexibility:

Printing your logo on the DesignProfile completes your design.



Many different options for individualisation:

With a simple click, design profiles conjure a visual transformation.



Unique furniture design:

The DesignCape gives your drawer that 'wow' effect.




hettich.com/short/a07bc8

Find out more:

You can get inspiration and further product details on our website.

AvanTech YOU double walled drawer system

► Design options




Already customised as standard!

Use the many different ways of shaping and customising the design of your furniture. Give your furniture unmistakable character and respond quickly to the latest design trends.

Made of aluminium clad recycled plastic, these hybrid design profiles make future proof statements and speak high quality too: anodised and lacquered in the drawer side profile colours of white, silver and anthracite, or in a dark bronze and brushed stainless steel look.

Customised branding can be provided on request.


2 B | Design profile



- Any chosen top edge can be selected for drawer side profile
- For clipping on
- Recycled plastic, aluminium foil wrapped, anodised or anodised and lacquered

Nominal length mm	Order no. / colour				
	dark bronze	PU	white	anthracite	PU
270	9 384 899	1/100 ea.	9 347 511	9 347 520	1/200 ea.
300	9 384 900	1/100 ea.	9 347 512	9 347 521	1/200 ea.
350	9 384 901	1/100 ea.	9 347 513	9 347 522	1/200 ea.
400	9 384 902	1/100 ea.	9 347 514	9 347 523	1/200 ea.
450	9 384 903	1/100 ea.	9 347 515	9 347 524	1/200 ea.
500	9 384 904	1/100 ea.	9 347 516	9 347 525	1/200 ea.
550	9 384 905	1/100 ea.	9 347 517	9 347 526	1/200 ea.
600	9 384 906	1/100 ea.			
650	9 384 917	1/100 ea.			

2 C | Customisable design profile



- Support for any chosen versions of the design profile
- Length 2000 mm
- For clipping on
- Grey plastic with adhesive strip

Order no.	PU
9 255 831*	1 ea.

*Available on request

Advice

► AvanTech YOU drawer	8 - 16	► Accessories / Illumination	50 - 55
► AvanTech YOU pot-and-pan drawer	18 - 24	► Actro YOU / Quadro V6 YOU	56 - 57 / 60 - 61
► AvanTech YOU Inlay pot-and-pan drawer	26 - 28	► Push to open Silent	58 - 59 / 62 - 62
► Internal front panel options / rear panel options	30 - 37		



hettich.com/short/1874ce

AvanTech YOU double walled drawer system

► Design options



DesignCapes in anodised aluminium and stainless steel look can be used to create a wide variety of eye catchers even within the standard range. But here too, the AvanTech YOU platform offers further versatile customisation options if you do prefer your own materials and colour trends.

12 DesignCape



- For clipping on
- Length 2000 mm
- Aluminium, anodised, veneered or foil wrapped

Set comprises:

- Aluminium profile
- Fixing material

Nominal height mm	Order no. / colour		PU
	Aluminium, anodised	Oak veneer	
101	9 257 643	9 283 217	1 set
187	9 257 645	9 283 221	1 set

13 Branding clip



- Available on request with any chosen imprint or customer logo
- For clipping on
- Plastic

Colour	Order no.	PU
white with Hettich logo	9 257 704	200 ea.
anthracite with Hettich logo	9 257 705	200 ea.
white	9 270 186	200 ea.
anthracite	9 270 187	200 ea.

Advice

► AvanTech YOU drawer	8 - 16	► Accessories / Illumination	50 - 55
► AvanTech YOU pot-and-pan drawer	18 - 24	► Actro YOU / Quadro V6 YOU	56 - 57 / 60 - 61
► AvanTech YOU Inlay pot-and-pan drawer	26 - 28	► Push to open Silent	58 - 59 / 62 - 62
► Internal front panel options / rear panel options	30 - 37		



hettich.com/short/1874ce



AvanTech YOU double walled drawer system

► Design options



- Stunning accent lighting for AvanTech YOU shining either into the drawer or into the room
- Optional upgrade for system height 101 / 139 / 187 / 251 mm, on AvanTech YOU Inlay drawer side profiles or on a wooden drawer
- Diffuse light, colour temperature switchable between 2700 K or 4000 K
- Automatic illumination when opening the drawer, switches off when closing the drawer
- A rechargeable battery pack and an LED item must be ordered for each drawer or shelf pull-out

14 Illumination rechargeable battery pack



- Rechargeable lithium-ion battery
- Voltage 7.5 V DC
- Capacity 2300 mAh
- Power 8.51 Wh
- Rechargeable via USB C
- Quick charge function
- Can be positioned anywhere on drawer or shelf pull-out
- Switch for changing colour temperature

Advice:

- Further extension cables on request

Set comprises:

- 1 rechargeable battery
- 1 rechargeable battery holder, self adhesive
- 3 cable holders, self adhesive
- 1 extension cable
- Fixing material

Order no.	PU
9 393 653	1 set


Advice

► AvanTech YOU drawer	8 - 16	► Design options / accessories / Illumination	46 - 55
► AvanTech YOU pot-and-pan drawer	18 - 24	► Actro YOU / Quadro V6 YOU	56 - 57 / 60 - 61
► AvanTech YOU Inlay pot-and-pan drawer	26 - 28	► Push to open Silent	58 - 59 / 62 - 62
► Internal front panel options / rear panel options	30 - 37		



hettich.com/short/892f59

14 Illumination design profile



- Profile height 4.5 mm
- Light, diffuse, 2 colour temperatures: 2700 K or 4000 K
- Can be used on both sides: shining either into the drawer or into the room

Advice:


- 1 rechargeable battery pack, 9 393 653, must be ordered separately for each drawer
- Additional overall height + 6 mm (over standard design profile): height adjusted components must be used when combined with the closed / customisable internal front panel.

Set comprises:

- 2 LED lighting profiles

Nominal length mm	Order no. / colour			PU
	brushed stainless steel	white	anthracite	
270	9 393 702	9 393 684	9 393 693	1 set
300	9 393 703	9 393 685	9 393 694	1 set
350	9 393 704	9 393 686	9 393 695	1 set
400	9 393 705	9 393 687	9 393 696	1 set
450	9 393 706	9 393 688	9 393 697	1 set
500	9 393 707	9 393 689	9 393 698	1 set
550	9 393 708	9 393 690	9 393 699	1 set
600	9 393 709	9 393 691	9 393 700	1 set
650	9 393 710	9 393 692	9 393 701	1 set

14 Illumination for Inlay drawer side



- Optional upgrade for AvanTech YOU Inlay drawer side profiles
- Light, diffuse, 2 colour temperatures: 2700 K or 4000 K

Advice:

- 1 rechargeable battery pack, 9 393 653, must be ordered separately for each drawer

Set comprises:

- 2 LED lighting elements

Order no.	PU
9 393 743	1 set

Advice

- | | | | |
|---|---------|---|-------------------|
| ► AvanTech YOU drawer | 8 - 16 | ► Design options / accessories / Illumination | 46 - 55 |
| ► AvanTech YOU pot-and-pan drawer | 18 - 24 | ► Actro YOU / Quadro V6 YOU | 56 - 57 / 60 - 61 |
| ► AvanTech YOU Inlay pot-and-pan drawer | 26 - 28 | ► Push to open Silent | 58 - 59 / 62 - 62 |
| ► Internal front panel options / rear panel options | 30 - 37 | | |



hettich.com/short/892f59

14 Illumination for wooden drawer



- Flexible LED strip for slot mounting in wooden drawer side profile (groove depth 6 mm / groove width 4 mm)
- Light, diffuse, 2 colour temperatures: 2700 K or 4000 K
- Can be cut to any length, intermediate lengths can be generated from nominal lengths

Advice:


- 1 rechargeable battery pack, 9 393 653, must be ordered separately for each drawer

Set comprises:

- 2 LED lighting profiles

Nominal length mm	Order no.	PU
350	9 393 738	1 set
450	9 393 739	1 set
500	9 393 740	1 set
550	9 393 741	1 set
750	9 393 742	1 set

Planning / installation dimensions



Advice

- | | | | |
|---|---------|---|-------------------|
| ► AvanTech YOU drawer | 8 - 16 | ► Design options / accessories / Illumination | 46 - 55 |
| ► AvanTech YOU pot-and-pan drawer | 18 - 24 | ► Actro YOU / Quadro V6 YOU | 56 - 57 / 60 - 61 |
| ► AvanTech YOU Inlay pot-and-pan drawer | 26 - 28 | ► Push to open Silent | 58 - 59 / 62 - 62 |
| ► Internal front panel options / rear panel options | 30 - 37 | | |



hettich.com/short/892f59


AvanTech YOU double walled drawer system

► Connection for front panels from 10 mm



- For front panel thicknesses from 10 mm
- Socket for optimum fit in soft materials (MDF transverse tensile strength > 0.6 N/mm², chipboard transverse tensile strength > 0.45 N/mm²)
- Self tapping screws for optimum fit in hard materials (e.g. solid surface material, natural stone, plastic, ceramic)
- Use with standard front panel connections
- The attachment method must be suitable for the type and quality of door material and tested for a secure fit

Connector for front panel thicknesses from 10 mm





Set comprises:

- 10 sockets, 10 x 8 mm ø
- 10 self tapping screws, ø 3.5 x 13 mm

Order no.	PU
9 268 149	1 set

Installation aid



The attachment method must be suitable for the type and quality of door material and tested for a secure fit.


Advice

- | | | | |
|---|---------|---|-------------------|
| ► AvanTech YOU drawer | 8 - 16 | ► Design options / accessories / Illumination | 46 - 55 |
| ► AvanTech YOU pot-and-pan drawer | 18 - 24 | ► Actro YOU / Quadro V6 YOU | 56 - 57 / 60 - 61 |
| ► AvanTech YOU Inlay pot-and-pan drawer | 26 - 28 | ► Push to open Silent | 58 - 59 / 62 - 62 |
| ► Internal front panel options / rear panel options | 30 - 37 | | |



hettich.com/short/c4a03a


4 A Front stabiliser



- For stabilising wide and / or high front panels
- Recommended for use in cabinet body widths 600 mm and over and / or front panel heights of 450 mm and over
- Can be used on fronts in a thickness of 10 mm and over – drilling depth 8 mm
- Mounted by knock in pin
- On screwing into place the front is automatically pulled against the base
- Lateral and vertical adjustments can be made without undoing the screw
- Plastic anthracite

Order no.	PU
9 321 561	1/150 ea.

Glass insert for Inlay drawer side profile



- Clear glass, 10 mm, one longitudinal edge in satin finish
- Single pane safety glass

Nominal length mm	Order no.	PU
350	9 283 178	1 set
400	9 283 179	1 set
450	9 283 180	1 set
500	9 283 181	1 set
550	9 283 182	1 set
600	9 283 183	1 set
650	9 283 184	1 set

Glass insert for customisable internal front panel



- For customisable internal front in half height (66 mm) or full height (130 mm)
- Clear glass, 10 mm, one longitudinal edge in satin finish
- Single pane safety glass
- Suitable for 16 or 18 mm carcass

Set comprises:

- 1 clear glass panel
- 2 stick on spacer strips

Cabinet body width mm	Order no. / Height mm		PU
	66	130	
450	9 283 228	9 283 233	1 ea.
600	9 283 229	9 283 235	1 ea.
900	9 283 231	9 283 237	1 ea.
1200	9 283 232	9 283 238	1 ea.

AvanTech YOU double walled drawer system

► Screws / Spacer profile


Direct fixing screws



- Countersunk head
- Pozidrive screw
- Steel

Dimensions mm	Finish	Order no.	PU
ø 6 x 14	nickel plated	9 137 114	200 ea.
ø 6.3 x 14	galvanised	0 051 265	200 ea.


Chipboard screws, countersunk head



- Countersunk head
- Pozidrive screw
- Steel

Dimensions mm	Finish	Order no.	PU
ø 4 x 16	nickel plated	0 010 085	200 ea.


Chipboard screws, panhead



- Panhead
- Pozidrive screw
- Steel

Dimensions mm	Finish	Order no.	PU
ø 3.5 x 6.5	galvanised	9 278 225	200 ea.
ø 3.5 x 12	galvanised	0 045 167	200 ea.
ø 3.5 x 20	galvanised	0 045 168	200 ea.
ø 3.5 x 30	galvanised	9 278 224	200 ea.



Self tapping screw, panhead



- Panhead
- Pozidrive screw
- Steel

Dimensions mm	Finish	Order no.	PU
ø 3.5 x 12	galvanised	9 279 197	200 ea.

Spacer profile



- For bridging the door / hinge protrusion
- Load capacity max. 20 kg
- Plastic white

Advice:


- Application, AvanTech YOU / Actro YOU, max. NL 600 mm
- Application, wooden drawer / FR, max. NL 350 mm
- Application, wooden drawer / KA 4532, max. NL 500 mm

Order no.	PU
9 135 703	1 ea.

AvanTech YOU double walled drawer system

- ▶ Actro YOU drawer runner with Silent System, optionally available with Push to open Silent
- ▶ Load classes L (40 kg) / XL (70 kg)


11 A Actro YOU drawer runner with Silent System



- ▶ Full extension runner for combining with AvanTech YOU system drawer or wooden drawer with catches
- ▶ Integrated Silent System
- ▶ Optional: Push to open Silent
- ▶ Load classes L (40 kg) / XL (70 kg)
- ▶ Load capacity to EN 15338, Level 3
- ▶ Galvanised steel

Nominal length mm	Order no. left & right	PU	Order no. / mounting side		PU
			left	right	
Load class L (40 kg)					
270	9 319 179	1 pairs			
300	9 319 180	1 pairs			
350	9 319 181	1 pairs			
400	9 319 182	1 pairs	9 318 175	9 318 176	10 ea.
450	9 319 183	1 pairs	9 318 177	9 318 178	10 ea.
500	9 319 184	1 pairs	9 318 179	9 318 180	10 ea.
550	9 319 185	1 pairs	9 318 181	9 318 182	10 ea.
600	9 319 186	1 pairs			
Load class XL (70 kg)					
450	9 319 187	1 pairs			
500	9 319 188	1 pairs			
550	9 319 189	1 pairs			
600	9 319 190	1 pairs			
650	9 319 191	1 pairs			

Depth adjustment



- ▶ Tool-less installation and adjustment up to +/- 2 mm
- ▶ For optional use with inset front panels
- ▶ Steel, grey plastic

- Set comprises:
- ▶ 2 depth adjusters
 - ▶ 2 activators

Order no.	PU
9 257 706	1 set

Advice

- | | | | |
|---|---------|---|-------------------|
| ▶ AvanTech YOU drawer | 8 - 16 | ▶ Design options / accessories / Illumination | 46 - 55 |
| ▶ AvanTech YOU pot-and-pan drawer | 18 - 24 | ▶ Push to open Silent | 58 - 59 / 62 - 62 |
| ▶ AvanTech YOU Inlay pot-and-pan drawer | 26 - 28 | | |
| ▶ Internal front panel options / rear panel options | 30 - 37 | | |




hettich.com/short/45025e

AvanTech YOU double walled drawer system


- ▶ Actro YOU drawer runner with Silent System, optionally available with Push to open Silent
- ▶ Load classes L (40 kg) / XL (70 kg)

Lengthwise cross-section



Nominal length mm	Hole spacing b1 mm	Hole spacing b2 mm	Drawer / pot-and-pan drawer Minimum cabinet body depth LT mm	Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth LT mm	Internal drawer / internal pot-and-pan drawer Push to open Silent Minimum cabinet body depth LT mm
270	160		273	282	291
300	160		303	312	321
350	224		353	362	371
400	224		403	412	421
450	256	288	453	462	471
500	256	320	503	512	521
550	256	320	553	562	571
600	256	320	603	612	621
650	256	416	653	662	671

YOU catch




- ▶ For using Actro YOU with wooden drawers
- ▶ Height adjustment up to + 3 mm
- ▶ Plastic anthracite

Hinge side	Order no.	PU
left and right	9 320 320	5 pairs
left	9 320 331	100 ea.
right	9 320 332	100 ea.

AvanTech YOU double walled drawer system

► Push to open Silent opening system for Actro YOU

Push to open Silent opening system



- For optimum performance and activation range, we recommend fitting an optional synchronisation function

Set comprises:

- 1 Push to open Silent unit, left and right
- 1 activator, left and right
- 2 adapters for synchronisation

Total weight kg	Actro load capacity class	Nominal length mm	Order no.	PU
8 - 20	L (40 kg)	270 - 600	9 257 891	1 set
10 - 40	L (40 kg)	350 - 600	9 257 892	1 set
20 - 70	XL (70 kg)	450 - 650	9 257 893	1 set

Recommendation for drawer (front panel height up to approx. 150 mm, light duty loading)*

Nominal length mm	Nominal width mm											
	275	300	350	400	500	600	700	800	900	1000	1100	1200
270												
300												
350												
400												
450												
500												
550												
650												

Recommendation for pot-and-pan drawer (front panel height up to approx. 300 mm, medium duty loading)*

Nominal length mm	Nominal width mm											
	275	300	350	400	500	600	700	800	900	1000	1100	1200
270												
300												
350												
400												
450												
500												
550												
650												

Recommendation for pot-and-pan drawer (front panel height up to approx. 300 mm, carrying heavy load, e.g. with stacks of plates)*

Nominal length mm	Nominal width mm											
	275	300	350	400	500	600	700	800	900	1000	1100	1200
270												
300												
350												
400												
450												
500												
550												
650												

Order no. Push to open Silent:

9 257 891

9 257 892


9 257 893

* Recommendations for standard applications (front panel 19 mm chipboard, normal household loading), please refer to our online configurator to get more exact recommendations for customer chosen front panel dimensions and materials.

AvanTech YOU double walled drawer system

► Push to open Silent opening system for Actro YOU

Optional synchronisation for Push to open Silent



Synchronisation bar:


- For cutting to length, length 2000 mm
- Aluminium anodised

Connectors:

- For extending synchronisation bar / optimising synchronisation bar offcut waste
- Plastic, grey

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1/100 ea.
8 Connector	9 221 295	1/20 ea.

Optional multi synchronisation for Push to open Silent



- For two drawers interconnected by one front panel

Synchronisation bar:


- For cutting to length, length 2000 mm (sufficient for 2 connected cabinet bodies with total outer width of ≤ 2000 mm)
- Aluminium anodised

Adapter:

- Plastic, grey

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1/100 ea.
6 Push to open Silent multi synchronisation adapter	9 278 452	1/20 ea.


Versatile adapter for Push to open Silent synchronisation



- For use in conjunction with lowered drawer runners with angled or bowed fronts
- Vertical offset, max. 150 mm
- Angle at synchronisation bar max. 25°
- Replaces the synchronisation adapter in the Push to open Silent set

Order no.	PU
9 262 213	1/20 ea.

Deflector for Push to open Silent synchronisation



- For use e.g. with U bend applications
- Permits synchronisation in 3 different depth positions

Set comprises:

- 2 housings with premounted deflector bar
- 2 Push to open unit adapters
- 2 synchronisation bar adapters

Order no.	PU
9 278 453	1 set

Advice

- | | | | |
|---|---------|---|-------------------|
| ► AvanTech YOU drawer | 8 - 16 | ► Design options / accessories / Illumination | 46 - 55 |
| ► AvanTech YOU pot-and-pan drawer | 18 - 24 | ► Actro YOU / Quadro V6 YOU | 56 - 57 / 60 - 61 |
| ► AvanTech YOU Inlay pot-and-pan drawer | 26 - 28 | ► Push to open Silent | 58 - 59 / 62 - 62 |
| ► Internal front panel options | 30 - 35 | | |




hettich.com/short/370f63

AvanTech YOU double walled drawer system

- ▶ Quadro V6 YOU drawer runner with Silent System, optionally with Push to open Silent
- ▶ Load classes XS (10 kg) / M (30 kg)

11 B Quadro V6 YOU drawer runner with Silent System



- ▶ Full extension runner for combining with AvanTech YOU system drawer or wooden drawer with catches
- ▶ Integrated Silent System
- ▶ Optional: Push to open Silent opening system
- ▶ Optional: synchronisation / multi synchronisation for Push to open
- ▶ Load classes XS (10 kg) / M (30 kg)
- ▶ Load capacity to EN 15338, Level 3
- ▶ Galvanised steel

Nominal length mm	Order no.	PU	Order no. / mounting side		PU
	left & right		left	right	
Load class XS (10 kg)					
270	9 319 192	1 pair			
300	9 319 193	1 pair			
350	9 319 194	1 pair			
Load class M (30 kg)					
270	9 319 195	1 pair			
300	9 319 196	1 pair			
350	9 319 197	1 pair			
400	9 319 198	1 pair	9 303 772	9 303 773	20 ea.
450	9 319 199	1 pair	9 303 776	9 303 777	20 ea.
500	9 319 200	1 pair	9 303 780	9 303 781	20 ea.
550	9 319 201	1 pair	9 303 784	9 303 785	20 ea.
600	9 319 202	1 pair			

Advice

- | | | | |
|---|---------|---|-------------------|
| ▶ AvanTech YOU drawer | 8 - 16 | ▶ Design options / accessories / Illumination | 46 - 55 |
| ▶ AvanTech YOU pot-and-pan drawer | 18 - 24 | ▶ Push to open Silent | 58 - 59 / 62 - 62 |
| ▶ AvanTech YOU Inlay pot-and-pan drawer | 26 - 28 | | |
| ▶ Internal front panel options / rear panel options | 30 - 37 | | |




hettich.com/short/45025e

AvanTech YOU double walled drawer system

- Quadro V6 YOU drawer runner with Silent System, optionally with Push to open Silent
- Load classes XS (10 kg) / M (30 kg)


Lengthwise cross-section



Installation dimensions for Quadro V6 YOU with Silent System / Push to open Silent

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer Minimum cabinet body depth LT mm	Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth LT mm	Internal drawer / internal pot-and-pan drawer Push to open Silent Minimum cabinet body depth LT mm
270	160	273	282	291
300	160	303	312	321
350	224	353	362	371
400	224	403	412	421
450	256	453	462	471
500	256	503	512	521
550	256	553	562	571
600	256	603	612	621

YOU catch



- For using Quadro V6 YOU and Quadro 25 YOU with wooden drawers
- Height adjustment up to + 3 mm
- Plastic anthracite

Advice:


- Plug for pull-out shelf applications must be ordered separately

Hinge side	Order no.	PU
left and right	9 257 262	5 pairs
left	9 257 260	100 ea.
right	9 257 261	100 ea.

AvanTech YOU double walled drawer system

► Push to open Silent opening system for Quadro V6 YOU

Push to open Silent opening system



- For optimum performance and activation range, we recommend fitting an optional synchronisation function

Set comprises:

- 1 Push to open Silent unit, left and right
- 1 activator, left and right
- 2 adapters for synchronisation

Total weight kg	Load class for Quadro	Nominal length mm	Order no.	PU
8 - 20	M (30 kg)	270 - 600	9 257 895	1 set
10 - 30	M (30 kg)	350 - 600	9 257 896	1 set

Recommendation for drawer (front panel height up to approx. 150 mm, light duty loading)*

Nominal length mm	Nominal width mm												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
270													
300													
350													
400													
450													
500													
550													
600													

Recommendation for pot-and-pan drawer (front panel height up to approx. 300 mm, medium duty loading)*

Nominal length mm	Nominal width mm												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
270													
300													
350													
400													
450													
500													
550													
600													

Recommendation for pot-and-pan drawer, heavy duty (front panel height up to approx. 300 mm, heavy duty loading, e.g. with stacks of plates)*

Nominal length mm	Nominal width mm												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
270													
300													
350													
400													
450													
500													
550													
600													

Order no. Push to open Silent:

9 257 894

9 257 895


9 257 896

* Recommendations for standard applications (front panel 19 mm chipboard, normal household loading), please refer to our online configurator to get more exact recommendations for customer chosen front panel dimensions and materials.

AvanTech YOU double walled drawer system

► Push to open Silent opening system for Quadro V6 YOU

Optional synchronisation for Push to open Silent



Synchronisation bar:


- For cutting to length, length 2000 mm
- Aluminium anodised

Connectors:

- For extending synchronisation bar / optimising synchronisation bar offcut waste
- Plastic, grey

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1/100 ea.
8 Connector	9 221 295	1/20 ea.

Optional multi synchronisation for Push to open Silent



- For two drawers interconnected by one front panel

Synchronisation bar:


- For cutting to length, length 2000 mm (sufficient for 2 connected cabinet bodies with total outer width of ≤ 2000 mm)
- Aluminium anodised

Adapter:

- Plastic, grey

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1/100 ea.
6 Push to open Silent multi synchronisation adapter	9 278 452	1/20 ea.


Versatile adapter for Push to open Silent synchronisation



- For lowered drawer runners with angled or curved fronts
- Vertical offset, max. 150 mm
- Angle at synchronisation bar max. 25°
- Replaces the synchronisation adapter in the Push to open Silent set

Order no.	PU
9 262 213	1/20 ea.

Deflector for Push to open Silent synchronisation



- For use e.g. with U bend applications
- Permits synchronisation in 3 different depth positions

Set comprises:

- 2 housings with premounted deflector bar
- 2 Push to open unit adapters
- 2 synchronisation bar adapters

Order no.	PU
9 278 453	1 set

Advice

- | | | | |
|---|---------|---|-------------------|
| ► AvanTech YOU drawer | 8 - 16 | ► Design options / accessories / Illumination | 46 - 55 |
| ► AvanTech YOU pot-and-pan drawer | 18 - 24 | ► Actro YOU / Quadro V6 YOU | 56 - 57 / 60 - 61 |
| ► AvanTech YOU Inlay pot-and-pan drawer | 26 - 28 | ► Push to open Silent | 58 - 59 / 62 - 62 |
| ► Internal front panel options | 30 - 35 | | |



[hettich.com/short/370f63](https://www.hettich.com/short/370f63)

Order number index

Order no.	Page	Order no.	Page	Order no.	Page	Order no.	Page
0 010 085	55	9 255 191	15	9 257 617	30	9 262 213	63
0 045 167	55	9 255 192	15	9 257 619	30	9 268 149	53
0 045 168	55	9 255 193	15	9 257 620	30	9 268 677	28
0 051 265	55	9 255 194	15	9 257 621	30	9 270 186	49
0 079 665	9	9 255 195	15	9 257 625	31	9 270 187	49
9 135 703	55	9 255 196	15	9 257 627	31	9 278 224	55
9 137 114	55	9 255 197	15	9 257 633	31	9 278 225	55
9 221 295	59	9 255 198	15	9 257 634	31	9 278 452	59
9 221 295	63	9 255 199	15	9 257 635	31	9 278 452	63
9 236 718	59	9 255 204	19	9 257 637	31	9 278 453	59
9 236 718	63	9 255 205	19	9 257 638	31	9 278 453	63
9 255 094	11	9 255 208	19	9 257 639	31	9 279 197	55
9 255 095	11	9 255 209	19	9 257 641	32	9 283 178	54
9 255 096	11	9 255 210	19	9 257 643	49	9 283 179	54
9 255 097	11	9 255 211	19	9 257 645	49	9 283 180	54
9 255 098	11	9 255 212	19	9 257 652	34	9 283 181	54
9 255 099	11	9 255 213	19	9 257 653	34	9 283 182	54
9 255 106	15	9 255 214	19	9 257 658	34	9 283 183	54
9 255 107	15	9 255 215	19	9 257 659	34	9 283 184	54
9 255 108	15	9 255 228	23	9 257 664	34	9 283 217	49
9 255 109	15	9 255 229	23	9 257 665	34	9 283 221	49
9 255 110	15	9 255 230	23	9 257 678	36	9 283 228	54
9 255 111	15	9 255 231	23	9 257 679	36	9 283 229	54
9 255 112	15	9 255 232	23	9 257 680	36	9 283 231	54
9 255 113	15	9 255 233	23	9 257 681	36	9 283 232	54
9 255 114	15	9 255 831	48	9 257 682	36	9 283 233	54
9 255 115	15	9 255 832	9	9 257 683	36	9 283 235	54
9 255 116	15	9 255 833	9	9 257 684	36	9 283 237	54
9 255 117	15	9 255 835	12	9 257 685	36	9 283 238	54
9 255 118	15	9 255 835	31	9 257 690	36	9 303 772	60
9 255 119	15	9 255 836	12	9 257 691	36	9 303 773	60
9 255 124	19	9 255 838	20	9 257 692	36	9 303 776	60
9 255 125	19	9 255 838	24	9 257 693	36	9 303 777	60
9 255 128	19	9 255 838	31	9 257 694	36	9 303 780	60
9 255 129	19	9 255 839	20	9 257 695	36	9 303 781	60
9 255 130	19	9 255 839	24	9 257 696	36	9 303 784	60
9 255 131	19	9 257 257	27	9 257 697	36	9 303 785	60
9 255 132	19	9 257 257	31	9 257 702	12	9 318 175	56
9 255 133	19	9 257 258	27	9 257 702	16	9 318 176	56
9 255 134	19	9 257 260	61	9 257 702	20	9 318 177	56
9 255 135	19	9 257 261	61	9 257 702	24	9 318 178	56
9 255 148	23	9 257 262	61	9 257 702	27	9 318 179	56
9 255 149	23	9 257 273	30	9 257 704	49	9 318 180	56
9 255 150	23	9 257 274	30	9 257 705	49	9 318 181	56
9 255 151	23	9 257 275	30	9 257 706	56	9 318 182	56
9 255 152	23	9 257 277	30	9 257 735	32	9 318 713	9
9 255 153	23	9 257 278	30	9 257 736	32	9 318 715	11
9 255 174	11	9 257 279	30	9 257 884	16	9 318 716	11
9 255 175	11	9 257 305	36	9 257 884	31	9 318 717	11
9 255 176	11	9 257 306	36	9 257 885	16	9 318 718	11
9 255 177	11	9 257 307	36	9 257 887	24	9 318 719	11
9 255 178	11	9 257 308	36	9 257 888	24	9 318 720	11
9 255 179	11	9 257 310	36	9 257 891	58	9 318 721	11
9 255 186	15	9 257 311	36	9 257 892	58	9 318 722	11
9 255 187	15	9 257 312	36	9 257 893	58	9 318 723	11
9 255 188	15	9 257 313	36	9 257 895	62	9 318 724	15
9 255 189	15	9 257 615	30	9 257 896	62	9 318 725	15
9 255 190	15	9 257 616	30	9 262 213	59	9 318 726	15

Order number index

Order no.	Page	Order no.	Page	Order no.	Page	Order no.	Page
9 318 727	15	9 318 818	27	9 327 229	31	9 347 524	48
9 318 728	15	9 318 819	27	9 327 230	31	9 347 525	12
9 318 729	15	9 318 820	27	9 327 231	31	9 347 525	16
9 318 730	15	9 318 821	27	9 347 511	12	9 347 525	20
9 318 731	15	9 318 822	27	9 347 511	16	9 347 525	24
9 318 732	15	9 318 823	27	9 347 511	20	9 347 525	48
9 318 733	19	9 318 824	27	9 347 511	48	9 347 526	12
9 318 734	19	9 318 825	27	9 347 512	12	9 347 526	16
9 318 735	19	9 318 826	27	9 347 512	16	9 347 526	20
9 318 736	19	9 318 827	27	9 347 512	20	9 347 526	24
9 318 737	19	9 318 828	27	9 347 512	48	9 347 526	48
9 318 738	19	9 318 829	27	9 347 513	12	9 384 899	48
9 318 739	19	9 318 830	27	9 347 513	16	9 384 900	48
9 318 740	19	9 319 179	56	9 347 513	20	9 384 901	48
9 318 741	19	9 319 180	56	9 347 513	24	9 384 902	48
9 318 742	23	9 319 181	56	9 347 513	48	9 384 903	48
9 318 743	23	9 319 182	56	9 347 514	12	9 384 904	48
9 318 744	23	9 319 183	56	9 347 514	16	9 384 905	48
9 318 745	23	9 319 184	56	9 347 514	20	9 384 906	48
9 318 746	23	9 319 185	56	9 347 514	24	9 384 917	48
9 318 747	23	9 319 186	56	9 347 514	48	9 393 653	50
9 318 748	23	9 319 187	56	9 347 515	12	9 393 684	51
9 318 751	9	9 319 188	56	9 347 515	16	9 393 685	51
9 318 753	11	9 319 189	56	9 347 515	20	9 393 686	51
9 318 754	11	9 319 190	56	9 347 515	24	9 393 687	51
9 318 755	11	9 319 191	56	9 347 515	48	9 393 688	51
9 318 756	11	9 319 192	60	9 347 516	12	9 393 689	51
9 318 757	11	9 319 193	60	9 347 516	16	9 393 690	51
9 318 758	11	9 319 194	60	9 347 516	20	9 393 691	51
9 318 759	11	9 319 195	60	9 347 516	24	9 393 692	51
9 318 760	11	9 319 196	60	9 347 516	48	9 393 693	51
9 318 771	11	9 319 197	60	9 347 517	12	9 393 694	51
9 318 772	15	9 319 198	60	9 347 517	16	9 393 695	51
9 318 773	15	9 319 199	60	9 347 517	20	9 393 696	51
9 318 774	15	9 319 200	60	9 347 517	24	9 393 697	51
9 318 775	15	9 319 201	60	9 347 517	48	9 393 698	51
9 318 776	15	9 319 202	60	9 347 520	12	9 393 699	51
9 318 777	15	9 320 320	57	9 347 520	16	9 393 700	51
9 318 778	15	9 320 331	57	9 347 520	20	9 393 701	51
9 318 779	15	9 320 332	57	9 347 520	48	9 393 702	51
9 318 780	15	9 321 561	54	9 347 521	12	9 393 703	51
9 318 791	19	9 327 205	30	9 347 521	16	9 393 704	51
9 318 792	19	9 327 206	30	9 347 521	20	9 393 705	51
9 318 793	19	9 327 207	30	9 347 521	48	9 393 706	51
9 318 794	19	9 327 208	30	9 347 522	12	9 393 707	51
9 318 795	19	9 327 209	30	9 347 522	16	9 393 708	51
9 318 796	19	9 327 210	30	9 347 522	20	9 393 709	51
9 318 797	19	9 327 214	30	9 347 522	24	9 393 710	51
9 318 798	19	9 327 215	30	9 347 522	48	9 393 738	52
9 318 799	19	9 327 216	30	9 347 523	12	9 393 739	52
9 318 800	23	9 327 217	30	9 347 523	16	9 393 740	52
9 318 801	23	9 327 218	30	9 347 523	20	9 393 741	52
9 318 802	23	9 327 219	30	9 347 523	24	9 393 742	52
9 318 803	23	9 327 221	34	9 347 523	48	9 393 743	51
9 318 805	23	9 327 222	34	9 347 524	12		
9 318 806	23	9 327 226	31	9 347 524	16		
9 318 807	23	9 327 227	31	9 347 524	20		
9 318 817	27	9 327 228	31	9 347 524	24		

Technical information / Legal Notice

General technical conditions

The fitting instructions, screw fixing points and load capacity information provided in this catalogue assume proper attachment using screws specified by Hettich to a chipboard panel providing a screw pull out resistance of at least 1,000 N in accordance with EN 320.

Hettich accepts no responsibility for the load capacity of furniture and its components if other materials or other fastening methods are used; the furniture manufacturer must verify the load capacity.

The fitting situations shown in this catalogue are only intended to illustrate the possible options.

The furniture manufacturer is responsible for ensuring that furniture is designed in compliance with standards, in particular with regard to meeting the requirements on safety.

We will be pleased to provide any further information you may require.

General Terms of Sale and Delivery


All products and services will be provided exclusively on the basis of our General Terms and Conditions of Sale and Delivery that are published on our website at www.hettich-agb.com or which we will be pleased to send to you if you so request. We shall not acknowledge any of the supplier's terms and conditions that are contrary to or deviate from our General Terms and Conditions of Sale and Delivery.

Legal notice

© Hettich Marketing- und Vertriebs GmbH & Co. KG
Anton-Hettich-Straße 12-16
32278 Kirchlengern · Germany

January 2026

We reserve all rights to this catalogue under copyright law. It shall not be permissible to duplicate this catalogue in any form either in whole or in part without our written consent. Subject to technical alterations. Errors and omissions excepted. Subject to colour variations.



IT'S ALL
IN HETTICH