



CUSTOMISATION MADE EASY



Timber drawer systems

Runner systems for wooden drawers

► Summary



Actro 5D & Actro YOU drawer runners

4 - 19



Quadro 5D & Quadro YOU drawer runners


20 - 36



Add on products

38 - 41

► Drilling jigs



Design options / Optional accessories for AvanTech YOU

42 - 43

Runner systems for wooden drawers


► Actro 5D drawer runners



Precision that gets things moving

The Actro 5D drawer runner is simply the perfect choice for unique furniture design, narrow reveals and large front panels. Adjusting in 5 directions, front panel reveal

alignment meets the most exacting demands. Excellent running performance and incredible stability provide supreme quality you can feel and hear.



Fascinate with smoothly running drawers:
Actro 5D, smooth running and synchronised.



Fascinate with narrow reveals:
5-way adjustment for extremely narrow reveals.



Impress with stability:
Load capacity up to 70 kg.




hettich.com/short/ba9fb5

Find out more:
You can get inspiration and further product details on our website.

Runner systems for wooden drawers

- ▶ Actro 5D drawer runners
- ▶ Summary



Actro 5D drawer runners
Range summary / Technical Comparison



Actro 5D full extension runners with Silent System and Push to open
Range summary / technical comparison




Actro 5D full extension runners with Silent System,
bottom panel installation



Push to open Silent for Actro 5D



Actro YOU



Hettich Technical Assistant

- ▶ Installation
- ▶ Settings
- ▶ Service

hettich.com/short/cb3246

- ▶ Actro 5D drawer runners
- ▶ Range summary / technical comparison

	Actro 5D with Silent System	Actro 5D Push to Open	Actro 5D bottom panel installation
			
Page	8 - 9	10 - 11	12 - 13
Description	Full extension runner with integrated Silent System	Full extension runner with integrated Silent System	Full extension runner with integrated Silent System
User friendly features	Silent System	Push to open	Silent System
Installation	▶ On cabinet body side ▶ Slide on installation	▶ On cabinet body side ▶ Slide on installation	▶ On cabinet body bottom panel ▶ Slide on installation
Adjustment	▶ Height ▶ Side ▶ Tilt ▶ Radial	▶ Height ▶ Side ▶ Tilt ▶ Depth ▶ Radial	▶ Height ▶ Side ▶ Tilt ▶ Radial
Load class	▶ L (40 kg) ▶ XL (70 kg)	▶ L (40 kg) ▶ XL (70 kg)	▶ L (40 kg)
Drawer lengths	▶ L: 270 - 600 mm ▶ XL: 500 - 750 mm	(Drawer length = NL - 10 mm)	▶ L: 350 - 500 mm
Minimum cabinet depth	NL + 3 mm	NL + 3 mm	NL + 3 mm
Installed width (side profile thickness)	EB21 ($\leq$ 16 mm drawer side profile thickness)	EB21 ($\leq$ 16 mm drawer side profile thickness)	EB21 ($\leq$ 16 mm drawer side profile thickness)
Accessories	▶ Catches ▶ Depth adjustment ▶ Push to open Silent ▶ Pull-out shelf support ▶ Pull-out shelf locating catch ▶ Illumination	▶ Catches ▶ Synchronisation ▶ Multi synchronisation ▶ Pull-out shelf support ▶ Pull-out shelf locating catch ▶ Click Stop drawer locating catch ▶ Illumination	▶ Catches ▶ Depth adjustment ▶ Push to open Silent ▶ Pull-out shelf support ▶ Pull-out shelf locating catch ▶ Illumination

Runner systems for wooden drawers

- ▶ Actro 5D drawer runners
- ▶ Range summary / technical comparison

Push to open Silent 	Actro YOU 
14	18 - 19
Opening system for optionally upgrading	Full extension runner with integrated Silent System
-	Silent System
▶ Can be clipped on without tools	▶ On cabinet body side ▶ Slide on installation
	▶ Height
▶ 8 - 20 kg ▶ 10 - 40 kg ▶ 20 - 70 kg	▶ L (40 kg) ▶ XL (70 kg)
▶ For all nominal lengths 270 - 750 mm	▶ L: 270 - 600 mm ▶ XL: 450 - 650 mm
	NL + 3 mm
	EB21 (≤ 16 mm drawer side profile thickness)
▶ Synchronisation ▶ Multi synchronisation	▶ Catches ▶ Depth adjustment ▶ Push to open Silent ▶ Pull-out shelf support ▶ Pull-out shelf locating catch ▶ Illumination

Runner systems for wooden drawers

- ▶ Actro 5D full extension runner with Silent System, optionally with Push to open Silent
- ▶ Load classes L (40 kg) / XL (70 kg)



- ▶ **Slide on installation** with catches
- ▶ Catch must be ordered separately
- ▶ **Integrated Silent System**
- ▶ Tool-less height adjustment up to + 3 mm, side adjustment up to +/- 1.5 mm, tilt adjustment up to + 4 mm and radial adjustment up to +/- 1.5 mm
- ▶ Optional: depth adjustment up to +/- 2 mm
- ▶ Optional: Push to open Silent opening system
- ▶ Optional: plug for pull-out shelves
- ▶ Optional: pull-out shelf locating catch
- ▶ Load capacity to EN 15338, Level 3
- ▶ Galvanised steel

Nominal length mm	Order no. / Mounting side		PU	Order no.	PU
	left	right		left and right	
Load class L (40 kg)					
270				9 318 269	1 pair
300				9 318 270	1 pair
350	9 318 243	9 318 244	10 ea.	9 318 282	1 pair
400	9 318 247	9 318 248	10 ea.	9 318 284	1 pair
450	9 318 251	9 318 252	10 ea.	9 318 286	1 pair
500	9 318 256	9 318 258	10 ea.	9 318 288	1 pair
550	9 318 264	9 318 265	10 ea.	9 318 290	1 pair
600				9 318 291	1 pair
Load class XL (70 kg)					
500				9 318 311	1 pair
550				9 318 313	1 pair
600				9 318 315	1 pair
650				9 318 316	1 pair
700				9 318 317	1 pair
750				9 318 318	1 pair

Advice

- ▶ Push to open Silent



hettich.com/short/a9ab20

Runner systems for wooden drawers

- ▶ Actro 5D full extension runner with Push to open
- ▶ Load classes L (40 kg) / XL (70 kg)



- ▶ **Slide on installation** with catches
- ▶ Catch must be ordered separately
- ▶ Integrated opening system **Push to open**
- ▶ Tool-less height adjustment up to + 3 mm, side adjustment up to +/- 1.5 mm, tilt adjustment up to + 4 mm, radial adjustment up to +/- 1.5 mm and **integrated depth adjustment up to + 2 / - 1 mm**
- ▶ Optional: synchronisation for Push to open
- ▶ Optional: plug for pull-out shelves
- ▶ Optional: pull-out shelf locating catch
- ▶ Load capacity to EN 15338, Level 3
- ▶ Galvanised steel

Nominal length mm	Order no. left and right	PU
Load class L (40 kg)		
270	9 320 613	1 pair
300	9 320 614	1 pair
350	9 320 616	1 pair
400	9 320 618	1 pair
450	9 320 620	1 pair
500	9 320 622	1 pair
550	9 320 624	1 pair
600	9 320 625	1 pair
Load class XL (70 kg)		
500	9 320 627	1 pair
550	9 320 629	1 pair
600	9 320 631	1 pair
650	9 320 632	1 pair
700	9 320 633	1 pair
750	9 320 634	1 pair

Advice

- ▶ Accessories
- ▶ Quality criteria



hettich.com/short/a9ab20

Runner systems for wooden drawers

- ▶ Actro 5D full extension runner with Push to open
- ▶ Load classes L (40 kg) / XL (70 kg)


Catches



- ▶ Tool-less, intuitive side adjustment up to +/- 1.5 mm
- ▶ Height adjustment up to + 3 mm
- ▶ Plastic anthracite


Mounting side	Order no.	PU
left and right	9 320 333	1/5 pair
left	9 320 334	100 ea.
right	9 320 335	100 ea.

Front cross section



Side cross section

NL mm	b1 mm	b2 mm
270	160	
300	160	
350	224	
400	224	
450	256	288
500	256	320
550	256	320
600	256	320
650	256	416
700	256	416
750	256	416



Runner systems for wooden drawers

- ▶ Actro 5D full extension runner bottom panel installation with Silent System, with optional Push to open Silent
- ▶ Load class L (40 kg)



- ▶ **Slide on installation** with catches
- ▶ Catch must be ordered separately
- ▶ **Integrated Silent System**
- ▶ Tool-less height adjustment up to + 3 mm, side adjustment up to +/- 1.5 mm, tilt adjustment up to +/- 2 mm and radial adjustment up to +/- 1.5 mm
- ▶ Optional: depth adjustment up to + 4 mm
- ▶ Optional: Push to open Silent opening system
- ▶ Optional: pull-out shelf support
- ▶ Optional: pull-out shelf locating catch
- ▶ Load capacity to EN 15338, Level 3
- ▶ Galvanised steel

Nominal length mm	Order no.	PU
Load class L (40 kg)		
350	9 318 327	1 pair
400	9 318 328	1 pair
450	9 318 329	1 pair
500	9 318 330	1 pair

Advice

- ▶ Push to open Silent
- ▶ Accessories
- ▶ Quality criteria



hettich.com/short/a9ab20

- ▶ Actro 5D full extension runner bottom panel installation with Silent System, with optional Push to open Silent
- ▶ Load class L (40 kg)

- ▶ Tool-less, intuitive side adjustment up to ± 1.5 mm
- ▶ Height adjustment up to + 3 mm
- ▶ Plastic anthracite

- ▶ Tool-less installation and adjustment up to +/- 2 mm
- ▶ For optional use with inset front panels
- ▶ Steel, grey plastic


- ▶ 2 depth adjusters
- ▶ 2 activators

Mounting side	Order no.	PU
left and right	9 320 333	1/5 pair
left	9 320 334	100 ea.
right	9 320 335	100 ea.

Order no.	PU
9 257 706	1 set

SKW Internal drawer width

NL mm	b1 mm
350	256
400	256
450	256
500	256



SKL Drawer length

Runner systems for wooden drawers

- ▶ Actro 5D accessories
- ▶ Push to open Silent for Actro 5D

Push to open Silent opening system for Actro 5D



- ▶ For optimum performance and activation, we recommend fitting an optional synchronisation function

Set comprises:

- ▶ 1 Push to open Silent unit, left and right
- ▶ 1 activator, left and right
- ▶ 2 adapters for synchronisation

Total weight kg	Load class Actro	Nominal length mm	Order no.	PU
8 - 20	L (40 kg)	250 - 600	9 257 891	1 set
10 - 40	L (40 kg)	350 - 600	9 257 892	1 set
20 - 70	XL (70 kg)	450 - 750	9 257 893	1 set

Recommendation for drawer (front panel height up to approx. 150 mm)*

Nominal length mm	Nominal width mm												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
250 - 300													
320 - 350													
380 - 550													
580 - 750													

Recommendation for pot-and-pan drawer (front panel height up to approx. 300 mm, carrying medium load)*

Nominal length mm	Nominal width mm												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
250 - 300													
320 - 350													
380													
400 - 550													
580 - 750													

Recommendation for pot-and-pan drawer (front panel height up to approx. 300 mm, carrying heavy load, e.g. with stacks of plates)*

Nominal length mm	Nominal width mm												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
250 - 300													
320 - 350													
380													
400 - 550													
580 - 750													

Order no. Push to open Silent:

9 257 891

9 257 892


9 257 893

* Recommendations for applications (front panel 18 mm chipboard, normal household loading), please refer to our online configurator to get more exact recommendations for customer chosen front panel dimensions and materials.

Runner systems for wooden drawers

- ▶ Actro 5D accessories
- ▶ Push to open Silent for Actro 5D

Optional synchronisation for Push to open Silent



Synchronisation bar:


- ▶ For cutting to length, 2000 mm
- ▶ Aluminium, anodised

Connector:

- ▶ For extending synchronisation bar / optimising synchronisation bar offcut waste
- ▶ Grey plastic

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1/100 ea.
8 Connector	9 221 295	1/20 ea.


Optional multisynchronisation for Push to open Silent



- ▶ For two drawers connected by one front panel
- ▶ Aluminium, anodised, grey plastic

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1/100 ea.
6 Push to open Silent multi synchronisation adapter	9 278 452	1/20 ea.


Flexible adapter for Push to open Silent synchronisation



- ▶ For use in conjunction with lowered drawer runners with angled or curved fronts
- ▶ Depth offset max. 150 mm
- ▶ Angle at synchronisation bar max. 25 °
- ▶ Replaces the adapter for synchronisation in the Push to open Silent set

Order no.	PU
9 262 213	1/20 ea.

Deflector for Push to open Silent synchronisation



- ▶ For use, e.g. with U-bend applications
- ▶ Permits synchronisation in 3 different depth positions

Set comprises:

- ▶ 2 housings with premounted deflection bar
- ▶ 2 adapters for Push to open unit
- ▶ 2 adapters for synchronisation bar

Order no.	PU
9 278 453	1 set

Pull-out shelf support



- For pull-out shelves / drawers with flush bottom panel
- Nominal length (NL) is reduced by 20 mm
- Plastic, anthracite

Advice:

- Suitable for Actro 5D, Actro YOU, Quadro V6 YOU

Order no.	PU
9 257 733	1/100 set

Pull-out shelf locating catch, set



- Easy to add locating catch for pull-out shelves
- Automatically engages on pulling shelf out all the way
- Unlocks automatically in response to defined closing force
- Used instead of the standard fitted plug
- 1 mount, left and right, and 2 studs are required per pull-out shelf

Set comprises:

- 1 mount, left and right
- 2 studs

Advice:


- Suitable for Actro YOU, Actro 5D, Quadro V6 YOU and Quadro V6 EB 20
- Drawer runners, catches and plugs must be ordered separately

Colour	Order no.	PU
white	9 257 725	1 set
anthracite	9 257 727	1 set

Runner systems for wooden drawers

- ▶ Actro YOU drawer runner with Silent System, optionally available with Push to open Silent
- ▶ Load classes L (40 kg) / XL (70 kg)


Actro YOU drawer runner with Silent System



- ▶ Full extension runner for combining with AvanTech YOU system drawer or wooden drawer with catches
- ▶ Integrated **Silent System**
- ▶ Optional: Push to open Silent
- ▶ Load classes L (40 kg) / XL (70 kg)
- ▶ Load capacity to EN 15338, Level 3
- ▶ Galvanised steel

Nominal length mm	Order no.	PU	Order no. / Mounting side		PU
	left and right		left	right	
Load class L (40 kg)					
270	9 319 179	1 pair			
300	9 319 180	1 pair			
350	9 319 181	1 pair	9 318 173	9 318 174	10 ea.
400	9 319 182	1 pair	9 318 175	9 318 176	10 ea.
450	9 319 183	1 pair	9 318 177	9 318 178	10 ea.
500	9 319 184	1 pair	9 318 179	9 318 180	10 ea.
550	9 319 185	1 pair	9 318 181	9 318 182	10 ea.
600	9 319 186	1 pair			
Load class XL (70 kg)					
450	9 319 187	1 pair			
500	9 319 188	1 pair			
550	9 319 189	1 pair			
600	9 319 190	1 pair			
650	9 319 191	1 pair			

Depth adjustment



- ▶ Tool-less installation and adjustment up to +/- 2 mm
- ▶ For optional use with inset front panels
- ▶ Steel, grey plastic

- Set comprises:
- ▶ 2 depth adjusters
 - ▶ 2 activators

Order no.	PU
9 257 706	1 set

Advice

- ▶ Push to open Silent
- ▶ Accessories
- ▶ Quality criteria




hettich.com/short/45025e

Runner systems for wooden drawers


- ▶ Actro YOU drawer runner with Silent System, optionally available with Push to open Silent
- ▶ Load classes L (40 kg) / XL (70 kg)

Lengthwise cross-section



Nominal length mm	Hole spacing b1 mm	Hole spacing b2 mm	Drawer / pot-and-pan drawer Minimum cabinet body depth LT mm	Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth LT mm	Internal drawer / internal pot-and-pan drawer Push to open Silent Minimum cabinet body depth LT mm
270	160		273	282	291
300	160		303	312	321
350	224		353	362	371
400	224		403	412	421
450	256	288	453	462	471
500	256	320	503	512	521
550	256	320	553	562	571
600	256	320	603	612	621
650	256	416	653	662	671

YOU catch



- ▶ For using Actro YOU with wooden drawers
- ▶ Height adjustment up to + 3 mm
- ▶ Plastic anthracite

Mounting side	Order no.	PU
left and right	9 320 320	1/5 pair
left	9 320 331	100 ea.
right	9 320 332	100 ea.

Runner systems for wooden drawers

► Quadro drawer runners



Quadro – better than the original

We have optimised our classic runner in every respect. Our new multidimensional adjustment system lets you build furniture with perfectly aligned doors and drawers showing minimal reveals. The platform concept allows you to choose whichever functionality you want. It's so easy, cost efficient and leaves plenty of scope to address different price levels.

Identical dimensions for wooden drawers and cabinet panel drilling – a standard for the new Quadro platform. Whichever runner you choose – Quadro is and will always be best in class. Made in Germany accompanied by short supply chains and top reliability in every respect. The original is now even better.



The larger the drawer, the stronger the Quadro – perfect reveal alignment every time with the Quadro V6 5D full extension runner.



Concealed precision working components for added convenience with every day that passes.



hettich.com/short/008376

Find out more:

You can get inspiration and further product details on our website.

Runner systems for wooden drawers

- ▶ Quadro drawer runners
- ▶ Summary



Quadro drawer runners

Range summary / technical comparison



Quadro full extension runners

- ▶ Quadro V6 5D
- ▶ Quadro V6 YOU




Push to open Silent

- ▶ For Quadro V6 5D
- ▶ For Quadro V6 YOU




Accessories

- ▶ Synchronisation / multi synchronisation
- ▶ Pull-out shelf support
- ▶ Pull-out shelf locating catch



Add on products

- ▶ Drilling jigs



Hettich Technical Assistant

- ▶ Installation / settings
- ▶ Service

Quality criteria

hettich.com/short/e33065

Runner systems for wooden drawers

- Quadro drawer runners
- Range summary / technical comparison

	Quadro V6 5D with Silent System 	Quadro V6 5D with Push to open 	Quadro V6 YOU with Silent System 
Page	24 - 25	26 - 27	28 - 29
Description	Full extension runner with integrated Silent System	Full extension runner with integrated opening system	Full extension runner with integrated Silent System
User friendly features	Silent System	Push to open	Silent System
Installation	► On cabinet body side ► Slide on installation	► On cabinet body side ► Slide on installation	► On cabinet body side ► Slide on installation
Adjustment	► Height ► Side ► Depth ► Tilt ► Radial	► Height ► Side ► Depth ► Tilt ► Radial	► Height
Load class	► XS (10 kg) ► M (30 kg)	► M (30 kg)	► XS (10 kg) ► M (30 kg)
Nominal length (NL)	270 - 600 mm	270 - 600 mm	270 - 600 mm
Drawer length (SKL)	260 - 590 mm (SKL = NL - 10 mm)	260 - 590 mm (SKL = NL - 10 mm)	260 - 590 mm (SKL = NL - 10 mm)
Minimum cabinet depth	Nominal length + 3 mm	Nominal length + 3 mm	Nominal length + 3 mm
Installed width (side profile thickness)	EB21 (≤ 16 mm drawer side profile thickness)	EB21 (≤ 16 mm drawer side profile thickness)	EB21 (≤ 16 mm drawer side profile thickness)
Accessories	► 2D catch ► Push to open Silent ► Synchronisation / Multi synchronisation ► Pull-out shelf support / Pull-out shelf locating catch ► Illumination	► 2D catch ► Synchronisation / Multi synchronisation ► Pull-out shelf support / Pull-out shelf locating catch ► Illumination	► YOU catch ► Push to open Silent ► Synchronisation / Multi synchronisation ► Pull-out shelf support / Pull-out shelf locating catch ► Illumination

Runner systems for wooden drawers

- Quadro drawer runners
- Range summary / technical comparison

Quadro V6 YOU with Push to open 	Push to open Silent 	Synchronisation / multi synchronisation 	Pull-out shelf locating catch 
30 - 31	32	33 - 35	36
Full extension runner with integrated opening system	Optional for: ► Quadro V6 5D with Silent System ► Quadro V6 YOU with Silent System	Optional for: ► Push to open ► Push to open Silent	Optional for: ► Quadro V6 5D ► Quadro V6 YOU
Push to open	Push to open Silent	-	-
► On cabinet body side ► Slide on installation	► Tool-less clip on	► Tool-less clip on	► On runner and on pull-out shelf
► Height			
► M (30 kg)	Depending on runner system and drawer load		
270 - 600 mm			
260 - 590 mm (SKL = NL - 10 mm)			
Nominal length + 3 mm			
EB21 (≤ 16 mm drawer side profile thickness)			
► YOU catch ► Synchronisation / Multi synchronisation ► Pull-out shelf support / Pull-out shelf locating catch ► Illumination	► Synchronisation / multi synchronisation ► Flexible adapter ► Deflection		

Runner systems for wooden drawers

- ▶ **Quadro V6 5D full extension runner with Silent System (drawer side profile thickness ≤ 16 mm)**
- ▶ **Load classes XS (10 kg) / M (30 kg)**



- ▶ **Slide on installation** with 2D catches for height and side adjustment, integrated depth adjustment, integrated tilt adjustment, integrated radial adjustment
- ▶ Integrated **Silent System**
- ▶ 2D catch must be ordered separately
- ▶ Adjustments all tool-lees: height adjustment up to + 3 mm, side adjustment up to +/- 1.5 mm, depth adjustment up to + 2/- 1 mm, tilt adjustment up to + 4 mm and radial adjustment up to +/- 1.5 mm
- ▶ Optional: Push to open Silent opening system (upgradable when combined with Silent System)
- ▶ Optional: synchronisation / multi synchronisation (upgradable when combined with Push to open / Push to open Silent)
- ▶ Optional: pull-out shelf support / pull-out shelf locating catch
- ▶ 10 kg and 30 kg load classes for different applications (see ordering table)
- ▶ Platform concept: identical cabinet body, drawer and front panel dimension for Quadro partial and full extension runners for slide on installation
- ▶ Suitable for drawers with a side profile thickness of up to 16 mm
- ▶ Load capacity to EN 15338, Level 3
- ▶ Galvanised steel

Load class XS (10 kg)

Nominal length mm	Order no.	PU
270	9 398 742	1 pair
300	9 398 743	1 pair
350	9 398 744	1 pair

Load class M (30 kg)

Nominal length mm	Order no. / Mounting side		PU	Order no.	PU
	left	right			
270				9 398 745	1 pair
300				9 398 746	1 pair
350	9 374 110	9 374 111	20 ea.	9 398 747	1 pair
400	9 374 114	9 374 116	20 ea.	9 398 748	1 pair
450	9 374 120	9 374 121	20 ea.	9 398 749	1 pair
500	9 374 125	9 374 126	20 ea.	9 398 750	1 pair
550	9 374 129	9 374 130	20 ea.	9 398 751	1 pair
600				9 398 752	1 pair

2D catch



- ▶ For using Quadro V6 5D and Quadro 25 2D with wooden drawers
- ▶ Tool-less height adjustment up to + 3 mm and side adjustment up to +/- 1.5 mm
- ▶ Optional: pull-out shelf support
- ▶ Plastic anthracite

Article	Order no.	PU
Set of 2D catches, left and right	9 329 164	1/5 pair
2D catch, left	9 329 162	100 ea.
2D catch, right	9 329 163	100 ea.

Advice


- ▶ Push to open Silent
- ▶ Push to open synchronisation / multi synchronisation
- ▶ Accessories
- ▶ Quality criteria



Runner systems for wooden drawers


- Quadro V6 5D full extension runner with Silent System (drawer side profile thickness ≤ 16 mm)
- Load classes XS (10 kg) / M (30 kg)

Front cross section



Side cross section

NL mm	b1 mm
250	160
300	160
350	224
400	224
450	256
500	256
550	256
600	256



Advice

- Push to open Silent
- Push to open synchronisation / multi synchronisation
- Accessories
- Quality criteria



hettich.com/short/lic2aq0

Runner systems for wooden drawers

- ▶ **Quadro V6 5D full extension runner with Push to open (drawer side profile thickness ≤ 16 mm)**
- ▶ **Load class M (30 kg)**



- ▶ **Slide on installation** with 2D catches for height and side adjustment, integrated depth adjustment, integrated tilt adjustment, integrated radial adjustment
- ▶ **Integrated Push to open**
- ▶ 2D catch must be ordered separately
- ▶ Adjustments all tool-lees: height adjustment up to + 3 mm, side adjustment up to +/- 1.5 mm, depth adjustment up to + 2/- 1 mm, tilt adjustment up to + 4 mm and radial adjustment up to +/- 1.5 mm
- ▶ Optional: Push to open Silent opening system (upgradable when combined with Silent System)
- ▶ Optional: synchronisation / multi synchronisation (upgradable when combined with Push to open / Push to open Silent)
- ▶ Optional: pull-out shelf support / pull-out shelf locating catch
- ▶ 30 kg load class for different applications (see ordering table)
- ▶ Platform concept: identical cabinet body, drawer and front panel dimension for Quadro partial and full extension runners for slide on installation
- ▶ Suitable for drawers with a side profile thickness of up to 16 mm
- ▶ Load capacity to EN 15338, Level 3
- ▶ Galvanised steel

Load class M (30 kg)

Nominal length mm	Order no. / Mounting side		PU	Order no.	PU
	left	right			
270				9 398 753	1 pair
300				9 398 754	1 pair
350	9 374 143	9 374 144	20 ea.	9 398 755	1 pair
400	9 374 147	9 374 148	20 ea.	9 398 756	1 pair
450	9 374 151	9 374 152	20 ea.	9 398 757	1 pair
500	9 374 155	9 374 156	20 ea.	9 398 758	1 pair
550	9 374 159	9 374 160	20 ea.	9 398 759	1 pair
600				9 398 760	1 pair

2D catch



- ▶ For using Quadro V6 5D and Quadro 25 2D with wooden drawers
- ▶ Tool-less height adjustment up to + 3 mm and side adjustment up to +/- 1.5 mm
- ▶ Optional: pull-out shelf support
- ▶ Plastic anthracite

Article	Order no.	PU
Set of 2D catches, left and right	9 329 164	1/5 pair
2D catch, left	9 329 162	100 ea.
2D catch, right	9 329 163	100 ea.

Advice

- ▶ Push to open Silent
- ▶ Push to open synchronisation / multi synchronisation
- ▶ Accessories
- ▶ Quality criteria




hettich.com/short/1ic2aq0


Runner systems for wooden drawers

- Quadro V6 5D full extension runner with Push to open (drawer side profile thickness ≤ 16 mm)
- Load class M (30 kg)

Front cross section



Side cross section



Advice

- Push to open Silent
- Push to open synchronisation / multi synchronisation
- Accessories
- Quality criteria



hettich.com/short/lic2aq0

Runner systems for wooden drawers

- ▶ **Quadro V6 YOU full extension runner with Silent System (drawer side profile thickness ≤ 16 mm)**
- ▶ **Load classes XS (10 kg) / M (30 kg)**



- ▶ **Slide on installation** with YOU catches for height adjustment
- ▶ Integrated **Silent System**
- ▶ YOU catch must be ordered separately
- ▶ Tool-less height adjustment up to + 3 mm
- ▶ Optional: Push to open Silent opening system (upgradable when combined with Silent System)
- ▶ Optional: synchronisation / multi synchronisation (upgradable when combined with Push to open / Push to open Silent)
- ▶ Optional: pull-out shelf support / pull-out shelf locating catch
- ▶ 10 kg and 30 kg load classes for different applications (see ordering table)
- ▶ Platform concept: identical cabinet body, drawer and front panel dimension for Quadro partial and full extension runners for slide on installation
- ▶ Suitable for drawers with a side profile thickness of up to 16 mm
- ▶ Load capacity to EN 15338, Level 3
- ▶ Galvanised steel

Load class XS (10 kg)

Nominal length mm	Order no.	PU
270	9 319 192	1 pair
300	9 319 193	1 pair
350	9 319 194	1 pair

Load class M (30 kg)

Nominal length mm	Order no. / Mounting side		PU	Order no.	PU
	left	right			
270				9 319 195	1 pair
300				9 319 196	1 pair
350	9 303 738	9 303 739	20 ea.	9 319 197	1 pair
400	9 303 772	9 303 773	20 ea.	9 319 198	1 pair
450	9 303 776	9 303 777	20 ea.	9 319 199	1 pair
500	9 303 780	9 303 781	20 ea.	9 319 200	1 pair
550	9 303 784	9 303 785	20 ea.	9 319 201	1 pair
600				9 319 202	1 pair

YOU Catch



- ▶ For using Quadro V6 YOU with wooden drawers
- ▶ Suitable for pull-out shelf applications, plug must be ordered separately
- ▶ Height adjustment up to + 3 mm
- ▶ Plastic anthracite

Article	Order no.	PU
Set of YOU catches, left and right	9 257 262	1/5 pair
YOU catch, left	9 257 260	100 ea.
YOU catch, right	9 257 261	100 ea.

Advice

- ▶ Push to open Silent
- ▶ Synchronisation / multi synchronisation
- ▶ Accessories
- ▶ Quality criteria




hettich.com/short/cf3fe9

Runner systems for wooden drawers

- Quadro V6 YOU full extension runner with Silent System (drawer side profile thickness ≤ 16 mm)
- Load classes XS (10 kg) / M (30 kg)

Front cross section




LB Clear inside width

NL Nominal length

SKW Internal drawer width

Side cross section

NL mm	b1 mm
270	160
300	160
350	224
400	224
450	256
500	256
550	256
600	256



NL Nominal length

LT Clear inside depth

SKL Drawer length

Advice

- Push to open Silent
- Synchronisation / multi synchronisation
- Accessories
- Quality criteria



hettich.com/short/cf3fe9

Runner systems for wooden drawers

- ▶ **Quadro V6 YOU full extension runner with Push to open (drawer side profile thickness ≤ 16 mm)**
- ▶ **Load class M (30 kg)**



- ▶ **Slide on installation** with YOU catches for height adjustment
- ▶ **Integrated Push to open**
- ▶ YOU catch must be ordered separately
- ▶ Tool-less height adjustment up to + 3 mm
- ▶ Optional: Push to open Silent opening system (upgradable when combined with Silent System)
- ▶ Optional: synchronisation / multi synchronisation (upgradable when combined with Push to open / Push to open Silent)
- ▶ Optional: pull-out shelf support / pull-out shelf locating catch
- ▶ 30 kg load class for different applications (see ordering table)
- ▶ Platform concept: identical cabinet body, drawer and front panel dimension for Quadro partial and full extension runners for slide on installation
- ▶ Suitable for drawers with a side profile thickness of up to 16 mm
- ▶ Load capacity to EN 15338, Level 3
- ▶ Galvanised steel

Load class M (30 kg)

Nominal length mm	Order no. / Mounting side		PU	Order no.	PU
	left	right			
270				9 319 203	1 pair
300				9 319 204	1 pair
350	9 303 820	9 303 821	20 ea.	9 319 205	1 pair
400	9 303 796	9 303 797	20 ea.	9 319 206	1 pair
450	9 303 800	9 303 801	20 ea.	9 319 207	1 pair
500	9 303 804	9 303 805	20 ea.	9 319 208	1 pair
550	9 303 808	9 303 809	20 ea.	9 319 209	1 pair
600				9 319 210	1 pair

YOU Catch



- ▶ For using Quadro V6 YOU with wooden drawers
- ▶ Suitable for pull-out shelf applications, plug must be ordered separately
- ▶ Height adjustment up to + 3 mm
- ▶ Plastic anthracite

Article	Order no.	PU
Set of YOU catches, left and right	9 257 262	1/5 pair
YOU catch, left	9 257 260	100 ea.
YOU catch, right	9 257 261	100 ea.

Advice

- ▶ Push to open Silent
- ▶ Synchronisation / multi synchronisation
- ▶ Accessories
- ▶ Quality criteria




hettich.com/short/cf3fe9

Runner systems for wooden drawers

- Quadro V6 YOU full extension runner with Push to open (drawer side profile thickness ≤ 16 mm)
- Load classes XS (10 kg) / M (30 kg)


Front cross section



LB Clear inside width
NL Nominal length
SKW Internal drawer width

Side cross section

NL mm	b1 mm
270	160
300	160
350	224
400	224
450	256
500	256
550	256
600	256



NL Nominal length
LT Clear inside depth
SKL Drawer length

Advice

- Push to open Silent
- Synchronisation / multi synchronisation
- Accessories
- Quality criteria



hettich.com/short/cf3fe9

Runner systems for wooden drawers

- Quadro accessories
- Push to open Silent for Quadro V6 5D and Quadro V6 YOU

Push to open Silent opening system



- For optimum performance and activation, fitting an optional synchronisation function is recommended

Set comprises:

- 1 Push to open Silent unit, left and right
- 1 activator, left and right
- 2 adapters for synchronisation

Total weight kg	Load class for Quadro	Nominal length mm	Order no.	PU
8 - 20	M (30 kg)	270 - 600	9 257 895	1 set
10 - 30	M (30 kg)	350 - 600	9 257 896	1 set

Recommendation for drawer (front panel height up to approx. 150 mm, light duty loading)*

Nominal length mm	Nominal width mm												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
270 - 300													
320 - 350													
380 - 550													
580 - 600													

Recommendation for pot-and-pan drawer (front panel height up to approx. 300 mm, medium duty loading)*

Nominal length mm	Nominal width mm												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
270 - 300													
320 - 350													
380 - 550													
580 - 600													

Recommendation for pot-and-pan drawer, heavy duty (front panel height up to approx. 300 mm, heavy duty loading, e.g. with stacks of plates)*

Nominal length mm	Nominal width mm												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
270 - 300													
320 - 350													
380 - 550													
580 - 600													

Order no. Push to open Silent:

9 257 894

9 257 895

9 257 896

* Recommendations for standard applications (front panel 18 mm chipboard, normal household loading), please refer to our online configurator to get more exact recommendations for customer chosen front panel dimensions and materials.

Advice

- Quality criteria




hettich.com/short/6c940e

Runner systems for wooden drawers

- Quadro accessories
- Push to open Silent for Quadro V6 5D and Quadro V6 YOU

Optional synchronisation for Push to open Silent



Synchronisation bar:


- For cutting to length, length 2000 mm
- Aluminium, anodised

Connector:

- For extending synchronisation bar / optimising synchronisation bar offcut waste
- Plastic, grey

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1/100 ea.
8 Connector	9 221 295	1/20 ea.


Optional multi synchronisation for Push to open Silent



- For two drawers connected by one front panel
- Aluminium, anodised, grey plastic

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1/100 ea.
6 Push to open Silent multi synchronisation adapter	9 278 452	1/20 ea.


Flexible adapter for Push to open Silent synchronisation



- For offset drawer runners with angled or curved fronts
- Depth offset max. 150 mm
- Angle at synchronisation bar max. 25°
- Replaces the adapter for synchronisation in the Push to open Silent set

Order no.	PU
9 262 213	1/20 ea.

Deflection for Push to open Silent synchronisation



- For use with e.g. U-bend applications
- Makes it possible to move synchronisation by 50, 90 or 140 mm

Set comprises:


- 2 housings with premounted deflection bar
- 2 adapters for Push to open unit
- 2 adapters for synchronisation bar

Order no.	PU
9 278 453	1 set

Runner systems for wooden drawers

- Quadro accessories
- Synchronisation and multi synchronisation

Synchronisation for Quadro V6 5D / YOU and Quadro 25 2D / YOU with Push to open



Synchronisation bar:

- For cutting to length, length 2000 mm
- Aluminium, anodised

Connector:


- For extending synchronisation bar / optimising synchronisation bar offcut waste
- Plastic, grey

Adapter:

- Type A for Quadro V6 5D / YOU
- Plastic, grey

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1/100 ea.
2 Adapter type A	9 219 966	1/200 ea.
8 Connector	9 221 295	1/20 ea.



Multi synchronisation for Quadro V6 5D / YOU and Quadro 25 2D / YOU with Push to open




- For two drawers connected by one front panel
- Adapter, type A, for Quadro V6 5D / YOU
- Aluminium, anodised, grey plastic

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1/100 ea.
2 Adapter type A	9 219 966	1/200 ea.

Push to open with optional synchronisation



Quadro V6 YOU type A
Quadro V6 5D type A



Advice

- Quality criteria




hettich.com/short/c379e1


Runner systems for wooden drawers

- Quadro accessories
- Synchronisation and multi synchronisation


Cut to length dimensions for synchronisation / multi synchronisation




L	
Quadro 25 YOU Quadro V6 YOU	Quadro 25 2D Quadro V6 5D
LB - 91	LB - 95






Lengthwise cross section, multi synchronisation



Cut to length dimensions for multi synchronisation



Quadro V6 YOU:
SL = KD + 36
Quadro V6 5D:
SL = KD + 40



Cut to length dimensions for multi synchronisation

Quadro V6 YOU / Quadro V6 5D								
NL mm	270	300	350	400	450	500	550	600
LL mm	204	204	247	340	369	394	430	437

G2 mm	
Quadro V6 YOU	40
Quadro V6 5D	40

LH mm	
Quadro V6 YOU	33
Quadro V6 5D	33

Pull-out shelf support



- For pull-out shelves / drawers with flush bottom panel
- Nominal length (NL) is reduced by 20 mm
- Plastic, anthracite

Order no.	PU
9 257 733	1/100 set

Pull-out shelf locating catch, set



- Easy to add locating catch for pull-out shelves
- Automatically engages on pulling shelf out all the way
- Unlocks automatically in response to defined closing force
- Used instead of the standard fitted plug
- 1 mount, left and right, and 2 studs are required per pull-out shelf

Set comprises:

- 1 mount, left and right
- 2 studs

Colour	Order no.	PU
white	9 257 725	1 set
anthracite	9 257 727	1 set

Advice

- Quality criteria

Drilling jigs

- Accura
- For hinges, mounting plates, runners and handles

Drilling jig Accura

1 Accura rail with measurement scale

3 Centre punch



2 Accura drilling template for hinges / mounting plates

System 32

Guide for sleeve drill

Marking pin for cup drillings

6 Accura drilling template for ProDecor handle collection

4 Replacement slide rail with drilling bush

10 Screw for replacement slide rail

5 Accura drilling template for runner systems

9 Marking pin for hole lines

Viewing window for measurement scale


Bolt

7 Adjustable stop for assembled carcase

8 Adjustable stop for individual (disassembled) carcase sides

Drilling jigs

- ▶ Accura
- ▶ For hinges, mounting plates, runners and handles



- ▶ Modular system drilling jig
- ▶ Providing versatility, a variety of drilling templates are available for mounting all sorts of fittings
- ▶ Efficient, economical and professional
- ▶ Stops can be used on the left and right
- ▶ Easy adjustment of drill bodies and stops via clamping screws
- ▶ Rail with measurement scale
- ▶ Dimension easy to find through viewing window in the drill body
- ▶ Drill body and rail in aluminium
- ▶ Using sleeve drill bits - minimum drill wear as the drill bit does not come into contact with the jig
- ▶ Please order sleeve drill accessories separately

The various Accura drilling templates can be used for mounting the following fittings:

- ▶ Actro YOU / Quadro YOU for AvanTech YOU
- ▶ Actro 5D / Quadro for wooden drawers
- ▶ Actro runners for ArciTech
- ▶ Quadro runners for InnoTech / InnoTech Atira
- ▶ Quadro runners with slide on assembly, partial and full extension runner
- ▶ Quadro runners with plug on assembly, partial and over extension runner
- ▶ Quadro runner systems and ball bearing runners from the Systema Top 2000 range
- ▶ FR roller runner systems (302 / 402 / 602 / 6142 ...)
- ▶ Ball bearing runners KA
- ▶ For Sensys, Intermat and SlideOn hinges and mounting plates
- ▶ System 32, hole line drillings
- ▶ Handles with 2 or 3 plinths for a drill hole spacing of 64 mm or more
- ▶ Furniture knobs

Page reference:

- ▶ For accessory sleeve drill, see below

Accura

Article	Order no.	PU
1 Accura rail with measurement scale, length 1000 mm	0 070 263	1 ea.
5 Accura drill body for runner systems, aluminium / plastic	0 070 265	1 ea.
7 Adjustable stop for assembled cabinet body, plastic	0 070 267	1 ea.
8 Adjustable stop for individual (disassembled) cabinet body sides, plastic	0 070 266	1 ea.

Sleeve drill



- ▶ Minimal drill wear as the drill bit does not come into contact with the jig
- ▶ Precision drill bit guidance through sleeve
- ▶ Adjustable drill depth stop
- ▶ Can be used with Accura and Practica drilling jigs

Description	Diameter mm	Order no.	PU
Sleeve drill	3	0 078 095	1 ea.
Sleeve drill	5	0 070 268	1 ea.

Drilling jigs

► For drawer runners

Cabinet body drilling jig for runners



- Can be used for:
 - Runner system, Actro YOU / Quadro YOU for AvanTech YOU
 - Actro 5D runner system for wooden drawers
 - Actro runner system for ArciTech
 - Runner system, Quadro for InnoTech / InnoTech Atira
 - Quadro for wooden drawers (slide on and plug on installation, partial and full extension runners)
 - Quadro for Systema Top 2000
 - Ball bearing runners KA
 - FR roller runner systems
- Plastic

Page reference:

- For accessory center drill, see below

Order no.	PU
9 257 327	1 ea.

Centring drill bit




- Diameter 2.5 mm
 - HS drill bit
- Nickel plated
- Hexagonal shaft
- Overall length 112 mm

Order no.	PU
9 257 319	1 ea.

Drilling jigs

- ▶ BlueJig Actro YOU, Push to open
- ▶ For fitting Actro YOU to wooden drawers, adjusting Push to open

BlueJig Actro YOU



- ▶ For drilling the holes for the C hook and catch for Actro 5D / Actro YOU runners on wooden drawers
- ▶ Plastic with hardened drilling bushes in steel
- ▶ Please order twist drill accessories separately

Order no.	PU
9 257 813	1 ea.

BlueJig Quadro YOU



- ▶ For drilling the hole for the C hook on Quadro YOU runners and wooden drawers
- ▶ For drilling the holes for the catches on wooden drawers
- ▶ Plastic with hardened drilling bushes in steel
- ▶ Please order twist drill accessories separately

Order no.	PU
9 257 325	1 ea.

BlueJig Push to open



- ▶ For adjusting the drawer front gap with Push to open Silent opening system on drawer runners:
 - Actro 5D
 - Actro YOU
 - Quadro YOU
- ▶ Plastic

Order no.	PU
9 257 326	1 ea.

AvanTech YOU double walled drawer system

► Design options / Optional accessories for AvanTech YOU



Never before has it been possible to create emotive lighting features on furniture!

The AvanTech YOU drawer system provides so much design flexibility in terms of light, colour, shape and material, giving you the key to successfully turning your own furniture design ideas into reality. Feature your drawers with the new LED signature lighting to give them that 'wow' effect. Homogeneous LED light illuminates either the inside of the drawer when it's open or makes a stunning feature statement on the outside. Colour

temperature to suit any preference: 2,700 K or 4,000 K. Eye catching too are the illuminated glass inlays, either with polished or ground edges - for distinctive lighting effects. DesignProfiles or DesignCapes conjure an accentuated, visual transformation. With this versatile system, you can let your own imagination run free. With the option of using any chosen materials, your ideas become distinctive furniture design that stands apart.



hettich.com/short/a07bc8

Design diversity and creative flexibility:
Printing your logo on the DesignProfile completes your design.

Many different options for individualisation:
With a simple click, design profiles conjure a visual transformation.

Unique furniture design:
The DesignCape gives your drawer that 'wow' effect.

Find out more:
You can get inspiration and further product details on our website.

14 Illumination for wooden drawer



- Flexible LED strip for slot mounting in wooden drawer side profile (groove depth 6 mm / groove width 4 mm)
- Light, diffuse, 2 colour temperatures: 2700 K or 4000 K
- Can be cut to any length, intermediate lengths can be generated from nominal lengths

Advice:


- 1 rechargeable battery pack, 9 393 653, must be ordered separately for each drawer

Set comprises:


- 2 LED lighting profiles

Nominal length mm	Order no.	PU
350	9 393 738	1 pair
450	9 393 739	1 pair
500	9 393 740	1 pair
550	9 318 741	1 pair
750	9 393 742	1 pair

Planning / installation dimensions



Illumination rechargeable battery pack



Illumination battery pack	9 393 653	1 pair
---------------------------	------------------	--------

- Rechargeable lithium-ion battery
- Voltage 7.5 V DC
- Capacity 3000 mAh
- Power 8.51 Wh
- Rechargeable via USB C
- Quick charge function
- Can be positioned anywhere on drawer or shelf pull-out
- Switch for changing colour temperature

Advice:

- Further extension cables on request

Set comprises:

- 1 rechargeable battery
- 1 rechargeable battery holder, self adhesive
- 3 cable holders, self adhesive
- 1 extension cable
- Fixing material



hettich.com/short/892f59

Publisher's imprint:

Hettich Australia


6 Entolasia Close
Kemps Creek NSW 2178

Phone: 1800 687 789
Fax: 1800 687 789
support-au@hettich.com
Web: www.hettich.com/en-au/home

© Hettich Marketing- und Vertriebs
GmbH & Co. KG
Anton-Hettich-Straße 12-16
32278 Kirchlengern · Germany

We reserve all rights to this catalogue under copyright law. It shall not be permissible to duplicate this catalogue in any form either in whole or in part without our written consent. Subject to technical alterations. Errors and omissions excepted. Subject to colour variations.

February 2026



IT'S ALL
IN HETTICH