



Hettich fitting data in Pytha

Runner systems for wooden drawer

# Contents

Introduction .....	3
How to read the name.....	3
How to use the package.....	5
How to replace drawer with another drawer? .....	11
Package content.....	14

# Introduction

Actro5D drawer runner for wooden drawers is now available for Pytha users. With this carefully prepared data package, we ensure maximum planning reliability and efficiency in the design and work preparation process.

To create multiple drawer configurations using the sample drawer, please refer to the "How to make wooden boxes drawer runners" guide video located in the Document folder.

The following instructions serve as a guide for using this data in YOUR Pytha program. For general information on downloading and installation, please watch our "How to Get" video.

## How to read the name.

e.g.

Set name: AT5D\_U\_SiSy\_10\_250\_set\_9318230

AT5D\_U: Actro5D YOU Drawer runner type

Sisy: Silent System

10: 10 kg load carrying capacity

250: 250 nominal length in mm

Set: Set of runners (Left and right)

9318230: Order number

Set name: AT5D\_YOU\_SiSy\_10\_250\_L\_9318220

AT5D\_U: Actro5D YOU Drawer runner type

Sisy: Silent System

10: 10 kg load carrying capacity

250: 250 nominal length in mm

L: Left side Runner

9318220: Order number

Set name: AT5D\_YOU\_SiSy\_10\_250\_R\_9318221

AT5D\_U: Actro5D YOU Drawer runner type

Sisy: Silent System

10: 10 kg load carrying capacity

250: 250 nominal length in mm

R: Right side Runner

9318220: Order number

Set name: AT5D\_BM\_SS\_40\_set\_350\_9318327

AT5D: Actro5D YOU Drawer runner type

BM: Bottom panel installation

SS: Silent System

40: 40 kg load carrying capacity

Set: Set of runners (Left and right)

350: 350 nominal length in mm

9318327: Order number

Set name: AT5D\_BM\_SiSy\_40\_350\_L\_9318319

AT5D: Actro5D YOU Drawer runner type

BM: Bottom panel installation

Sisy: Silent System

40: 40 kg load carrying capacity

L: Left side Runner

350: 350 nominal length in mm

9318319: Order number

Set name: AT5D\_BM\_SiSy\_40\_350\_R\_9318320

AT5D: Actro5D YOU Drawer runner type

BM: Bottom panel installation

Sisy: Silent System

40: 40 kg load carrying capacity


R: Right side Runner

350: 350 nominal length in mm


9318320: Order number

# How to use the package


## Step 1. Go to the file




## Step 2. Select Open




Step 3. Select any preferred cabinet and click "Open"




Step 4. Right click on the screen and select "Make Invisible"




Step 5. And select door dummy as highlighted in image below




Step 6. Right click on screen and select "Replace"




## Step 7. Select Dummy drawers




## Step 8. Select the highlighted points and click on "Browse"




Step 9. Select any desired drawer from the Actro 5D package and click "Open"



Step 10. Click "Ok"




Step 11. Similar ways YOU can add other drawer, and your cabinet is ready with Actro 5D fitted drawer




# How to replace drawer with another drawer?


Step 1. Right click on the screen and select "Replace" option




Step 2. Select the drawer to be replaced from the Tree




Step 3. Select the options highlighted in the below image and click on "Browse"




Step 4. Select required drawer and click "Open"



## Step 5. Click "Ok"



## Step 6. Drawer is now replaced with another depth



# Package content

Order no.	Description	Name
9318230	Full extension runner Actro 5D XS (10 kg) with Silent System, Compatible with Push to open Silent, 250 mm, left and right	AT5D_U_SiSy_10_250_set_9318230
9318231	Full extension runner Actro 5D XS (10 kg) with Silent System, Compatible with Push to open Silent, 270 mm, left and right	AT5D_U_SiSy_10_270_set_9318231
9318232	Full extension runner Actro 5D XS (10 kg) with Silent System, Compatible with Push to open Silent, 300 mm, left and right	AT5D_U_SiSy_10_300_set_9318232
9318233	Full extension runner Actro 5D XS (10 kg) with Silent System, Compatible with Push to open Silent, 320 mm, left and right	AT5D_U_SiSy_10_320_set_9318233
9318234	Full extension runner Actro 5D XS (10 kg) with Silent System, Compatible with Push to open Silent, 350 mm, left and right	AT5D_U_SiSy_10_350_set_9318234
9318268	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 250 mm, left and right	AT5D_U_SiSy_40_250_set_9318268
9318269	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 270 mm, left and right	AT5D_U_SiSy_40_270_set_9318269
9318270	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 300 mm, left and right	AT5D_U_SiSy_40_300_set_9318270
9318281	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 320 mm, left and right	AT5D_U_SiSy_40_320_set_9318281
9318282	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 350 mm, left and right	AT5D_U_SiSy_40_350_set_9318282
9318283	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 380 mm, left and right	AT5D_U_SiSy_40_380_set_9318283
9318284	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 400 mm, left and right	AT5D_U_SiSy_40_400_set_9318284
9318285	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 420 mm, left and right	AT5D_U_SiSy_40_420_set_9318285
9318286	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 450 mm, left and right	AT5D_U_SiSy_40_450_set_9318286
9318287	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 480 mm, left and right	AT5D_U_SiSy_40_480_set_9318287
9318288	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 500 mm, left and right	AT5D_U_SiSy_40_500_set_9318288
9318289	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 520 mm, left and right	AT5D_U_SiSy_40_520_set_9318289
9318290	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 550 mm, left and right	AT5D_U_SiSy_40_550_set_9318290
9318291	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 600 mm, left and right	AT5D_U_SiSy_40_600_set_9318291

9318310	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 450 mm, left and right	AT5D_U_SiSy_70_450_set_9318310
9318311	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 500 mm, left and right	AT5D_U_SiSy_70_500_set_9318311
9318312	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 520 mm, left and right	AT5D_U_SiSy_70_520_set_9318312
9318313	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 550 mm, left and right	AT5D_U_SiSy_70_550_set_9318313
9318314	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 580 mm, left and right	AT5D_U_SiSy_70_580_set_9318314
9318315	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 600 mm, left and right	AT5D_U_SiSy_70_600_set_9318315
9318316	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 650 mm, left and right	AT5D_U_SiSy_70_650_set_9318316
9318317	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 700 mm, left and right	AT5D_U_SiSy_70_700_set_9318317
9318318	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 750 mm, left and right	AT5D_U_SiSy_70_750_set_9318318
9318220	Full extension runner Actro 5D XS (10 kg) with Silent System, Compatible with Push to open Silent, 250 mm, left	AT5D_YOU_SiSy_10_250_L_9318220
9318221	Full extension runner Actro 5D XS (10 kg) with Silent System, Compatible with Push to open Silent, 250 mm, right	AT5D_YOU_SiSy_10_250_R_9318221
9318222	Full extension runner Actro 5D XS (10 kg) with Silent System, Compatible with Push to open Silent, 270 mm, left	AT5D_YOU_SiSy_10_270_L_9318222
9318223	Full extension runner Actro 5D XS (10 kg) with Silent System, Compatible with Push to open Silent, 270 mm, right	AT5D_YOU_SiSy_10_270_R_9318223
9318224	Full extension runner Actro 5D XS (10 kg) with Silent System, Compatible with Push to open Silent, 300 mm, left	AT5D_YOU_SiSy_10_300_L_9318224
9318225	Full extension runner Actro 5D XS (10 kg) with Silent System, Compatible with Push to open Silent, 300 mm, right	AT5D_YOU_SiSy_10_300_R_9318225
9318226	Full extension runner Actro 5D XS (10 kg) with Silent System, Compatible with Push to open Silent, 320 mm, left	AT5D_YOU_SiSy_10_320_L_9318226
9318227	Full extension runner Actro 5D XS (10 kg) with Silent System, Compatible with Push to open Silent, 320 mm, right	AT5D_YOU_SiSy_10_320_R_9318227
9318228	Full extension runner Actro 5D XS (10 kg) with Silent System, Compatible with Push to open Silent, 350 mm, left	AT5D_YOU_SiSy_10_350_L_9318228
9318229	Full extension runner Actro 5D XS (10 kg) with Silent System, Compatible with Push to open Silent, 350 mm, right	AT5D_YOU_SiSy_10_350_R_9318229

9318235	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 250 mm, left	AT5D_YOU_SiSy_40_250_L_9318235
9318236	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 250 mm, right	AT5D_YOU_SiSy_40_250_R_9318236
9318237	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 270 mm, left	AT5D_YOU_SiSy_40_270_L_9318237
9318238	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 270 mm, right	AT5D_YOU_SiSy_40_270_R_9318238
9318239	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 300 mm, left	AT5D_YOU_SiSy_40_300_L_9318239
9318240	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 300 mm, right	AT5D_YOU_SiSy_40_300_R_9318240
9318241	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 320 mm, left	AT5D_YOU_SiSy_40_320_L_9318241
9318242	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 320 mm, right	AT5D_YOU_SiSy_40_320_R_9318242
9318243	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 350 mm, left	AT5D_YOU_SiSy_40_350_L_9318243
9318244	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 350 mm, right	AT5D_YOU_SiSy_40_350_R_9318244
9318245	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 380 mm, left	AT5D_YOU_SiSy_40_380_L_9318245
9318246	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 380 mm, right	AT5D_YOU_SiSy_40_380_R_9318246
9318247	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 400 mm, left	AT5D_YOU_SiSy_40_400_L_9318247
9318248	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 400 mm, right	AT5D_YOU_SiSy_40_400_R_9318248
9318249	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 420 mm, left	AT5D_YOU_SiSy_40_420_L_9318249
9318250	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 420 mm, right	AT5D_YOU_SiSy_40_420_R_9318250
9318251	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 450 mm, left	AT5D_YOU_SiSy_40_450_L_9318251
9318252	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 450 mm, right	AT5D_YOU_SiSy_40_450_R_9318252

9318253	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 480 mm, left	AT5D_YOU_SiSy_40_480_L_9318253
9318254	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 480 mm, right	AT5D_YOU_SiSy_40_480_R_9318254
9318256	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 500 mm, left	AT5D_YOU_SiSy_40_500_L_9318256
9318258	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 500 mm, right	AT5D_YOU_SiSy_40_500_R_9318258
9318262	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 520 mm, left	AT5D_YOU_SiSy_40_520_L_9318262
9318263	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 520 mm, right	AT5D_YOU_SiSy_40_520_R_9318263
9318264	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 550 mm, left	AT5D_YOU_SiSy_40_550_L_9318264
9318265	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 550 mm, right	AT5D_YOU_SiSy_40_550_R_9318265
9318266	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 600 mm, left	AT5D_YOU_SiSy_40_600_L_9318266
9318267	Full extension runner Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 600 mm, right	AT5D_YOU_SiSy_40_600_R_9318267

9318292	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 450 mm, left	AT5D_YOU_SiSy_70_450_L_9318292
9318293	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 450 mm, right	AT5D_YOU_SiSy_70_450_R_9318293
9318294	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 500 mm, left	AT5D_YOU_SiSy_70_500_L_9318294
9318295	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 500 mm, right	AT5D_YOU_SiSy_70_500_R_9318295
9318296	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 520 mm, left	AT5D_YOU_SiSy_70_520_L_9318296
9318297	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 520 mm, right	AT5D_YOU_SiSy_70_520_R_9318297
9318298	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 550 mm, left	AT5D_YOU_SiSy_70_550_L_9318298
9318299	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 550 mm, right	AT5D_YOU_SiSy_70_550_R_9318299
9318300	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 580 mm, left	AT5D_YOU_SiSy_70_580_L_9318300
9318301	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 580 mm, right	AT5D_YOU_SiSy_70_580_R_9318301

9318302	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 600 mm, left	AT5D_YOU_SiSy_70_600_L_9318302
9318303	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 600 mm, right	AT5D_YOU_SiSy_70_600_R_9318303
9318304	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 650 mm, left	AT5D_YOU_SiSy_70_650_L_9318304
9318305	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 650 mm, right	AT5D_YOU_SiSy_70_650_R_9318305
9318306	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 700 mm, left	AT5D_YOU_SiSy_70_700_L_9318306
9318307	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 700 mm, right	AT5D_YOU_SiSy_70_700_R_9318307
9318308	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 750 mm, left	AT5D_YOU_SiSy_70_750_L_9318308
9318309	Full extension runner Actro 5D XL (70 kg) with Silent System, Compatible with Push to open Silent, 750 mm, right	AT5D_YOU_SiSy_70_750_R_9318309

9318327	Full extension runner, Bottom panel installation Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 350 mm, left and right	AT5D_BM_SS_40_set_350_9318327
9318328	Full extension runner, Bottom panel installation Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 400 mm, left and right	AT5D_BM_SS_40_set_400_9318328
9318329	Full extension runner, Bottom panel installation Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 450 mm, left and right	AT5D_BM_SS_40_set_450_9318329
9318330	Full extension runner, Bottom panel installation Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 500 mm, left and right	AT5D_BM_SS_40_set_500_9318330
9318319	Full extension runner, Bottom panel installation Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 350 mm, left	AT5D_BM_SiSy_40_350_L_9318319
9318320	Full extension runner, Bottom panel installation Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 350 mm, right	AT5D_BM_SiSy_40_350_R_9318320
9318321	Full extension runner, Bottom panel installation Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 400 mm, left	AT5D_BM_SiSy_40_400_L_9318321
9318322	Full extension runner, Bottom panel installation Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 400 mm, right	AT5D_BM_SiSy_40_400_R_9318322
9318323	Full extension runner, Bottom panel installation Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 450 mm, left	AT5D_BM_SiSy_40_450_L_9318323
9318324	Full extension runner, Bottom panel installation Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 450 mm, right	AT5D_BM_SiSy_40_450_R_9318324
9318325	Full extension runner, Bottom panel installation Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 500 mm, left	AT5D_BM_SiSy_40_500_L_9318325
9318326	Full extension runner, Bottom panel installation Actro 5D L (40 kg) with Silent System, Compatible with Push to open Silent, 500 mm, right	AT5D_BM_SiSy_40_500_R_9318326