



Hettich data in imos

Technik für Möbel


Hettich

Content

1.Hettich data package	3
2.Connectors with constructive information	4
2.1 .Sliding & folding door system	5
2.2. Sliding & folding door system – Associated connector.....	15
3.Connectors with general information.....	20
3.1. Sliding & folding door system	21
4.Connector set	33
4.1. Sliding door / Top running	34
4.2. Sliding door / Bottom running.....	36
4.3. Folding door system.....	37
5. Sample Articles/cabinets.....	41

1. Hettich data package

This documentation gives an overview of the Hettich fittings & Hettich connector of Sliding & Folding system in this package.

Hettich fittings:

The table will show you the order number, the description and the connector name in imos. For the connectors with design information it is possible to identify if processing is done or DWG's are used.

The first part includes the connectors with constructive information. Along with commercial information it includes the necessary editing groups, DWGs and attributes. There are further sorted in ascending order as per the order number.

The second part includes the connectors which are constructive with its associated connectors

The third part includes the connectors with general information i.e. only commercial information with further sorted in ascending order as per the order number

Hettich connector sets:

The table will show you the fitting name and its associated connector sets name.

Sample Article:

Along this, the zip data include the sample articles from Sliding door systems and folding door systems.

These sample articles show how to plan, create and deliver the cabinet with effectively adding the fittings.

2. Connectors with constructive information

2.1. Sliding & folding door system

Order no.	Description	Connector Name	Work group	DWG
13431	TopLine 22 Top door runner set for front most door on right	TL22_iftp_2d_29_fmldr_13431	Yes	Yes
13432	TopLine 22 Top door runner set for front most door on left	TL22_Set_2d_13432	Yes	Yes
13433	TopLine 22 Top door runner set, 21mm	TL22_iftp_3d_29_13433	Yes	Yes
25119	STB 35 bottom door guide, glides, brown	STB_35_25119	Yes	Yes
25122	SlideLine 55 Running component for screwing on, plastic, 15 kg	SL55_Runner_scr_on_15kg_25122	Yes	Yes
25123	SlideLine 55 Guide components with spring loaded bolt, plastic, Straight bolt	SL55_Guide_25123	Yes	Yes
26081	TopLine 25 Set for 1-door cabinet	TL25_set_1d_26081	Yes	Yes
26082	TopLine 27 Set for 2-door cabinet	TL27_set_2d_26082	Yes	Yes
26083	TopLine 27 Set for 3 door cabinet	TL27_set_3d_26083	Yes	Yes
43662	SlideLine 55 Guide components with spring loaded bolt, plastic, Angled bolt	SL55_Guide_angled_bolt_43662	Yes	Yes
45076	TopLine 1 all-inclusive set, 2-door	TL1_Set_2d_45076	Yes	Yes
45077	TopLine 1, all-inclusive set, 3-door	TL1_Set_3d_45077	Yes	Yes
45078	TopLine 1 all-inclusive set, 2-door	TL1_Set_2d_45078	Yes	Yes
45079	TopLine 1, all-inclusive set, 3-door	TL1_Set_3d_45079	Yes	Yes
45080	STB 11 guide set, Number of doors: 2	STB_11_2_doors_45080	Yes	Yes
45081	STB 11 guide set, Number of doors: 3	STB_11_3_doors_45081	Yes	Yes
45082	Bottom door runner set STB 12, Number of doors: 2	STB_12_2_doors_45082	Yes	Yes
45083	Bottom door runner set STB 12, Number of doors: 3	STB_12_3_doors_45083	Yes	Yes
45116	Top door runner set TopLine 22, EB 36	TL22_otp_2d_36_45116	Yes	Yes
45117	TopLine 22 Top door runner set TopLine 22, 28mm	TL22_iftp_3d_36_45117	Yes	Yes
45199	Bottom door runner set STB 15, Number of doors: 2	STB_15_2_doors_45199	Yes	Yes
45200	Bottom door runner set STB 15, Number of doors: 3	STB_15_3_doors_45200	Yes	Yes
46641	SlideLine 55 Running component for pressing in, plastic, 15 kg	SL55_Runner_press_in_46641	Yes	Yes
70962	SlideLine 55 Running component for screwing on, plastic, 30 kg	SL55_Runner_scr_on_30kg_70962	Yes	Yes
1001955	Centre hinge with adjustable offset pivot	WL_230_Center_hinge_1001955	Yes	Yes
1072987	WingLine 230 Running component, left	WL_230_runner_left_1072987	Yes	Yes
1072988	WingLine 230 Running component, right	WL_230_runner_right_1072988	Yes	Yes

Order no.	Description	Connector Name	Work group	DWG
9015391	Tandem runner	WL_220_tandem_runner_R_9015391	Yes	Yes
9015393	Tandem runner with height adjustment (± 5 mm)	WL_220_tandem_runner_L_9015393	Yes	Yes
9015394	Guide component	WL_220_guide_L_9015394	Yes	Yes
9015395	Guide component	WL_220_guide_R_9015395	Yes	Yes
9080201	TopLine 22 Top door runner set for front most door on right, EB 36	TL22_iftp_2d_36_fmdr_9080201	Yes	Yes
9080202	TopLine 22 Top door runner set for front most door on left, EB 36	TL22_iftp_2d_36_fm dl_9080202	Yes	Yes
9080203	TopLine 22 Top door runner set, 28mm	TL22_iftp_3d_36_9080203	Yes	Yes
9109805	Bottom door guide set, STB 16.2	TL_M_STB16_2d_9109805	Yes	Yes
9115216	Door stop / spacer for screwing on	SL55P_door_stop_spacer_9115216	Yes	Yes
9115217	SlideLine 55 Plus Guide component for screwing on for cabinets with 2 inset doors, plastic	SL55P_Guide_2ins_9115217	Yes	Yes
9115219	SlideLine 55 Plus Runner component for screwing on for cabinets with 2 inset doors, plastic	SL55P_Runner_2ins_9115219	Yes	Yes
9115954	SlideLine 55 Plus Running component for screwing on, for cabinets with 1 overlay (rebated) door and 1 inset door, plastic	SL55P_Runner_1ovl_1ins_9115954	Yes	Yes
9115955	SlideLine 55 Plus Guide component for screwing on, for cabinets with 1 overlay (rebated) door and 1 inset door, plastic	SL55P_Guide_1ovl_1ins_9115955	Yes	Yes
9119584	Silent System for screwing onto inset doors, SlideLine 55 Plus, left	SL55P_SiSys_ins_9119584	Yes	Yes
9119585	Silent System for screwing onto inset doors, SlideLine 55 Plus, right	SL55P_SiSys_ins_9119585	Yes	Yes
9119586	Silent System for screwing onto overlay (rebated) doors, SlideLine 55 Plus, right	SL55P_SiSys_ovl_9119586	Yes	Yes
9119587	Silent System for screwing onto overlay (rebated) doors, SlideLine 55 Plus, left	SL55P_SiSys_ovl_9119587	Yes	Yes
9134157	Set TopLine L, 3-door, 22 mm	TL_L_otp_3d_22_9134157	Yes	Yes
9134161	TopLine L Set, top running door, flush opening - runner profile on top panel, EB 31	TL_L_otp_2d_19_fmdr_9134161	Yes	Yes
9134162	TopLine L Set, top running door, flush opening - runner profile on top panel, EB 34	TL_L_otp_2d_22_fmdr_9134162	Yes	Yes
9135209	TopLine M Set of fittings, running components, EB 29	TL_M_Set_2d_9135209	Yes	Yes
9135221	TopLine M Set of fittings, running components, EB 29	TL_M_Set_3d_9135221	Yes	Yes
9140458	Bottom door guide set, STB 16.1	TL_M_STB16_2d_9140458	Yes	Yes
9140474	Bottom door guide set STB 16.1	TL_M_STB16_3d_9140474	Yes	Yes
9148547	InLine XL Upgrade set - mounting aid 750 - 1199 mm	InLine_XL_Assembly_aid_9148547	Yes	Yes
9148562	InLine XL Upgrade set - mounting aid	InLine_XL_Assembly_aid_9148562	Yes	Yes
9151121	SL55 PLUS RUNNING PA	SL55P_Runner_2ins_9151121	Yes	Yes
9151122	Running Component 18	SL55P_Runner_1ovl_1ins_9151122	Yes	Yes
9151123	GUIDING PART STB55 P	SL55P_Guide_2ins_9151123	Yes	Yes

Order no.	Description	Connector Name	Work group	DWG
9151124	Guide Componet 180°	SL55P_Guide_1ovl_1ins_9151124	Yes	Yes
9151125	SiSy SL55Plus left	SL55P_SiSys_ins_9151125	Yes	Yes
9151126	SiSy SL55Plus right	SL55P_SiSys_ins_9151126	Yes	Yes
9151127	SiSy SL55Plus ri reb	SL55P_SiSys_ovl_9151127	Yes	Yes
9151128	SiSy SL55Plus le reb	SL55P_SiSys_ovl_9151128	Yes	Yes
9154933	TopLine XL Silent System set, 3 door	TL_XL_SiSys_set_3D_9154933	Yes	Yes
9182108	Clip on runner profile installation	RP_clip_on_instal_9182108	Yes	Yes
9229920	WingLine L Centre hinge, fast assembly for screwing on, Hinge component 1, grey	WLL_centrehing_std_c_g_9229920	Yes	Yes
9236605	WingLine L Centre hinge, fast assembly for screwing on, Hinge component 2, nickel plated	WLL_centrehing_std_c_n_9236605	Yes	Yes
9237433	Guide component without self closing feature WingLine L, Installation on plinth, Installation under plinth	Guide_WL_L_onplinth_L_9237433	Yes	Yes
9237434	Guide component without self closing feature WingLine L, Installation on plinth, Installation under plinth, grey	Guide_WL_L_onplinth_R_9237434	Yes	Yes
9237479	Running component for door panel weighing up to 12 kg without self closing feature WingLine L, left, grey	WLL_runner_wosc_12_g_L_9237479	Yes	Yes
9237480	Running component for door panel weighing up to 12 kg without self closing feature WingLine L, right, grey	WLL_runner_wosc_12_g_R_9237480	Yes	Yes
9237484	Running component for door panel weighing up to 12 kg with self closing feature WingLine L, right, grey	WLL_runner_wsc_12_g_R_9237484	Yes	Yes
9237488	Running component for door panel weighing up to 12 kg with self closing feature WingLine L, left, grey	WLL_runner_wsc_12_g_L_9237488	Yes	Yes
9237492	Running component for door wing weighing up to 25 kg with self closing feature WingLine L, left, grey	WLL_runner_wsc_25_g_L_9237492	Yes	Yes
9237493	Running component for door wing weighing up to 25 kg with self closing feature WingLine L, right, grey	WLL_runner_wsc_25_g_R_9237493	Yes	Yes
9237494	Running component for door wing weighing up to 25 kg without self closing feature WingLine L, right, grey	WLL_runner_wosc_25_g_R_9237494	Yes	Yes
9237495	Running component for door wing weighing up to 25 kg without self closing feature WingLine L, left, grey	WLL_runner_wosc_25_g_L_9237495	Yes	Yes
9246618	RUNNER WL ONE HINGE	WLL_runner_wsc_12_g_R_9246618	Yes	Yes
9246619	RUNNER WL DOUBLEHING	WLL_runner_wosc_25_g_R_9246619	Yes	Yes
9248852	RUNNER WL DOUBLEHING	WLL_runner_wosc_25_g_R_9248852	Yes	Yes
9278694	Centre hinge set with adjustable reveal and pivot point, for screwing on	WLL_centrehinge2_cup_s_9278694	Yes	Yes
9278742	Centre hinge set with adjustable reveal and pivot point, for screwing on	WLL_centrehinge3_cup_s_9278742	Yes	Yes
9278787	Centre hinge set with adjustable reveal and pivot point, for pressing in	WLL_centrehinge3_cup_p_9278787	Yes	Yes

Order no.	Description	Connector Name	Work group	DWG
9278788	Centre hinge set with adjustable reveal and pivot point, for pressing in	WLL_centrehinge2_cup_p_9278788	Yes	Yes
9330191	WingLine L Centre hinge, fast assembly for screwing on, Hinge component 1, anthracite	WLL_centrehing_std_c_a_9330191	Yes	Yes
9330193	WingLine L Centre hinge, fast assembly for screwing on, Hinge component 1, grey	WLL_centrehing_std_c_g_9330193	Yes	Yes
9330194	WingLine L Centre hinge, fast assembly for screwing on, Hinge component 1, white	WLL_centrehing_std_c_w_9330194	Yes	Yes
9332361	WingLine L Centre hinge, fast assembly for screwing on, Hinge component 2B with precision vertical and reveal adjustment capability, nickel plated	WLL_centrehing_adj_c_n_9332361	Yes	Yes
9338564	WingLine L, Running components, double hinge, with self closing feature, 25, grey, left	WLL_runner_wsc_25_g_L_9338564	Yes	Yes
9338565	WingLine L, Running components, double hinge, with self closing feature, 25, white, left	WLL_runner_wsc_25_w_L_9338565	Yes	Yes
9338566	WingLine L, Running components, double hinge, with self closing feature, 25, anthracite, left	WLL_runner_wsc_25_a_L_9338566	Yes	Yes
9338567	WingLine L, Running components, double hinge, without self closing feature, 25, grey, left	WLL_runner_wosc_25_g_L_9338567	Yes	Yes
9338568	WingLine L, Running components, double hinge, without self closing feature, 25, white, left	WLL_runner_wosc_25_w_L_9338568	Yes	Yes
9338626	WingLine L, Running components, double hinge, without self closing feature, 25, anthracite, left	WLL_runner_wosc_25_a_L_9338626	Yes	Yes
9338653	WingLine L, Running components, single hinge, with self closing feature, 12, grey, left	WLL_runner_wsc_12_g_L_9338653	Yes	Yes
9338654	WingLine L, Running components, single hinge, with self closing feature, 12, white, left	WLL_runner_wsc_12_w_L_9338654	Yes	Yes
9338655	WingLine L, Running components, single hinge, with self closing feature, 12, anthracite, left	WLL_runner_wsc_12_a_L_9338655	Yes	Yes
9338656	WingLine L, Running components, single hinge, without self closing feature, 12, grey, left	WLL_runner_wosc_12_g_L_9338656	Yes	Yes
9338657	WingLine L, Running components, single hinge, without self closing feature, 12, white, left	WLL_runner_wosc_12_w_L_9338657	Yes	Yes
9338658	WingLine L, Running components, single hinge, without self closing feature, 12, anthracite, left	WLL_runner_wosc_12_a_L_9338658	Yes	Yes
9338842	WingLine L, Running components, double hinge, with self closing feature, 25, grey, right	WLL_runner_wsc_25_g_R_9338842	Yes	Yes
9338909	WingLine L, Running components, double hinge, with self closing feature, 25, white, right	WLL_runner_wsc_25_w_R_9338909	Yes	Yes
9338910	WingLine L, Running components, double hinge, with self closing feature, 25, anthracite, right	WLL_runner_wsc_25_a_R_9338910	Yes	Yes
9338941	WingLine L, Running components, double hinge, without self closing feature, 25, grey, right	WLL_runner_wosc_25_g_R_9338941	Yes	Yes
9338942	WingLine L, Running components, double hinge, without self closing feature, 25, white, right	WLL_runner_wosc_25_w_R_9338942	Yes	Yes
9338943	WingLine L, Running components, double hinge, without self closing feature, 25, anthracite, right	WLL_runner_wosc_25_a_R_9338943	Yes	Yes
9338945	WingLine L, Running components, single hinge, with self closing feature, 12, grey, right	WLL_runner_wsc_12_g_R_9338945	Yes	Yes
9338946	WingLine L, Running components, single hinge, with self closing feature, 12, white, right	WLL_runner_wsc_12_w_R_9338946	Yes	Yes
9338947	WingLine L, Running components, single hinge, with self closing feature, 12, anthracite, right	WLL_runner_wsc_12_a_R_9338947	Yes	Yes
9338950	WingLine L, Running components, single hinge, without self closing feature, 12, grey, right	WLL_runner_wosc_12_g_R_9338950	Yes	Yes
9338971	WingLine L, Running components, single hinge, without self closing feature, 12, white, right	WLL_runner_wosc_12_w_R_9338971	Yes	Yes
9338976	WingLine L, Running components, single hinge, without self closing feature, 12, anthracite, right	WLL_runner_wosc_12_a_R_9338976	Yes	Yes

Order no.	Description	Connector Name	Work group	DWG
9339389	WingLine L, Set of light duty fittings, without bottom guide, 12 kg, grey, right, with self closing feature	WLL_set_wscf_12kg_g_R_9339389	Yes	Yes
9339390	WingLine L, Set of light duty fittings, without bottom guide, 12 kg, white, right, with self closing feature	WLL_set_wscf_12kg_w_R_9339390	Yes	Yes
9339391	WingLine L, Set of light duty fittings, without bottom guide, 12 kg, anthracite, right, with self closing feature	WLL_set_wscf_12kg_a_R_9339391	Yes	Yes
9339392	WingLine L, Set of light duty fittings, without bottom guide, 12 kg, grey, right, without self closing feature	WLL_set_woscf_12kg_g_R_9339392	Yes	Yes
9339393	WingLine L, Set of light duty fittings, without bottom guide, 12 kg, white, right, without self closing feature	WLL_set_woscf_12kg_w_R_9339393	Yes	Yes
9339394	WingLine L, Set of light duty fittings, without bottom guide, 12 kg, anthracite, right, without self closing feature	WLL_set_woscf_12kg_a_R_9339394	Yes	Yes
9339477	WingLine L, Set of light duty fittings, without bottom guide, 12 kg, grey, left, with self closing feature	WLL_set_wscf_12kg_g_L_9339477	Yes	Yes
9339478	WingLine L, Set of light duty fittings, without bottom guide, 12 kg, white, left, with self closing feature	WLL_set_wscf_12kg_w_L_9339478	Yes	Yes
9339479	WingLine L, Set of light duty fittings, without bottom guide, 12 kg, anthracite, left, with self closing feature	WLL_set_wscf_12kg_a_L_9339479	Yes	Yes
9339480	WingLine L, Fast installation centre hinge set, standard, grey, 2 per	WLL_centrehinge2_std_g_9339480	Yes	Yes
9339481	WingLine L, Set of light duty fittings, without bottom guide, 12 kg, grey, left, without self closing feature	WLL_set_woscf_12kg_g_L_9339481	Yes	Yes
9339482	WingLine L, Set of light duty fittings, without bottom guide, 12 kg, white, left, without self closing feature	WLL_set_woscf_12kg_w_L_9339482	Yes	Yes
9339483	WingLine L, Set of light duty fittings, without bottom guide, 12 kg, anthracite, left, without self closing feature	WLL_set_woscf_12kg_a_L_9339483	Yes	Yes
9339484	WingLine L, Fast installation centre hinge set, standard, white, 2 per	WLL_centrehinge2_std_w_9339484	Yes	Yes
9339485	WingLine L, Fast installation centre hinge set, standard, anthracite, 2 per	WLL_centrehinge2_std_a_9339485	Yes	Yes
9339486	WingLine L, Fast installation centre hinge set, standard, grey, 3 per	WLL_centrehinge3_std_g_9339486	Yes	Yes
9339487	WingLine L, Fast installation centre hinge set, standard, white, 3 per	WLL_centrehinge3_std_w_9339487	Yes	Yes
9339491	WingLine L, Fast installation centre hinge set, standard, anthracite, 3 per	WLL_centrehinge3_std_a_9339491	Yes	Yes
9339492	WingLine L, Fast installation centre hinge set, adjustable, grey, 2 per	WLL_centrehinge2_adj_g_9339492	Yes	Yes
9339493	WingLine L, Fast installation centre hinge set, adjustable, white, 2 per	WLL_centrehinge2_adj_w_9339493	Yes	Yes
9339494	WingLine L, Fast installation centre hinge set, adjustable, anthracite, 2 per	WLL_centrehinge2_adj_a_9339494	Yes	Yes
9339496	WingLine L, Fast installation centre hinge set, adjustable, grey, 3 per	WLL_centrehinge3_adj_g_9339496	Yes	Yes
9339498	WingLine L, Fast installation centre hinge set, adjustable, white, 3 per	WLL_centrehinge3_adj_w_9339498	Yes	Yes
9339499	WingLine L, Fast installation centre hinge set, adjustable, anthracite, 3 per	WLL_centrehinge3_adj_a_9339499	Yes	Yes

Order no.	Description	Connector Name	Work group	DWG
1012854	GUIDE PR.TOP LINE11 3000MM 3000MM LONG	Guide_prof_STB_11_1012854		Yes
1079089	Runner profile WingLine 780, 2000mm	Run_prf_Screw_in_1079089		Yes
1079090	Runner and guide profiles STB 55, 4000 mm, silver, 30 kg	SL55_run_guide_4000_s_1079090		Yes
1468	Runner / guide profile for screwing on, 2-track, SlideLine 1, white	SL55_Run_guide_prf_2track_1468		Yes
1469	Runner / guide profile for screwing on, 2-track, SlideLine 1, brown	SL55_Run_guide_prf_2track_1469		Yes
25120	Runner and guide profiles STB 55, 4000 mm, white, 15 kg	SL55_run_guide_4000_whi_25120		Yes
25121	Runner and guide profiles STB 55, 4000 mm, brown, 15 kg	SL55_run_guide_4000_bro_25121		Yes
25660	Runner and guide profiles STB 55, 4000 mm, beige, 15 kg	SL55_run_guide_4000_bei_25660		Yes
41249	Runner profile WingLine 220, 2000 mm, silver	WL_220_run_prf_2000_41249		Yes
41251	Runner profile, WingLine 220, 2000 mm, silver	Guide_prof_41251		Yes
45080	STB 11 guide set, Number of doors: 2	STB_11_2_doors_45080		Yes
45081	STB 11 guide set, Number of doors: 3	STB_11_3_doors_45081		Yes
45082	Bottom door runner set STB 12, Number of doors: 2	STB_12_2_doors_45082		Yes
45083	Bottom door runner set STB 12, Number of doors: 3	STB_12_3_doors_45083		Yes
45097	TopLine 1, Runner profile, 6000 mm, bright	TL1_run_prf_6000_45097		Yes
45201	STB 15 guide profile, 6000 mm, aluminium	Guide_prof_STB_15_45201		Yes
46416	TopLine 25 Runner profile, 1-track, 3500, aluminium	TL25_run_prf_3500_46416		Yes
46417	TopLine 27, Runner profile, 2-track, 3500mm	TL27_run_prf_3500_46417		Yes
46419	STB 11 guide profile, 6000, aluminium	Guide_prof_STB_11_46419		Yes
46420	STB 12 guide profile, 6000, aluminium	Guide_prof_STB_12_46420		Yes
46788	SlideLine 56 runner and guide profile, 6000 mm, silver anodised	SL56_run_guide_6000_sa_46788		Yes
46789	STB 35 guide profile, 3500, white	Guide_prof_STB_35_46789		Yes
46790	STB 35 guide profile, 3500, brown	Guide_prof_STB_35_bro_46790		Yes
46791	STB 35 guide profile, 3500, Pine look	Guide_prof_STB_35_pin_46791		Yes
47221	Runner and guide profile; SlideLine 56, 6000 mm, dark anodised	SL56_run_guide_6000_da_47221		Yes
48965	SlideLine 56 Guide profile, aluminium, anodised	SL56_run_guide_2500_da_48965		Yes
61546	Runner and guide profiles STB 55, 4000 mm, grey, 15 kg	SL55_run_guide_4000_gre_61546		Yes
66900	Runner and guide profiles STB 55, 4000 mm, black, 15 kg	SL55_run_guide_4000_bla_66900		Yes
70961	Runner and guide profiles STB 55, 4000 mm, dark brown, 30 kg	SL55_run_guide_4000_dbro_70961		Yes
70985	Wing 77 Guide profile, aluminium, Silver anodised	Guide_profile_WL77_Sil_70985		Yes

Order no.	Description	Connector Name	Work group	DWG
71109	SlideLine 56 runner and guide profile, 3000 mm, dark anodised	SL56_run_guide_3000_da_71109		Yes
71110	Runner and guide profile; SlideLine 56, 3000 mm, silver anodised	SL56_run_guide_3000_sa_71110		Yes
71113	TopLine 1, Runner profile, 3000 mm, bright	TL1_run_prf_3000_71113		Yes
71115	STB 15 guide profile, 3000 mm, aluminium	Guide_prof_STB_15_71115		Yes
71116	STB 12 guide profile, 3000, aluminium	Guide_prof_STB_12_71116		Yes
71117	STB 11 guide profile, 3000, aluminium	Guide_prof_STB_11_71117		Yes
72914	Wing 77 runner profile, 3200 mm, silver	Wing_77_run_prf_3200_72914		Yes
72919	WingLine, Guide profile, 2000mm, anodised	Guide_profile_2000_72919		Yes
79013	WingLine 230 Runner profile, 2400 mm, white	WL_230_run_prf_2400_w_79013		Yes
79014	WingLine 230 Runner profile, 2400 mm, black	WL_230_run_prf_2400_b_79014		Yes
9002063	Runner profile WingLine 780, 2000mm, white	WL_780_prf_w_2000_9002063		Yes
9008054	STB 11 guide profile, 3000 mm, aluminium	Guide_prof_STB_11_9008054		Yes
9013759	Runner profile WingLine 780, 2000mm	WL_780_runner_prf_9013759		Yes
9040230	Runner profile TopLine 110, 3000 mm	TL110_run_prf_9040230		Yes
9117425	TopLine M Runner profile, 2000, Aluminium	TL_M_run_prf_2000_9117425		Yes
9117426	TopLine M Runner profile, Aluminium	TL_M_run_prf_3000_9117426		Yes
9117427	TopLine M Guide profile STB 16.1, 2000, plastic	Guide_prof_STB_16_1_9117427		Yes
9117429	TopLine M Guide profile STB 16.2, 2000, plastic	Guide_prof_STB_16_2_9117429		Yes
9117430	TopLine M Guide profile STB 16.2, 3000, plastic	Guide_prof_STB_16_2_9117430		Yes
9131831	TopLine M Guide profile STB 16.2, 2100, plastic	STB_16_2_2100_9131831		Yes
9134513	Runner profile for gluing in SysLine S, 2000 mm	SysL_S_run_prf_glue_9134513		Yes
9136105	Screw on runner profile SysLine S, 2000 mm	SysL_S_run_prf_screw_9136105		Yes
9136106	Runner profile with twist lock SysLine S, 2000 mm	SysL_S_run_prf_twist_9136106		Yes
9145851	Runner profile for gluing in SysLine S, 2000 mm	SysL_S_run_prf_glue_9145851		Yes
9151067	Run.Pr SYSLINE 2000	SysL_S_run_prf_screw_9151067		Yes
9151068	RUNN.PROF. SYSLINE S	SysL_S_run_prf_glue_9151068		Yes
9151069	Run.Pr SYSLINE 2000	SysL_S_run_prf_twist_9151069		Yes
9151072	Guide Prof. Top Line	TL110_run_prf_9151072		Yes
9151077	PROFILE SET SL-M 18/	SL_M_profile_set_2P_18_9151077		Yes
9151078	PROFILE SET SL-M 18/	SL_M_profile_set_2P_18_9151078		Yes

Order no.	Description	Connector Name	Work group	DWG
9151079	PROFILE SET SL-M 22/	SL_M_profile_set_2P_22_9151079		Yes
9151080	PROFILE SET SL-M 22/	SL_M_profile_set_2P_22_9151080		Yes
9151085	PROFILE SET SL-M 18/	SL_M_profile_set_1P_18_9151085		Yes
9151086	PROFILE SET SL-M 18/	SL_M_profile_set_1P_18_9151086		Yes
9151087	PROFILE SET SL-M 22/	SL_M_profile_set_1P_22_9151087		Yes
9151088	PROFILE SET SL-M 22/	SL_M_profile_set_1P_22_9151088		Yes
9151119	Profile set SL-M 2.5	SL_M_prf_set_2500_1t_9151119		Yes
9151135	SLIDE LINE 55 4000 M	SL55_run_guide_4000_np_9151135		Yes
9151143	PROFILE SLIDE LINE 5	SL56_run_guide_3000_9151143		Yes
9151145	PROFILE SLIDE LINE 5	SL56_run_guide_3000_9151145		Yes
9151298	Wing Line230 Run.Pr.	WL_230_run_prf_2400_9151298		Yes
9151299	Wing Line230 2400 BI	WL_230_run_prf_2400_b_9151299		Yes
9193574	Runner profile WingLine 77, 3200 mm, aluminium	Wing_77_run_prf_2000_9193574		Yes
9209165	SlideLine M Profile sets: 2 profiles, Profile height mm 16 mm, Length#float# 2500 mm	SL_M_profile_set_2P_16_9209165		Yes
9209166	SlideLine M Profile sets: 2 profiles, Profile height mm 16 mm, Length#float# 4000 mm	SL_M_profile_set_2P_16_9209166		Yes
9209167	SlideLine M Profile sets: 2 profiles, Profile height mm 18 mm, Length#float# 2500 mm	SL_M_profile_set_2P_18_9209167		Yes
9209218	SlideLine M Profile sets: 2 profiles, Profile height mm 18 mm, Length#float# 4000 mm	SL_M_profile_set_2P_18_9209218		Yes
9209219	SlideLine M Profile sets: 2 profiles, Profile height mm 22 mm, Length#float# 2500 mm	SL_M_profile_set_2P_22_9209219		Yes
9209220	SlideLine M Profile sets: 2 profiles, Profile height mm 22 mm, Length#float# 4000 mm	SL_M_profile_set_2P_22_9209220		Yes
9209221	SlideLine M Profile sets: 2 profiles, Profile height mm 25 mm, Length#float# 2500 mm	SL_M_profile_set_2P_25_9209221		Yes
9209222	SlideLine M Profile sets: 2 profiles, Profile height mm 25 mm, Length#float# 4000 mm	SL_M_profile_set_2P_25_9209222		Yes
9209223	SlideLine M Profile sets: 1 profile, Profile height mm 16 mm, Length#float# 2500 mm	SL_M_profile_set_1P_16_9209223		Yes
9209224	SlideLine M Profile sets: 1 profile, Profile height mm 16 mm, Length#float# 4000 mm	SL_M_profile_set_1P_16_9209224		Yes
9209225	SlideLine M Profile sets: 1 profile, Profile height mm 18 mm, Length#float# 2500 mm	SL_M_profile_set_1P_18_9209225		Yes
9209226	SlideLine M Profile sets: 1 profile, Profile height mm 18 mm, Length#float# 4000 mm	SL_M_profile_set_1P_18_9209226		Yes
9209228	SlideLine M Profile sets: 1 profile, Profile height mm 22 mm, Length#float# 2500 mm	SL_M_profile_set_1P_22_9209228		Yes
9209229	SlideLine M Profile sets: 1 profile, Profile height mm 22 mm, Length#float# 4000 mm	SL_M_profile_set_1P_22_9209229		Yes
9209230	SlideLine M Profile sets: 1 profile, Profile height mm 25 mm, Length#float# 2500 mm	SL_M_profile_set_1P_25_9209230		Yes
9209231	SlideLine M Profile sets: 1 profile, Profile height mm 25 mm, Length#float# 4000 mm	SL_M_profile_set_1P_25_9209231		Yes
9227246	SlideLine M Profile set: 1-track runner profile for pressing in, 2500 mm	SL_M_prf_set_2500_1t_9227246		Yes

Order no.	Description	Connector Name	Work group	DWG
9237916	Runner profile WingLine L, 1200 mm, anodised	WingL_run_prf_a_1200_9237916		Yes
9237917	Runner profile WingLine L, 2400 mm, anodised	WingL_run_prf_a_2400_9237917		Yes
9237987	Guide profile WingLine L, 1200 mm, bright	WLL_guide_prf_1200_bri_9237987		Yes
9237988	Guide profile WingLine L, 2400 mm, bright	WLL_guide_prf_2400_bri_9237988		Yes
9237989	Guide profile WingLine L, 1200 mm, anodised	WLL_guide_prf_1200_s_9237989		Yes
9237990	Guide profile WingLine L, 2400 mm, anodised	WLL_guide_prf_2400_s_9237990		Yes
9237991	Runner profile WingLine L, 1200 mm, bright	WingL_run_prf_b_1200_9237991		Yes
9237992	Runner profile WingLine L, 2400 mm, bright	WingL_run_prf_b_2400_9237992		Yes
9239329	SlideLine M 1-track runner profile for pressing in, 4000 mm	SL_M_prf_4000_1t_9239329		Yes
9244904	Runner profile WingLine L, 2400 mm, powder coated, white	WingL_run_prf_w_2400_9244904		Yes
9244905	Guide profile WingLine L, 2400 mm, powder coated, white	Guide_prf_2400_w_WingL_9244905		Yes
9248937	Runner profile WingLine L, customised , white	WLL_run_prf_custom_w_9248937		Yes
9254743	PROFIL SL-M L4000-2	SL_M_prf_4000_1t_9254743		Yes
9261647	Guide profile WingLine L, 1000 mm, anodised	WLL_guide_prf_custom_s_9261647		Yes
9261648	Guide profile WingLine L, 1000 mm, bright	WLL_guide_prf_custom_b_9261648		Yes
9269766	TopLine XL, End cap, right	TLXL_Sisy_end_cap_R_9269766		Yes
9273066	TopLine XL, End cap, left	TLXL_Sisy_end_cap_L_9273066		Yes
9276481	TopLine XL, Silent System for centre door, 100 kg	TLXL_SS_centre_60_100_9276481		Yes
9276482	TopLine XL, Silent System for centre door, 35 kg	TLXL_Sisy_centre_15_35_9276482		Yes
9276712	TopLine XL, Guide profile, 5300 mm, STB 19.0 for clip attachment	TLXL_guide_pf5300_19,0_9276712		Yes
9276713	TopLine XL, Guide profile, 5300 mm, STB 19.1 for attachment in screw slot	TLXL_guide_pf5300_19,1_9276713		Yes
9276715	TopLine XL, Runner profile, 5300 mm, light	TLXL_runner_prf5300_li_9276715		Yes
9276716	TopLine XL, Runner profile, 5300 mm, medium	TLXL_runner_prf5300_Me_9276716		Yes
9276717	TopLine XL, Runner profile, 5300 mm, heavy duty	TLXL_runner_prf5300_St_9276717		Yes
9277972	TopLine XL, Guide profile, 4000 mm, STB 19.0 for clip attachment	TLXL_guide_pf4000_19,0_9277972		Yes
9277974	TopLine XL, Runner profile, 4000 mm, medium	TLXL_runner_prf4000_Me_9277974		Yes
9277975	TopLine XL, Runner profile, 4000 mm, heavy duty	TLXL_runner_prf4000_St_9277975		Yes
9278099	TopLine XL, Runner profile, 2300 mm, heavy duty	TLXL_runner_prf2300_St_9278099		Yes
9278125	TopLine XL, Guide profile, 2300 mm, STB 19.0 for clip attachment	TLXL_guide_pf2300_19,0_9278125		Yes
9278126	TopLine XL, Guide profile, 2300 mm, STB 19.1 for attachment in screw slot	TLXL_guide_pf2300_19,1_9278126		Yes

Order no.	Description	Connector Name	Work group	DWG
9278127	TopLine XL, Runner profile, 2300 mm, medium	TLXL_runner_prf2300_Me_9278127		Yes
9279057	Guide profile WingLine L, 1200 mm, powder coated, white	WLL_guide_prf_1200_w_9279057		Yes
9279058	Runner profile WingLine L, 1200 mm, powder coated, white	WLL_run_prf_1200_w_9279058		Yes
9279059	Runner profile WingLine L, 2400 mm, powder coated, white	WLL_run_prf_2400_w_9279059		Yes
9279060	Guide profile WingLine L, 2400 mm, powder coated, white	WLL_guide_prf_2400_w_9279060		Yes
9279166	WingLine L, Profile set without bottom guide, 1200 mm, powder coated, white	WLL_run_prf_1200_w_9279166		Yes
9279170	WingLine L, Profile set without bottom guide, 2400 mm, powder coated, white	WLL_run_prf_2400_w_9279170		Yes
9284971	Guide profile WingLine L, 1000 mm, powder coated, white	WLL_guide_prf_custom_w_9284971		Yes
9288835	GUIDING PROFILE STB1	Guide_prof_STB_12_9288835		Yes
9288836	GUIDE PROF. STB11 L3	Guide_prof_STB_11_9288836		Yes
9339507	WingLine L Set of light duty profiles without bottom guide, 1200 mm, silver anodised	WLL_run_prf_1200_s_9339507		Yes
9339509	WingLine L Set of light duty profiles without bottom guide, 1200 mm, powder coated, anthracite	WLL_run_prf_1200_a_9339509		Yes
9339510	WingLine L Set of light duty profiles without bottom guide, 2400 mm, silver anodised	WLL_run_prf_2400_s_9339510		Yes
9339512	WingLine L Set of light duty profiles without bottom guide, 2400 mm, powder coated, anthracite	WLL_run_prf_2400_a_9339512		Yes
9339601	Runner profile WingLine L, 1200 mm, bright	WLL_run_prf_1200_bri_9339601		Yes
9339602	Runner profile WingLine L, 1200 mm, silver anodised	WLL_run_prf_1200_s_9339602		Yes
9339603	Runner profile WingLine L, 1200 mm, powder coated, anthracite	WLL_run_prf_1200_a_9339603		Yes
9339604	Runner profile WingLine L, 2400 mm, bright	WLL_run_prf_2400_bri_9339604		Yes
9339605	Runner profile WingLine L, 2400 mm, silver anodised	WLL_run_prf_2400_s_9339605		Yes
9339606	Runner profile WingLine L, 2400 mm, powder coated, anthracite	WLL_run_prf_2400_a_9339606		Yes
9339607	Guide profile WingLine L, 1200 mm, powder coated, anthracite	WLL_guide_prf_1200_a_9339607		Yes
9339608	Guide profile WingLine L, 2400 mm, powder coated, anthracite	WLL_guide_prf_2400_a_9339608		Yes
9339609	Runner profile WingLine L, customised, anodised	WLL_run_prf_custom_bri_9339609		Yes
9339610	Runner profile WingLine L, customised, silver	WLL_run_prf_custom_s_9339610		Yes
9339611	Runner profile WingLine L, customised, anthracite	WLL_run_prf_custom_a_9339611		Yes
9339612	Guide profile WingLine L, customised, anthracite	WLL_guide_prf_custom_a_9339612		Yes

2.2. Sliding & folding door system – Associated connector

Order no.	Description	Connector Name	Set
10083	WingLine 230 set, left	WL_230_set_10083	Associate connector
10084	WingLine 230 set, right	WL_230_set_10084	Associate connector
41247	WingLine 220 set, right	WL_220_set_41247	Associate connector
41248	WingLine 220 set, left	WL_220_set_41248	Associate connector
45234	SlideLine 56 set, Number of doors: 2	SL56_set_2_doors_45234	Associate connector
45235	SlideLine 56 set	SL56_set_3_doors_45235	Associate connector
45317	set TopLine 110	TL110_Set_45317	Associate connector
70986	Set 1 Wing 77, 1 folding sliding door with 2 panels	Wing_77_70986	Associate connector
70987	Set 2 Wing 77, 1 folding sliding door with 4 panels	Wing_77_70987	Associate connector
79015	WingLine 230 set	WL_230_set_79015	Associate connector
9117336	Set, TopLine 110, with Silent System for 1 cabinet with 2 sliding doors	TL110_Silent_System_9117336	Associate connector
9129577	TopLine M STB 16.1 set for runner system in front of the bottom panel, EB 29, Standard	TL_M_set_16_1_3_doors_9129577	Associate connector
9133612	TopLine M STB 16.1 set for runner system in front of the bottom panel, EB 29, Standard	TL_M_set_16_1_2_doors_9133612	Associate connector
9133641	TopLine M STB 16.2 set for runner system below the bottom panel, EB 29, Standard	TL_M_set_16_2_2_doors_9133641	Associate connector
9134311	SysLine S Set with Silent System soft closing element	SysL_S_SilentSystem_9134311	Associate connector
9136103	SysLine S Set without Silent System	SysL_S_set_9136103	Associate connector
9151050	SET TL SISY SC 300 O	TLL_ss_2D_50_softclose_9151050	Associate connector
9151051	SET TL SISY SC 300 O	TLL_ss_3D_50_softclose_9151051	Associate connector
9151055	SET TL SISY SC 300 L	TLL_ss_2D_20_softclose_9151055	Associate connector
9151056	SET TL SISY SC 300 L	TLL_ss_3D_20_softclose_9151056	Associate connector
9151058	SET TL SISY SOH 200	TLL_ss_3D_20_soft_open_9151058	Associate connector
9151062	SET TL-L PR 2300 STB	TLL_set_profile_2300_9151062	Associate connector
9151063	SET TL-L PR 4000 STB	TLL_set_profile_4000_9151063	Associate connector
9151064	SysLine S Schließ- u	Set_SiSys_soft_open_9151064	Associate connector
9151066	SysLine S ohne Dämpf	SysL_S_set_9151066	Associate connector
9151070	SET TOP LINE 110	TL110_Set_9151070	Associate connector

Order no.	Description	Connector Name	Set
9151118	Profile set SL-M 2.5	SL_M_prf_set_2500_2t_9151118	Associate connector
9151140	SLIDE LINE56 SET 2-D	SL56_set_2_doors_9151140	Associate connector
9151242	WL L Profile Set L12	WLL_prf_set_1200_9151242	Associate connector
9151245	WL L Profile Set L24	WLL_prf_set_2400_9151245	Associate connector
9151295	WINGLINE 230 SET LEF	WL_230_set_9151295	Associate connector
9151296	WING LINE 230 SET RI	WL_230_set_9151296	Associate connector
9208511	SysLine S Set with Silent System soft closing and soft opening	Set_SiSys_soft_open_9208511	Associate connector
9227183	SlideLine M 2-track runner profile for screwing on, 2500 mm	SL_M_prf_2500_2t_9227183	Associate connector
9227245	SlideLine M Profile set: 2-track runner profile for screwing on / gluing on, 2500 mm	SL_M_prf_set_2500_2t_9227245	Associate connector
9236576	SlideLine M 2-track runner profile for screwing on in the screw slot / for gluing on, 4000 mm	SL_M_prf_4000_2t_9236576	Associate connector
9237900	WingLine L set of fittings for max. door wing weight of 12 kg without self closing feature, without bottom guide, 600 mm, right	12kg_WingLine_L_set_R_9237900	Associate connector
9237901	WingLine L set of fittings for max. door wing weight of 12 kg without self closing feature, without bottom guide, 600 mm, left	12kg_WingLine_L_set_L_9237901	Associate connector
9237902	WingLine L set of fittings for max. door panel weight of 12 kg with self closing feature, without bottom guide, 600 mm, right	12kg_WingLine_L_set_R_9237902	Associate connector
9237903	WingLine L set of fittings for max. door panel weight of 12 kg with self closing feature, without bottom guide, 600 mm, left	12kg_WingLine_L_set_L_9237903	Associate connector
9238051	Push to move with magnetic stay closed function, medium, left	WingLine_L_ptm_mediu_L_9238051	Associate connector
9238052	Push to move with magnetic stay closed function, heavy, left	WingLine_L_ptm_heavy_L_9238052	Associate connector
9238053	Push to move with magnetic stay closed function, heavy, right	WingLine_L_ptm_heavy_R_9238053	Associate connector
9238101	Push to move with magnetic stay closed function, medium, right	WingLine_L_ptm_mediu_R_9238101	Associate connector
9238102	Push to move with magnetic stay closed function, light, left	WingLine_L_ptm_light_L_9238102	Associate connector
9238113	Push to move with magnetic stay closed function, light, right	WingLine_L_ptm_light_R_9238113	Associate connector
9238114	Pull to move with magnetic stay closed function, heavy, right	WingLine_L_ptm_heavy_R_9238114	Associate connector
9238115	Pull to move with magnetic stay closed function, medium, left	WingLine_L_ptm_mediu_L_9238115	Associate connector
9238116	Pull to move with magnetic stay closed function, medium, right	WingLine_L_ptm_mediu_R_9238116	Associate connector
9238117	Pull to move with magnetic stay closed function, light, left	WingLine_L_ptm_light_L_9238117	Associate connector
9238118	Pull to move with magnetic stay closed function, light, right	WingLine_L_ptm_light_R_9238118	Associate connector
9238119	Pull to move Silent all-inclusive set, light, grey, right	WingLine_L_ptm_light_R_9238119	Associate connector
9238120	Pull to move Silent all-inclusive set, light, grey, left	WingLine_L_ptm_light_L_9238120	Associate connector
9238121	Pull to move Silent all-inclusive set, medium, grey, left	WingLine_L_ptm_mediu_L_9238121	Associate connector

Order no.	Description	Connector Name	Set
9238122	Pull to move Silent all-inclusive set, heavy, grey, right	WingLine_L_ptm_heavy_R_9238122	Associate connector
9238123	Pull to move Silent all-inclusive set, heavy, grey, left	WingLine_L_ptm_heavy_L_9238123	Associate connector
9238124	Pull to move Silent all-inclusive set, medium, grey, right	WingLine_L_ptm_mediu_R_9238124	Associate connector
9238125	Pull to move with magnetic stay closed function, heavy, left	WingLine_L_ptm_heavy_L_9238125	Associate connector
9239310	WingLine L Profile set with bottom guide, 2400 mm, anodised	WLL_prf_set_2400_9239310	Associate connector
9239311	WingLine L Profile set with bottom guide, 1200 mm, anodised	WLL_prf_set_1200_9239311	Associate connector
9242228	TopLine L, Silent System set, 3 and 4-door, with height adjustment, 50 kg	TLL_ss_3D_50_soft_open_9242228	Associate connector
9242238	TopLine L, Silent System soft closing set, 50 kg, 2-door	TLL_ss_2D_50_softclose_9242238	Associate connector
9242240	TopLine L, Silent System soft closing set, 50 kg, 3-door	TLL_ss_3D_50_softclose_9242240	Associate connector
9272693	TopLine XL, Silent System soft closing / soft opening, 80 kg	TLXL_SiSy_30_80_9272693	Associate connector
9272695	TopLine XL, Silent System soft closing / soft opening, 100 kg	TLXL_SiSy_60_100_9272695	Associate connector
9272696	TopLine XL, Silent System soft closing / soft opening, 35 kg	TLXL_SiSy_15_35_9272696	Associate connector
9275783	TopLine XL, Set of running and guide components, STB 19, 17 mm, 32 - 40 mm, 100 kg, 3-door	TLXL_Set_3d_wd_32_40_9275783	Associate connector
9275785	TopLine XL, Set of running and guide components, STB 19, 17 mm, 22 - 30 mm, 80 kg, 3-door	TLXL_Set_3d_wd_22_30_9275785	Associate connector
9275786	TopLine XL, Set of running and guide components, STB 19, 17 mm, 18 - 30 mm, 60 kg, 3-door	TLXL_Set_3d_wd_18_30_9275786	Associate connector
9275787	TopLine XL, Set of running and guide components, STB 19, 17 mm, 32 - 40 mm, 100 kg, 2-door	TLXL_Set_2d_wd_32_40_9275787	Associate connector
9275794	TopLine XL, Set of running and guide components, STB 19, 17 mm, 22 - 30 mm, 80 kg, 2-door	TLXL_Set_2d_wd_22_30_9275794	Associate connector
9275796	TopLine XL, Set of running and guide components, STB 19, 17 mm, 18 - 30 mm, 60 kg, 2-door	TLXL_Set_2d_wd_18_30_9275796	Associate connector
9276643	TopLine XL, Silent System set, 80 kg, 3-door	TLXL_3D_SiSy_set_30_80_9276643	Associate connector
9276645	TopLine XL, Silent System set, 35 kg, 3-door	TLXL_3D_SiSy_set_15_35_9276645	Associate connector
9276646	TopLine XL, Silent System set, 100 kg, 3-door	TLXL_3D_SSy_set_60_100_9276646	Associate connector
9276647	TopLine XL, Silent System set, 80 kg, 3-door	TLXL_3D_SiSy_set_30_80_9276647	Associate connector
9276648	TopLine XL, Silent System set, 35 kg, 3-door	TLXL_3D_SiSy_set_15_35_9276648	Associate connector
9276649	TopLine XL, Silent System set, 100 kg, 3-door	TLXL_3D_SSy_set_60_100_9276649	Associate connector
9276732	TopLine XL, Silent System set, 80 kg, 2-door	TLXL_2D_SiSy_set_30_80_9276732	Associate connector
9276735	TopLine XL, Silent System set, 35 kg, 2-door	TLXL_2D_SiSy_set_15_35_9276735	Associate connector
9276737	TopLine XL, Silent System set, 100 kg, 2-door	TLXL_2D_SSy_set_60_100_9276737	Associate connector

Order no.	Description	Connector Name	Set
9277096	TopLine L, Silent System soft closing set, 20 kg, 2-door	TLL_ss_2D_20_softclose_9277096	Associate connector
9277098	TopLine L, Silent System soft closing set, 20 kg, 3-door	TLL_ss_3D_20_softclose_9277098	Associate connector
9277152	TopLine L, Silent System soft opening set, 20 kg, 3-door	TLL_ss_3D_20_soft_open_9277152	Associate connector
9277164	TopLine L, Profile set, 2300 mm	TLL_set_profile_2300_9277164	Associate connector
9277167	TopLine L, Profile set, 4000 mm	TLL_set_profile_4000_9277167	Associate connector
9278780	TopLine XL, Set of running and guide components, STB 19, 17 mm, 18 - 30 mm, 60 kg, 4-door	TLXL_Set_4d_wd_18_30_9278780	Associate connector
9278791	TopLine XL, Set of running and guide components, STB 19, 17 mm, 22 - 30 mm, 80 kg, 4-door	TLXL_Set_4d_wd_22_30_9278791	Associate connector
9278793	TopLine XL, Set of running and guide components, STB 19, 17 mm, 32 - 40 mm, 100 kg, 4-door	TLXL_Set_4d_wd_32_40_9278793	Associate connector
9278798	TopLine XL, Silent System set, 35 kg, 4-door	TLXL_4D_SiSy_set_15_35_9278798	Associate connector
9278799	TopLine XL, Silent System set, 80 kg, 4-door	TLXL_4D_SiSy_set_15_35_9278799	Associate connector
9279168	WingLine L Profile set with bottom guide, 1200 mm, powder coated, white	WLL_prf_set_1200_w_9279168	Associate connector
9279169	WingLine L Profile set with bottom guide, 2400 mm, powder coated, white	WLL_prf_set_2400_w_9279169	Associate connector
9339344	WingLine L, Set of heavy duty fittings, with bottom guide, 25 kg, grey, right, with self closing feature	WLL_set_wscf_25kg_g_R_9339344	Associate connector
9339346	WingLine L, Set of heavy duty fittings, with bottom guide, 25 kg, white, right, with self closing feature	WLL_set_wscf_25kg_w_R_9339346	Associate connector
9339347	WingLine L, Set of heavy duty fittings, with bottom guide, 25 kg, anthracite, right, with self closing feature	WLL_set_wscf_25kg_a_R_9339347	Associate connector
9339348	WingLine L, Set of heavy duty fittings, with bottom guide, 25 kg, grey, right, without self closing feature	WLL_set_woscf_25kg_g_R_9339348	Associate connector
9339349	WingLine L, Set of heavy duty fittings, with bottom guide, 25 kg, white, right, without self closing feature	WLL_set_woscf_25kg_w_R_9339349	Associate connector
9339350	WingLine L, Set of heavy duty fittings, with bottom guide, 25 kg, anthracite, right, without self closing feature	WLL_set_woscf_25kg_a_R_9339350	Associate connector
9339352	WingLine L, Set of heavy duty fittings, with bottom guide, 25 kg, grey, left, with self closing feature	WLL_set_wscf_25kg_g_L_9339352	Associate connector
9339354	WingLine L, Set of heavy duty fittings, with bottom guide, 25 kg, white, left, with self closing feature	WLL_set_wscf_25kg_w_L_9339354	Associate connector
9339356	WingLine L, Set of heavy duty fittings, with bottom guide, 25 kg, anthracite, left, with self closing feature	WLL_set_wscf_25kg_a_L_9339356	Associate connector
9339357	WingLine L, Set of heavy duty fittings, with bottom guide, 25 kg, grey, left, without self closing feature	WLL_set_woscf_25kg_g_L_9339357	Associate connector

Order no.	Description	Connector Name	Set
9339363	WingLine L, Set of heavy duty fittings, with bottom guide, 25 kg, white, left, without self closing feature	WLL_set_woscf_25kg_w_L_9339363	Associate connector
9339364	WingLine L, Set of heavy duty fittings, with bottom guide, 25 kg, anthracite, left, without self closing feature	WLL_set_woscf_25kg_a_L_9339364	Associate connector
9339366	WingLine L, Set of medium duty fittings, with bottom guide, 12 kg, grey, right, with self closing feature	WLL_set_wscf_12kg_g_R_9339366	Associate connector
9339367	WingLine L, Set of medium duty fittings, with bottom guide, 12 kg, white, right, with self closing feature	WLL_set_wscf_12kg_w_R_9339367	Associate connector
9339368	WingLine L, Set of medium duty fittings, with bottom guide, 12 kg, anthracite, right, with self closing feature	WLL_set_wscf_12kg_a_R_9339368	Associate connector
9339369	WingLine L, Set of medium duty fittings, with bottom guide, 12 kg, grey, right, without self closing feature	WLL_set_woscf_12kg_g_R_9339369	Associate connector
9339370	WingLine L, Set of medium duty fittings, with bottom guide, 12 kg, white, right, without self closing feature	WLL_set_woscf_12kg_w_R_9339370	Associate connector
9339381	WingLine L, Set of medium duty fittings, with bottom guide, 12 kg, anthracite, right, without self closing feature	WLL_set_woscf_12kg_a_R_9339381	Associate connector
9339382	WingLine L, Set of medium duty fittings, with bottom guide, 12 kg, grey, left, with self closing feature	WLL_set_wscf_12kg_g_L_9339382	Associate connector
9339383	WingLine L, Set of medium duty fittings, with bottom guide, 12 kg, white, left, with self closing feature	WLL_set_wscf_12kg_w_L_9339383	Associate connector
9339384	WingLine L, Set of medium duty fittings, with bottom guide, 12 kg, anthracite, left, with self closing feature	WLL_set_wscf_12kg_a_L_9339384	Associate connector
9339386	WingLine L, Set of medium duty fittings, with bottom guide, 12 kg, grey, left, without self closing feature	WLL_set_woscf_12kg_g_L_9339386	Associate connector
9339387	WingLine L, Set of medium duty fittings, with bottom guide, 12 kg, white, left, without self closing feature	WLL_set_woscf_12kg_w_L_9339387	Associate connector
9339388	WingLine L, Set of medium duty fittings, with bottom guide, 12 kg, anthracite, left, without self closing feature	WLL_set_woscf_12kg_a_L_9339388	Associate connector
9339500	WingLine L Set of heavy duty profiles with bottom guide, 1200 mm, silver anodised	WLL_prf_set_1200_s_9339500	Associate connector
9339502	WingLine L Set of heavy duty profiles with bottom guide, 1200 mm, powder coated, anthracite	WLL_prf_set_1200_a_9339502	Associate connector
9339503	WingLine L Set of heavy duty profiles with bottom guide, 2400 mm, silver anodised	WLL_prf_set_2400_s_9339503	Associate connector
9339505	WingLine L Set of heavy duty profiles with bottom guide, 2400 mm, powder coated, anthracite	WLL_prf_set_2400_a_9339505	Associate connector

3. Connectors with general information

3.1.Sliding & folding door system

Order no.	Description	Connector Name
20142	SlideLine 66 runner profile, 3000 mm, silver	SL66_run_profile_3000_20142
20143	SlideLine 66 Cover profile, 3000, Plastic	Cover_profile_20143
20145	Set SlideLine 66	SL66_wood_alu_20145
20146	Set SlideLine 66	SL66_Glas_20146
20383	Vertico Synchro, overlay, 300 - 400 mm	Vertico_Synchro_ove_300_20383
20384	Vertico Synchro, overlay, 350 - 400 mm	Vertico_Synchro_ove_350_20384
20386	Vertico Synchro, overlay, 400 - 600 mm	Vertico_Synchro_ove_400_20386
20387	Vertico Synchro, overlay, 450 - 600 mm	Vertico_Synchro_ove_450_20387
20388	Vertico Synchro, overlay, 500 - 600 mm	Vertico_Synchro_ove_500_20388
20392	Vertico Synchro, inset, 300 - 400 mm	Vertico_Synchro_ins_300_20392
20393	Vertico Synchro, inset, 350 - 400 mm	Vertico_Synchro_ins_350_20393
20395	Vertico Synchro, inset, 400 - 600 mm	Vertico_Synchro_ins_400_20395
20396	Vertico Synchro, inset, 450 - 600 mm	Vertico_Synchro_ins_450_20396
20397	Vertico Synchro, inset, 500 - 600 mm	Vertico_Synchro_ins_500_20397
20400	Cover profile for runner profile left/right	Cover_prof_runner_LR_20400
23994	TopLine 1, Height adjustable attachment for the running components	TL1_fixing_element_adj_23994
26453	Brush sealing strip, 2500, 27 mm	Brush_strip_dust_exclu_26453
27740	Spacer roller	Spacer_roller_27740
41371	Retractable door system KA 5740 / 300 mm	KA_5740_300_41371
41372	Retractable door system KA 5740 / 350 mm	KA_5740_350_41372
41373	Retractable door system KA 5740 / 400 mm	KA_5740_400_41373
41374	Retractable door system KA 5740 / 450 mm	KA_5740_450_41374
41375	Retractable door system KA 5740 / 500 mm	KA_5740_500_41375
41376	Retractable door system KA 5740 / 550 mm	KA_5740_550_41376
41377	Retractable door system KA 5740 / 600 mm	KA_5740_600_41377
41378	Retractable door system KA 5740 / 650 mm	KA_5740_650_41378

Order no.	Description	Connector Name
41379	Retractable door system KA 5740 / 700 mm	KA_5740_700_41379
45198	Adjustment fitting, plastic	Compl_set_adj_fit_slide_45198
45315	Set, VerticoMono	VerticoMono_45315
45316	VerticoSynchro Cover profile for covering the cable pull at the side, aluminium, anodised	Cover_prf_covering_cable_45316
45319	Sloping ceiling adapter	Roof_pitch_adapter_45319
45513	Set, top running door, TopLine 22, 2-door (36 mm)	TL22_otp_2d_36_45513
45514	Top door runner set, TopLine 22, 3-door (36 mm)	TL22_otp_3d_36_45514
46418	Cover profile, brown, 1000 mm	TL22_cover_profile_brown_46418
47392	SlideLine 55 Spacer for pressing in, plastic	Door_stop_space_press_in_47392
48078	HorizonPlus set for one door, DW 475 - 700 mm, clear cabinet body height: up to 2570 mm	Swivel_fitting_Horizon_48078
48291	Runner profile TopLine 1200, 3000mm	TL1200_run_prf_3000_48291
48292	Runner profile TopLine 1210/ 1230, 3000mm	TL1210_run_prf_3000_48292
48293	set TopLine 1200	Complete_Set_Top_Line_12_48293
48294	set TopLine 1210	Complete_Set_Top_Line_12_48294
48295	set TopLine 1230	Complete_Set_Top_Line_12_48295
48966	SlideLine 97, running component, 2500 mm	SL97_run_component_2500_48966
48968	SlideLine 97 slide in profile, 2500 mm, for glass in a thickness of 6 mm	Frame_profile_48968
48969	SlideLine 97 frame profile, 2500 mm	SL_97_Frame_profile_2500_48969
48970	Dust guard, 2500 mm	Dust_guard_2500mm_48970
48972	SlideLine 97, double runner profile, 2500 mm	Double_runner_rail_SL97_48972
48973	SlideLine 97, basic set for 25kg doors	SL97_basic_set_25_48973
48974	SlideLine 97, basic set for 50kg doors	SL97_basic_set_50_48974
70959	WingLine 26, Guide component for fast installation, right	Guide_component_fast_70959
70963	Spacer for screwing on	Door_stop_space_screw_on_70963
70969	Set WingLine 770, right 	WL_770_set_70969
70983	WingLine 77 set, left	WL_77_set_70983
70984	WingLine 77 set, right	WL_77_set_70984
73347	Adjustment fitting, plastic	Compl_set_adj_fit_slide_73347
74658	Set, WingLine 170	WL_170_set_74658
76470	Double guide profile, flock coated, for SlideLine 97	Double_guide_profil_SL97_76470
76471	SlideLine 97 Running component, aluminium, anodised	SL97_run_comp_76471

Order no.	Description	Connector Name
76472	Running part for SlideLine 97	SL97_Running_part_76472
76473	SlideLine 97 slide in profile, 5000 mm, for glass in a thickness of 5 mm	Slide_in_profile_76473
76474	SlideLine 97 slide in profile, 5000 mm, for glass in a thickness of 6 mm	Slide_in_profile_76474
76475	Door buffer and detachment guard for SlideLine 97	Door_bumper_and_detachme_76475
76476	SlideLine 97 frame profile, aluminium, anodised	Frame_profile_76476
76477	Dust guard and stop for frame profile, for SlideLine 97	SL97_Dust_guard_and_stop_76477
76478	SlideLine 97, double runner profile, 5000 mm	Double_runner_rail_SL97_76478
76479	SlideLine 97, frame runner profile, 5000mm	SL97_Frame_runner_prof_76479
76480	End plate	End_plate_76480
76481	Running component handle for SlideLine 97	SL97_run_comp_handle_76481
76482	Adapter for cylinder push lock	Adapter_for_cylinder_pus_76482
76484	Running part fitting tool	SL97_Special_tool_76484
1005528	TopLine 25/27 End stop for runner profile, Plastic, left	Stop_1005528
1006279	Tandem runner TopLine 1, 75 kg	TL1_Tandem_runner_1006279
1006745	Running component TopLine 1, 50 kg	TL1_run_comp_50kg_1006745
1006891	Spacer roller	Spacer_roller_1006891
1014039	Runner profile, 2-track, 2000mm	TL27_run_prf_2000_1014039
1014040	Runner profile, 2-track, 3000mm	TL27_run_prf_3000_1014040
1062698	Support with height adjustment, right	Holder_height_adjust_R_1062698
1062699	Support with height adjustment, left	Holder_height_adjust_L_1062699
1069996	WingLine 26, guide component, for fast installation, left	WL_26_guide_quick_as_L_1069996
1076849	WingLine 230 Runner profile, 1200 mm, white	WL_230_run_prf_1200_w_1076849
1078268	FUEHRP.STB11 L6000 +20 mm E6/EV1	Guide_prof_STB11_L6000_1078268
1079491	Drilling template for folding door hinge	Drill_temp_ctr_hinge_1079491
1079976	WingLine 770 Cover cap for runner component, Plastic	Cover_cap_for_runner_1079976
9021207	TopLine 25/27 Spacer, steel	Spacer_9021207
9078096	Set, Silent System Flexible 80, with adapter	Silent_Sys_Flexible_80_9078096
9079526	KA 5740 accessory set	Accessory_set_KA_5740_9079526
9079667	Silent System for TopLine 25	Silent_System_TL25_9079667
9079731	Silent System set for SL 55/SL 56/TL110	Silent_System_SL_TL_9079731
9079733	Silent System for TopLine 27	Silent_System_TL25_9079733

Order no.	Description	Connector Name
9079734	TopLine 22 Silent System Flexible 50 for TopLine 22, plastic	TL22_SilentSystem_9079734
9080212	Set 2 WingLine 780 without bottom guide component	WL_780_wo_bottom_guide_9080212
9080213	Set 2 WingLine 780 without bottom guide component	WL_780_wo_bottom_guide_9080213
9084432	Silent System soft closing set	Silent_Sys_Flexible_50_9084432
9096754	Silent System for TopLine 22	TL22_SilentSystem_9096754
9096761	Silent System soft closing set	Silent_Sys_Flexible_50_9096761
9102993	Door stop / spacer for screwing on	Door_stop_space_scr_on_9102993
9105438	SlideLine 55 Plus Stay closed function, plastic	SL55P_Stop_9105438
9110132	Connecting strap	Connecting_plate_9110132
9112495	InLine P door set, right	InLine_P_1_door_assem_9112495
9112496	InLine P door set, left	InLine_P_1_door_assem_9112496
9112497	InLine P door set, centred, right hand opening	InLine_P_1_door_assem_9112497
9112498	InLine P door set, centred, left hand opening	InLine_P_1_door_assem_9112498
9112499	InLine P profile set, 4000 mm	InLine_P_prf_set_4000_9112499
9112500	InLine P, profile set, 3000 mm	InLine_P_prf_set_3000_9112500
9115218	SlideLine 55 Plus Stay closed function	Stay_closed_function_9115218
9115242	Runner profile TopLine 110 Silent System, 1000 - 1099	TL110_Run_prof_1000_9115242
9115243	Runner profile TopLine 110 Silent System, 1100 - 1199	TL110_Run_prof_1100_9115243
9115244	Runner profile TopLine 110 Silent System, 1200 - 1299	TL110_Run_prof_1200_9115244
9115245	Runner profile TopLine 110 Silent System, 1300 - 1399	TL110_Run_prof_1300_9115245
9115246	Runner profile TopLine 110 Silent System, 1400 - 1499	TL110_Run_prof_1400_9115246
9115247	Runner profile TopLine 110 Silent System, 1500 - 1600	TL110_Run_prof_1500_9115247
9116581	InLine XL set of fittings with Silent System for soft closign and opening 1600 - 1799 mm	InLine_XL_1600_1799_9116581
9117303	Adjustment fitting with aluminium cover	Adjustment_fitting_Alu_9117303
9117416	Door profile, Door thickness #kombiniert# 16 mm / 15 mm, 2050 mm	TL_M_door_prof_15_2050_9117416
9117418	Door end profile, L shaped, 2050 mm	TL_M_end_prf_L_2050_9117418
9117420	Door end profile, U shaped, Door thickness #kombiniert# 16 mm / 15 mm, 2050 mm	TL_M_end_prf_U_15_2050_9117420
9117462	Cabinet body end profile for rear most door, 2100 mm	Cabinet_end_profile_RM_9117462
9117463	Cabinet body end profile for front most door, 2100 mm	Cabinet_end_profile_FM_9117463
9117506	Connecting strap	Connecting_strap_9117506
9118477	Activator for Silent System, SlideLine 55 Plus	SL55P_Activator_9118477

Order no.	Description	Connector Name
9119802	TopLine L Silent System Flexible 50 set for soft closing, for doors 16 / 19 / 22 / 25 mm thick	Silent_Sys_Flexible_50_9119802
9125964	Cabinet body end profile for front most door, 2500 mm	Cabinet_end_profile_FM_9125964
9130035	Soft opening for 2 door cabinet	Soft_opening_2_door_9130035
9130036	Soft opening for 3-door cabinet	Soft_opening_3_door_9130036
9130038	Door profile, Door thickness #kombiniert# 16 mm / 15 mm, 2500 mm	TL_M_door_handle_prf_9130038
9130061	Door end profile, L shaped, 2500 mm	Cabinet_end_profile_RM_9130061
9130062	Door end profile, U shaped, Door thickness #kombiniert# 16 mm / 15 mm, 2500 mm	TL_M_u_cover_prf_16_9130062
9130078	Profile attachment, 16 - 19 mm	TL_XL_prfl_AST_16-19_9130078
9135201	TopLine XL Upgrade set for optional soft opening / 2-door cabinet	Upgrade_kit_for_option_9135201
9136107	Door profile, Door thickness #kombiniert# 19 mm / 18 mm, 2050 mm	TL_M_door_prof_18_2050_9136107
9136108	Door end profile, U shaped, Door thickness #kombiniert# 19 mm / 18 mm, 2050 mm	TL_M_end_prf_U_18_2050_9136108
9136109	Positioning aid	Positioning_aid_9136109
9136121	Door profile, Door thickness #kombiniert# 19 mm / 18 mm, 2500 mm	TL_M_door_prof_18_2500_9136121
9136122	Door end profile, U shaped, Door thickness #kombiniert# 19 mm / 18 mm, 2500 mm	TL_M_end_prf_U_18_2500_9136122
9136123	Door end profile, L shaped, 2500 mm	TL_M_end_prf_L_2500_9136123
9136596	Door end profile, U-shaped, Door thickness #kombiniert# 19mm / 18mm, 2050 mm	TL_M_end_prf_U_18_2050_9136596
9136597	FUEHRP.STB11 L2000 -2 mm E6/EV1	Guide_prof_STB11_L2000_9136597
9136598	TopLine L STB 11.2 guide profile, 2500, Silver anodised	Guide_prof_STB11_L2500_9136598
9142952	TopLine XL Profile set, 3000	Profile_set_TL_XL_3000_9142952
9143679	Runner profile with twist lock SysLine S, 2000 mm	SysL_S_run_prf_twist_9143679
9143682	Screw on runner profile SysLine S, 2000 mm	SysL_S_run_prf_screw_9143682
9144901	Silent System set for TopLine M 2-door	TL_M_SiSys_set_2_doors_9144901
9146622	Cabinet body end profile for rear most door, 2500 mm	Cabinet_end_profile_RM_9146622
9146624	Cabinet body end profile for front most door, 2500 mm	Cabinet_end_profile_FM_9146624
9148180	InLine XL set of fittings with Silent System for soft closign and opening 750 - 819 mm	InLine_XL_0750_0819_9148180
9148201	InLine XL set of fittings with Silent System for soft closign and opening 820 - 909 mm	InLine_XL_0820_0909_9148201
9148203	InLine XL set of fittings with Silent System for soft closign and opening 1045 - 1199 mm	InLine_XL_1045_1199_9148203
9148205	InLine XL set of fittings with Silent System for soft closign and opening 1300 - 1499 mm	InLine_XL_1300_1499_9148205
9148206	InLine XL set of fittings with Silent System for soft closign and opening 1500 - 1599 mm	InLine_XL_1500_1599_9148206
9149258	Cabinet body end profile for rear most door, 2500 mm	Cabinet_end_profile_RM_9149258
9151047	SET TL-LH FL STB11 E	TLL_Set_2d_left_18_30_9151047

Order no.	Description	Connector Name
9151048	SET TL-LH FR STB11 E	TLL_Set_2d_right_18_30_9151048
9151049	SET TL-LH STB11 EB32	TLL_Set_3D_18_30_9151049
9151071	SILENT SYSTEM SL55/S	Silent_System_SL_TL_9151071
9151136	ASSEMBLY ACTIVATOR S	SL55P_Activator_9151136
9151139	SPACER STB55 PLUS	SL55P_door_stop_spacer_9151139
9155574	InLine XL set of fittings with Silent System for soft closign and opening 1800 - 1899 mm	InLine_XL_1800_1899_9155574
9155575	InLine XL set of fittings with Silent System for soft closign and opening 1900 - 2000 mm	InLine_XL_1900_2000_9155575
9156338	SlideLine M Set of fittings for doors with Silent System (soft closing, soft opening and soft colliding), 30 kg, Minimum door width in mm: 450	SL_M_set_sisy_9156338
9156339	SlideLine M Set of fittings for doors without Silent System, 30 kg, Minimum door width in mm: 300	SL_M_set_without_sisy_9156339
9157979	SlideLine M Profile sets: 2 profiles, H 22 mm, L 4000 mm, silver	SL_M_profile_set_22_s_9157979
9157984	SlideLine M Profile sets: 2 profiles, H 18 mm, L 4000 mm, silver	SL_M_profile_set_18_s_9157984
9157986	SlideLine M Profile sets: 2 profiles, H 16 mm, L 4000 mm, silver	SL_M_profile_set_16_s_9157986
9157999	SlideLine M Profile sets: 2 profiles, H 16 mm, L 4000 mm, black	SL_M_profile_set_16_bl_9157999
9158234	SlideLine M Profile sets: 2 profiles, H 25 mm, L 4000 mm, silver	SL_M_profile_set_25_s_9158234
9160200	SlideLine M Profile sets: 1 profile, H 18 mm, L 4000 mm, black	SL_M_profile_set_18_bl_9160200
9160212	SlideLine M Profile sets: 1 profile, H 18 mm, L 4000 mm, silver	SL_M_profile_set_18_s_9160212
9160334	SlideLine M Profile sets: 1 profile, H 16 mm, L 4000 mm, black	SL_M_profile_set_16_bl_9160334
9160337	SlideLine M Profile sets: 1 profile, H 16 mm, L 4000 mm, silver	SL_M_profile_set_16_s_9160337
9160395	SlideLine M Profile sets: 1 profile, H 25 mm, L 3000 mm, silver	SL_M_profile_set_H25_9160395
9160396	SlideLine M Profile sets: 1 profile, H 25 mm, L 4000 mm, silver	SL_M_profile_set_25_s_9160396
9160398	SlideLine M Profile sets: 1 profile, H 25 mm, L 4000 mm, black	SL_M_profile_set_25_bl_9160398
9160994	SlideLine M Decorative profile (replacement), Profile height mm 16 mm, silver	SL_M_deco_prof_H16_sil_9160994
9160998	SlideLine M Decorative profile (replacement), Profile height mm 18 mm, black	SL_M_deco_prof_H18_bla_9160998
9180317	Profile attachment, 20 - 22 mm	TL_XL_prfl_AST_20-22_9180317
9180318	Profile attachment, 22 - 25 mm	TL_XL_prfl_AST_22-25_9180318
9182572	TopLine L Silent System soft opening set, 2-door	TL_L_SiSys_set_2D_9182572
9182573	TopLine L Silent System soft opening set, 3-door	TL_L_SiSys_set_3D_9182573
9182574	TopLine L Silent System soft closing set, 3 door	TL_L_SiSys_set_3D_9182574
9182589	TopLine L Silent System soft closing set, 2-door	TL_L_SiSys_set_2D_9182589
9184566	SlideLine M Upgrade set for glue mounted glass doors with Silent System, minimum door width 450 mm	SL_M_us_g_gls_SiSys_9184566

Order no.	Description	Connector Name
9184626	SlideLine M Upgrade set for 19 mm aluminium framed doors with Silent System, minimum door width 450 mm	SL_M_us_Alu_SiSys_s_9184626
9184703	SlideLine M Upgrade set for 19 mm aluminium framed doors with Silent System, minimum door width 450 mm	SL_M_us_Alu_SiSys_b_9184703
9184801	Profile set TopLine L, 3000	TL_L_profile_set_3000_9184801
9191125	Standard set of fittings, HD	Standard_set_fittin_HD_9191125
9193423	Brush sealing strip, 2500, 6 mm	Brush_seal_strip_9193423
9193573	Runner profile WingLine 77, 2000 mm, aluminium	WL_77_run_prf_2000_9193573
9199769	TopLine L Set, Silent System soft guiding	TL_L_SiSys_set_9199769
9200386	Brush sealing strip, 2500, 8 mm	Brush_seal_strip_9200386
9200387	Brush sealing strip, 2500, 10 mm	Brush_seal_strip_9200387
9200421	Spacer profile, 16, grey	Spacer_profile_16_Grey_9200421
9200422	Spacer profile, 22, grey	Spacer_profile_22_Grey_9200422
9201921	SlideLine M Set of fittings for doors with Silent System (soft closing, soft opening and soft colliding), 10 kg, Minimum door width in mm: 450	SL_M_set_sisy_9201921
9202899	SD/HD wall attachment profile , 2438 mm (8')	SD_HD_wall_prf_2438mm_9202899
9202902	SD/HD wall attachment profile , 4879 mm (16')	SD_HD_wall_prf_4879mm_9202902
9202941	End cap SD without fascia 	Endcap_without_fascia_9202941
9202942	End cap HD without cover panel 	Endcap_without_cover_9202942
9202943	SD/HD end cap with fascia 	SDHD_endcap_wit_fascia_9202943
9203725	Low profile hardware set SD	Low_prf_hardware_set_9203725
9203729	Low profile set of fittings HD	Low_prf_set_fitting_HD_9203729
9203733	SD/HD/XHD fascia, 2438 mm (8')	SD_HD_XHD_fascia_2438_9203733
9203746	SD/HD/XHD fascia, 4879 mm (16')	SD_HD_XHD_fascia_4879_9203746
9209232	Coloured sets for concealing the runner profiles with a coloured cover, 16 mm, silver, 2500 mm	SL_M_colset_16_s_2500_9209232
9209268	Coloured sets for concealing the runner profiles with a coloured cover, 16 mm, silver, 4000 mm	SL_M_colset_16_s_4000_9209268
9209269	Coloured sets for concealing the runner profiles with a coloured cover, 16 mm, black, 2500 mm	SL_M_colset_16_b_2500_9209269
9209271	Coloured sets for concealing the runner profiles with a coloured cover, 16 mm, black, 4000 mm	SL_M_colset_16_b_4000_9209271
9209272	Coloured sets for concealing the runner profiles with a coloured cover, 16 mm, white, 2500 mm	SL_M_colset_16_w_2500_9209272
9209273	Coloured sets for concealing the runner profiles with a coloured cover, 16 mm, white, 4000 mm	SL_M_colset_16_w_4000_9209273
9209274	Coloured sets for concealing the runner profiles with a coloured cover, 16 mm, champagne, 2500 mm	SL_M_colset_16_ch_2500_9209274
9209277	Coloured sets for concealing the runner profiles with a coloured cover, 18 mm, silver, 2500 mm	SL_M_colset_18_s_2500_9209277

Order no.	Description	Connector Name
9209278	Coloured sets for concealing the runner profiles with a coloured cover, 18 mm, silver, 4000 mm	SL_M_colset_18_s_4000_9209278
9209279	Coloured sets for concealing the runner profiles with a coloured cover, 18 mm, black, 2500 mm	SL_M_colset_18_b_2500_9209279
9209280	Coloured sets for concealing the runner profiles with a coloured cover, 18 mm, black, 4000 mm	SL_M_colset_18_b_4000_9209280
9209281	Coloured sets for concealing the runner profiles with a coloured cover, 18 mm, white, 2500 mm	SL_M_colset_18_w_2500_9209281
9209283	Coloured sets for concealing the runner profiles with a coloured cover, 18 mm, white, 4000 mm	SL_M_colset_18_w_4000_9209283
9209284	Coloured sets for concealing the runner profiles with a coloured cover, 18 mm, champagne, 2500 mm	SL_M_colset_18_ch_2500_9209284
9209286	Coloured sets for concealing the runner profiles with a coloured cover, 22 mm, silver, 2500 mm	SL_M_colset_22_s_2500_9209286
9209287	Coloured sets for concealing the runner profiles with a coloured cover, 22 mm, silver, 4000 mm	SL_M_colset_22_s_4000_9209287
9209310	Coloured sets for concealing the runner profiles with a coloured cover, 22 mm, white, 2500 mm	SL_M_colset_22_w_2500_9209310
9209311	Coloured sets for concealing the runner profiles with a coloured cover, 22 mm, white, 4000 mm	SL_M_colset_22_w_4000_9209311
9209399	Coloured sets for concealing the runner profiles with a coloured cover, 25 mm, silver, 2500 mm	SL_M_colset_25_s_2500_9209399
9209400	Coloured sets for concealing the runner profiles with a coloured cover, 25 mm, silver, 4000 mm	SL_M_colset_25_s_4000_9209400
9209402	Coloured sets for concealing the runner profiles with a coloured cover, 25 mm, black, 2500 mm	SL_M_colset_25_b_2500_9209402
9209403	Coloured sets for concealing the runner profiles with a coloured cover, 25 mm, black, 4000 mm	SL_M_colset_25_b_4000_9209403
9209404	Coloured sets for concealing the runner profiles with a coloured cover, 25 mm, white, 2500 mm	SL_M_colset_25_w_2500_9209404
9209405	Coloured sets for concealing the runner profiles with a coloured cover, 25 mm, white, 4000 mm	SL_M_colset_25_w_4000_9209405
9209407	Coloured sets for concealing the runner profiles with a coloured cover, 25 mm, champagne, 4000 mm	SL_M_colset_25_ch_4000_9209407
9226025	SlideLine 16, Set of fittings	SL16_set_2D_60kg_9226025
9227006	SlideLine M Adhesive tape	SL_M_adhesive_tape_9227006
9227326	WingLine L Cover cap for running component for door wings weighing up to 25 kg, grey	WLL_cc_runner_g_9227326
9229154	Mounting aid	SL_M_mounting_aid_9229154
9229240	Fixing screws, Shelf thickness mm #Text#: 16	SL_M_fixing_screws_16_9229240
9229241	Fixing screws, Shelf thickness mm #Text#: 18 - 19	SL_M_fixing_screws_18_9229241
9229243	Fixing screws, Shelf thickness mm #Text#: 25	SL_M_fixing_screws_25_9229243
9236460	WingLine L Door protection clip, grey	WLL_door_protect_clip_9236460
9236461	WingLine L Profile support, grey	WLL_profile_support_9236461
9236926	WingLine L Door damper, grey	WLL_door_damper_g_9236926
9237039	WingLine L Drilling template for fast installation centre hinge	WLL_Centre_pos_aid_9237039
9237431	Guide component with self closing feature WingLine L, Installation on plinth, Installation under plinth, grey	WLL_guide_wsc_g_9237431
9237432	Guide component with self closing feature WingLine L, Installation on plinth, Installation under plinth, grey	WLL_guide_wsc_g_9237432
9237710	WingLine L Stay open element, left, grey	WLL_stay_open_ele_g_L_9237710

Order no.	Description	Connector Name
9237711	WingLine L Stay open element, right, grey	WLL_stay_open_ele_g_R_9237711
9237758	WingLine L Profile mounting clip	WLL_profile_mount_clip_9237758
9237852	WingLine L set of fittings for max. door wing weight of 25 kg with self closing feature, 600 mm, left	25kg_WingLine_L_set_L_9237852
9237880	WingLine L set of fittings for max. door wing weight of 25 kg without self closing feature, 600 mm, left	25kg_WingLine_L_set_L_9237880
9237881	WingLine L set of fittings for max. door wing weight of 25 kg without self closing feature, 600 mm, right	25kg_WingLine_L_set_R_9237881
9237882	WingLine L set of fittings for max. door wing weight of 12 kg with self closing feature and bottom guide, 600 mm, left	25kg_WingLine_L_set_L_9237882
9237890	WingLine L set of fittings for max. door wing weight of 25 kg with self closing feature, 600 mm, right	25kg_WingLine_L_set_R_9237890
9237904	WingLine L set of fittings for max. door panel weight of 12 kg without self closing feature and bottom guide, 600 mm, right	25kg_WingLine_L_set_R_9237904
9237905	WingLine L set of fittings for max. door panel weight of 12 kg without self closing feature and bottom guide, 600 mm, left	25kg_WingLine_L_set_L_9237905
9237906	WingLine L set of fittings for max. door wing weight of 12 kg with self closing feature and bottom guide, 600 mm, right	25kg_WingLine_L_set_R_9237906
9242227	TopLine L, Silent System set, 2-door, with height adjustment, 50 kg	TLL_ss_2D_50_soft_open_9242227
9242708	TopLine L, Set of running and guide components, 10 - 16 mm, 2-door, front most door, left	TLL_Set_2d_left_10_16_9242708
9242709	TopLine L, Set of running and guide components, 10 - 16 mm, 2-door, front most door, right	TLL_Set_2d_right_10_16_9242709
9242710	TopLine L, Set of running and guide components, 10 - 16 mm, 3-door, front most door, centre	TLL_Set_3D_10_16_9242710
9242711	TopLine L, Set of running and guide components, 18 - 30 mm, 2-door, front most door, left	TLL_Set_2d_left_18_30_9242711
9242712	TopLine L, Set of running and guide components, 18 - 30 mm, 2-door, front most door, right	TLL_Set_2d_right_18_30_9242712
9242713	TopLine L, Set of running and guide components, 18 - 30 mm, 3-door, front most door, centre	TLL_Set_3D_18_30_9242713
9242714	TopLine L, Set of running and guide components, 35 - 50 mm, 2-door, front most door, left	TLL_Set_2d_left_35_50_9242714
9242715	TopLine L, Set of running and guide components, 35 - 50 mm, 2-door, front most door, right	TLL_Set_2d_right_35_50_9242715
9242718	TopLine L, Set of running and guide components, 35 - 50 mm, 3-door, front most door, centre	TLL_Set_3D_35_50_9242718
9252651	Adjustment fitting with aluminium cover	TLXL_adjust_fitting_9252651
9254630	TopLine L, Silent System soft colliding set	TLL_ss_3D_softcolliding_9254630
9264170	WingLine L Mechanical stay closed function for Push to move, mechanically	WLL_Mech_stay_closed_w_9264170
9264191	WingLine L Mechanical stay closed function for Push to move, mechanically	WLL_Mech_stay_closed_g_9264191
9264192	WingLine L Mechanical stay closed function for Push to move, mechanically	WLL_Mech_stay_closed_b_9264192
9266219	WingLine L Standard magnetic stay closed function, grey	WLL_std_magnet_close_g_9266219
9266220	WingLine L, Standard magnetic stay closed function for Push to move basic set, grey	WLL_std_magnet_close_g_9266220
9266241	WingLine L, Design magnetic stay closed function for Push to move basic set, anthracite	WLL_desig_magn_close_a_9266241

Order no.	Description	Connector Name
9266242	WingLine L, Design magnetic stay closed function for Push to move basic set, white	WLL_desig_magn_close_w_9266242
9266243	WingLine L Designer magnetic stay closed function, anthracite	WLL_desig_magn_close_a_9266243
9266244	WingLine L Designer magnetic stay closed function, white	WLL_desig_magn_close_w_9266244
9268516	TopLine XL, Clip for guide profile attachment	TLXL_guide_prf_clip_9268516
9272814	TopLine XL, Clip for runner profile attachment	TLXL_runner_prf_clip_9272814
9276579	WingLine L Stay open element, left, white	WLL_stay_open_ele_w_L_9276579
9276611	WingLine L Stay open element, right, white	WLL_stay_open_ele_w_R_9276611
9277151	TopLine L, Silent System soft opening set, 20 kg, 2-door	TLL_ss_2D_20_soft_open_9277151
9277489	WingLine L Door damper, white	WLL_door_damper_w_9277489
9277708	TopLine XL, Set of clips for profile attachment, 3000 mm	TLXL_set_prf_clip_3000_9277708
9278080	TopLine XL, Set of clips for profile attachment, 4000 mm	TLXL_set_prf_clip_4000_9278080
9278657	TopLine XL, Profile set, 4000 mm	TLXL_set_prf_set_4000_9278657
9278672	TopLine XL, Profile set, 2300 mm	TLXL_set_prf_set_2300_9278672
9278801	TopLine XL, Cover profile, 2000 mm	TLXL_cover_profile_9278801
9280180	TopLine L, Adjustment fitting for thin doors	TLXL_adjust_fitting_9280180
9282527	WingLine S, Mechanical stay closed function for Push to move, grey	WLL_Mech_stay_closed_g_9282527
9282600	WingLine S, Mechanical stay closed function for Push to move, white	WLL_Mech_stay_closed_w_9282600
9282601	WingLine S, Mechanical stay closed function for Push to move, black	WLL_Mech_stay_closed_b_9282601
9282900	WingLine S, Standard magnetic stay closed function for Push to move basic set, grey	WLL_std_magnet_close_g_9282900
9282901	WingLine S, Design magnetic stay closed function for Push to move basic set, white	WLL_desig_magn_close_w_9282901
9282902	WingLine S, Design magnetic stay closed function for Push to move basic set, anthracite	WLL_desig_magn_close_a_9282902
9283265	WingLine S, Door damper, grey	WLL_door_damper_g_9283265
9283267	WingLine S, Door damper, white	WLL_door_damper_w_9283267
9288846	SL 16 - Profile set	SL16_profile_3000_s_9288846
9298326	WingLine L Profile mounting clip	WLL_prf_install_aid_9298326
9299227	SL 16 Profile Set Sc	SL16_profile_3000_b_9299227
9322053	SL16_SiSys_ins_9322053	SL16_SiSys_ins_9322053
9329759	WingLine L, Cover cap, running components, double hinge, white, right	WLL_cc_runner_dh_w_R_9329759
9329760	WingLine L, Cover cap, running components, double hinge, grey, right	WLL_cc_runner_dh_g_R_9329760
9329802	WingLine L, Cover cap, running components, single hinge, white, left or right	WLL_cc_runner_sh_w_9329802
9329803	WingLine L, Cover cap, running components, single hinge, grey, left or right	WLL_cc_runner_sh_g_9329803

Order no.	Description	Connector Name
9329804	WingLine L, Cover cap, running components, single hinge, anthracite, left or right	WLL_cc_runner_sh_a_9329804
9329805	WingLine L, Cover cap, running components, double hinge, white, left	WLL_cc_runner_dh_w_L_9329805
9329806	WingLine L, Cover cap, running components, double hinge, grey, left	WLL_cc_runner_dh_g_L_9329806
9329807	WingLine L, Cover cap, running components, double hinge, anthracite, left	WLL_cc_runner_dh_a_L_9329807
9329821	WingLine L, Cover cap, running components, double hinge, anthracite, right	WLL_cc_runner_dh_a_R_9329821
9329906	WingLine L Door damper, anthracite	WLL_door_damper_a_9329906
9338659	WingLine L, Guide components, grey	WLL_guide_wsc_g_9338659
9338687	WingLine L, Guide components, grey	WLL_guide_wsc_g_9338687
9338688	WingLine L, Guide components, white	WLL_guide_wsc_w_9338688
9338689	WingLine L, Guide components, white	WLL_guide_wsc_w_9338689
9338690	WingLine L, Guide components, anthracite	WLL_guide_wsc_a_9338690
9338701	WingLine L, Guide components, anthracite	WLL_guide_wsc_a_9338701
9338702	WingLine L, Guide components, grey	WLL_guide_wosc_g_9338702
9338703	WingLine L, Guide components, grey	WLL_guide_wosc_g_9338703
9338704	WingLine L, Guide components, white	WLL_guide_wosc_w_9338704
9338705	WingLine L, Guide components, white	WLL_guide_wosc_w_9338705
9338706	WingLine L, Guide components, anthracite	WLL_guide_wosc_a_9338706
9338707	WingLine L, Guide components, anthracite	WLL_guide_wosc_a_9338707
9338977	WingLine L, Guide components, grey	WLL_guide_wsc_g_9338977
9338978	WingLine L, Guide components, grey	WLL_guide_wsc_g_9338978
9338979	WingLine L, Guide components, white	WLL_guide_wsc_w_9338979
9338980	WingLine L, Guide components, white	WLL_guide_wsc_w_9338980
9339051	WingLine L, Guide components, anthracite	WLL_guide_wsc_a_9339051
9339053	WingLine L, Guide components, anthracite	WLL_guide_wsc_a_9339053
9339054	WingLine L, Guide components, grey	WLL_guide_wosc_g_9339054
9339056	WingLine L, Guide components, grey	WLL_guide_wosc_g_9339056
9339057	WingLine L, Guide components, white	WLL_guide_wosc_w_9339057
9339058	WingLine L, Guide components, white	WLL_guide_wosc_w_9339058
9339059	WingLine L, Guide components, anthracite	WLL_guide_wosc_w_9339059
9339061	WingLine L, Guide components, anthracite	WLL_guide_wosc_w_9339061
9339516	WingLine L, Push to move and Pull to move set, light, grey	WLL_ptm_light_g_9339516

Order no.	Description	Connector Name
9339517	WingLine L, Push to move and Pull to move set, light, white	WLL_ptm_light_w_9339517
9339518	WingLine L, Push to move and Pull to move set, light, anthracite	WLL_ptm_light_a_9339518
9339520	WingLine L, Push to move and Pull to move set, heavy, grey	WLL_ptm_heavy_g_9339520
9339521	WingLine L, Push to move and Pull to move set, heavy, white	WLL_ptm_heavy_w_9339521
9339522	WingLine L, Push to move and Pull to move set, heavy, anthracite	WLL_ptm_heavy_a_9339522
9339523	WingLine L, Pull to move Silent set, light, grey	WLL_ptm_silent_light_g_9339523
9339583	WingLine L, Pull to move Silent set, light, white	WLL_ptm_silent_light_w_9339583
9339584	WingLine L, Pull to move Silent set, light, anthracite	WLL_ptm_silent_light_a_9339584
9339585	WingLine L, Pull to move Silent set, heavy, grey	WLL_ptm_silent_heavy_g_9339585
9339586	WingLine L, Pull to move Silent set, heavy, white	WLL_ptm_silent_heavy_w_9339586
9339587	WingLine L, Pull to move Silent set, heavy, anthracite	WLL_ptm_silent_heavy_a_9339587
9339594	WingLine L Door damper, anthracite	WLL_door_damper_a_9339594
9339596	WingLine L Stay open element, left, anthracite	WLL_stay_open_ele_a_L_9339596
9339648	WingLine L Stay open element, right, anthracite	WLL_stay_open_ele_w_R_9339648

4. Connector set

4.1.Sliding door / Top running

Name of the fitting	Connector set
TopLine L	He_TLL_2D_L_34_T10_16_S20_2300
TopLine L	He_TLL_2D_R_34_T10_16_S20_3000
TopLine L	He_TLL_2D_L_34_T10_16_S50_2300
TopLine L	He_TLL_2D_R_34_T10_16_S50_3000
TopLine L	He_TLL_2D_L_34_T18_30_S50_2300
TopLine L	He_TLL_2D_R_34_T10_16_S50_2300
TopLine L	He_TLL_2D_L_34_T10_16_S20_3000
TopLine L	He_TLL_2D_L_34_T10_16_S50_3000
TopLine L	He_TLL_2D_L_34_T18_30_S50_3000
TopLine L	He_TLL_2D_R_34_T10_16_S20_2300
TopLine L	He_TLL_2D_L_34_T18_30_S20_2300
TopLine L	He_TLL_2D_L_34_T18_30_S20_3000
TopLine L	He_TLL_2D_R_34_T18_30_S20_2300
TopLine L	He_TLL_2D_R_34_T18_30_S20_3000
TopLine L	He_TLL_2D_R_34_T18_30_S50_2300
TopLine L	He_TLL_2D_R_34_T18_30_S50_3000
TopLine L	He_TLL_2D_L_0_T18_30_S20_2300
TopLine L	He_TLL_2D_L_0_T18_30_S20_3000
TopLine L	He_TLL_2D_L_0_T18_30_S50_2300
TopLine L	He_TLL_2D_L_0_T18_30_S50_3000
TopLine L	He_TLL_2D_R_0_T18_30_S20_2300
TopLine L	He_TLL_2D_R_0_T18_30_S20_3000
TopLine L	He_TLL_2D_R_0_T18_30_S50_2300
TopLine L	He_TLL_2D_R_0_T18_30_S50_3000
TopLine L	He_TLL_3D_34_T10_16_S20_L2300
TopLine L	He_TLL_3D_34_T10_16_S50_L2300
TopLine L	He_TLL_3D_34_T10_16_S20_L4000
TopLine L	He_TLL_3D_0_T18_30_S20_L2300
TopLine L	He_TLL_3D_0_T10_16_S20_L2300
TopLine L	He_TLL_3D_0_T18_30_S20_L4000
TopLine L	He_TLL_3D_0_T18_30_S50_L2300
TopLine L	He_TLL_3D_0_T18_30_S50_L4000
TopLine L	He_TLL_3D_34_T18_30_S20_L2300
TopLine L	He_TLL_3D_34_T18_30_S20_L4000
TopLine L	He_TLL_3D_34_T18_30_S50_L2300
TopLine L	He_TLL_3D_34_T18_30_S50_L4000
TopLine L	He_TLL_3D_0_T10_16_S50_L2300
TopLine L	He_TLL_2D_L_0_T10_16_S20_2300
TopLine L	He_TLL_2D_L_0_T10_16_S20_3000
TopLine L	He_TLL_2D_L_0_T10_16_S50_2300
TopLine L	He_TLL_2D_L_0_T10_16_S50_3000
TopLine L	He_TLL_2D_R_0_T10_16_S20_2300
TopLine L	He_TLL_2D_R_0_T10_16_S20_3000

Name of the fitting	Connector set
TopLine L	He_TLL_2D_R_0_T10_16_S50_2300
TopLine L	He_TLL_2D_R_0_T10_16_S50_3000
TopLine L	He_TLL_3D_0_T10_16_S20_L4000
TopLine L	He_TLL_3D_0_T10_16_S50_L4000
TopLine L	He_TLL_3D_34_T10_16_S50_L4000
TopLine XL	He_TLXL_2D_SET60_SS35_L2300
TopLine XL	He_TLXL_2D_SET60_SS35_L4000
TopLine XL	He_TLXL_2D_SET60_SS80_L2300
TopLine XL	He_TLXL_2D_SET60_SS80_L4000
TopLine XL	He_TLXL_2D_SET80_SS80_L2300
TopLine XL	He_TLXL_2D_SET80_SS100_L2300
TopLine XL	He_TLXL_2D_SET80_SS80_L4000
TopLine XL	He_TLXL_2D_SET80_SS100_L4000
TopLine XL	He_TLXL_2D_SET100_SS100_L2300
TopLine XL	He_TLXL_2D_SET100_SS100_L4000
TopLine XL	He_TLXL_3D_SET60_SS35_L2300
TopLine XL	He_TLXL_3D_SET60_SS35_L4000
TopLine XL	He_TLXL_3D_SET60_SS80_L2300
TopLine XL	He_TLXL_3D_SET60_SS80_L4000
TopLine XL	He_TLXL_3D_SET80_SS80_L2300
TopLine XL	He_TLXL_3D_SET80_SS100_L2300
TopLine XL	He_TLXL_3D_SET80_SS80_L4000
TopLine XL	He_TLXL_3D_SET80_SS100_L4000
TopLine XL	He_TLXL_3D_SET100_SS100_L2300
TopLine XL	He_TLXL_3D_SET100_SS100_L4000
TopLine XL	He_TLXL_4D_SET60_SS35_L4000
TopLine XL	He_TLXL_4D_SET60_SS80_L4000
TopLine XL	He_TLXL_4D_SET80_SS80_L4000
TopLine XL	He_TLXL_4D_SET100_L4000

4.2 Sliding door / Bottom running

Name of the fitting	Connector set
SlideLine 55 plus	He_SlideLine_55_p_prf_s
SlideLine 55 plus	He_SlideLine_55_p_prf_w
SlideLine 55 plus	He_SlideLine_55_p_SiSy_prf_s
SlideLine 55 plus	He_SlideLine_55_p_SiSy_prf_w
SlideLine 55 plus	He_SlideLine_55_p_prf_s_onset
SlideLine 55 plus	He_SlideLine_55_p_SiSy_s_onset
SlideLine 97	He_SlideLine_97_5mm_glass_drp
SlideLine 97	He_SlideLine_97_5mm_glass_frp
SlideLine 97	He_SlideLine_97_6mm_glass_drp
SlideLine 97	He_SlideLine_97_6mm_glass_frp
SlideLine 97	He_SlideLine_97_8mm_glass_drp
SlideLine 97	He_SlideLine_97_8mm_glass_frp
SlideLine M	He_SL_M_1D_inset_without_ss_1t
SlideLine M	He_SL_M_inset_with_ss_1t
SlideLine M	He_SL_M_inset_with_ss_2t
SlideLine M	He_SL_M_inset_without_ss_1t
SlideLine M	He_SL_M_inset_without_ss_2t
SlideLine M	He_SL_M_2D_overlay_with_ss
SlideLine M	He_SL_M_1D_inset_with_ss_1t
SlideLine M	He_SL_M_1D_overlay_with_ss
SlideLine M	He_SL_M_1D_overlay_without_ss
SlideLine M	He_SL_M_2D_overlay_without_ss

4.3 Folding door system

Name of the fitting	Connector set
Wing 77	He_Wing_77_2D
Wing 77	He_Wing_77_4D
WingLine 170	He_WingLine_170
WingLine 220	He_WingLine_220_2D_hinge_left
WingLine 220	He_WingLine_220_2D_hinge_right
WingLine 220	He_WingLine_220_4D
WingLine 230	He_WingLine_230_2D_hinge_left
WingLine 230	He_WingLine_230_2D_hinge_right
WingLine 230	He_WingLine_230_4D
WingLine 26	He_WingLine_26_2D_hinge_right
WingLine 77	He_WingLine_77_4D_guide_above
WingLine 77	He_WingLine_77_4D_guide_below
WingLine 770	He_WingLine_770_2D_hinge_left
WingLine 770	He_WingLine_770_2D_hinge_right
WingLine 770	He_WingLine_770_4D
WingLine 77	He_WL77_2D_hinge_L_guide_above
WingLine 77	He_WL77_2D_hinge_L_guide_below
WingLine 77	He_WL77_2D_hinge_R_guide_above
WingLine 77	He_WL77_2D_hinge_R_guide_below
WingLine L	He_WLL_c_wosc_12_2ch_ptms_a_R
WingLine L	He_WLL_c_wosc_12_2ch_ptms_g_L
WingLine L	He_WLL_c_wosc_12_2ch_ptms_a_L
WingLine L	He_WLL_c_wosc_12_2ch_ptms_g_R
WingLine L	He_WLL_c_wosc_12_2ch_ptms_w_L
WingLine L	He_WLL_c_wosc_12_2ch_ptms_w_R
WingLine L	He_WLL_c_wosc_12_3ch_ptms_a_L
WingLine L	He_WLL_c_wosc_12_3ch_ptms_a_R
WingLine L	He_WLL_c_wosc_12_3ch_ptms_g_L
WingLine L	He_WLL_c_wosc_12_3ch_ptms_g_R
WingLine L	He_WLL_c_wosc_12_3ch_ptms_w_L
WingLine L	He_WLL_c_wosc_12_3ch_ptms_w_R
WingLine L	He_WLL_c_wosc_25_2ch_ptms_a_L
WingLine L	He_WLL_c_wosc_25_2ch_ptms_a_R
WingLine L	He_WLL_c_wosc_25_2ch_ptms_g_L
WingLine L	He_WLL_c_wosc_25_2ch_ptms_g_R
WingLine L	He_WLL_c_wosc_25_2ch_ptms_w_L
WingLine L	He_WLL_c_wosc_25_2ch_ptms_w_R
WingLine L	He_WLL_c_wosc_25_3ch_ptms_a_L

Name of the fitting	Connector set
WingLine L	He_WLL_c_wosc_25_3ch_ptms_a_R
WingLine L	He_WLL_c_wosc_25_3ch_ptms_g_L
WingLine L	He_WLL_c_wosc_25_3ch_ptms_g_R
WingLine L	He_WLL_c_wosc_25_3ch_ptms_w_L
WingLine L	He_WLL_c_wosc_25_3ch_ptms_w_R
WingLine L	He_WLL_c_wsc_25_2ch_a_L
WingLine L	He_WLL_c_wsc_25_2ch_a_R
WingLine L	He_WLL_c_wsc_25_2ch_g_L
WingLine L	He_WLL_c_wsc_25_2ch_g_R
WingLine L	He_WLL_c_wsc_25_2ch_w_L
WingLine L	He_WLL_c_wsc_25_2ch_w_R
WingLine L	He_WLL_c_wsc_25_3ch_a_L
WingLine L	He_WLL_c_wsc_25_3ch_a_R
WingLine L	He_WLL_c_wsc_25_3ch_g_L
WingLine L	He_WLL_c_wsc_25_3ch_g_R
WingLine L	He_WLL_c_wsc_25_3ch_w_L
WingLine L	He_WLL_c_wsc_25_3ch_w_R
WingLine L	He_WLL_c_wsc_Me_12_2ch_a_L
WingLine L	He_WLL_c_wsc_Me_12_2ch_a_R
WingLine L	He_WLL_c_wsc_Me_12_2ch_g_L
WingLine L	He_WLL_c_wsc_Me_12_2ch_g_R
WingLine L	He_WLL_c_wsc_Me_12_2ch_w_L
WingLine L	He_WLL_c_wsc_Me_12_2ch_w_R
WingLine L	He_WLL_c_wsc_Me_12_3ch_a_L
WingLine L	He_WLL_c_wsc_Me_12_3ch_a_R
WingLine L	He_WLL_c_wsc_Me_12_3ch_g_L
WingLine L	He_WLL_c_wsc_Me_12_3ch_g_R
WingLine L	He_WLL_c_wsc_Me_12_3ch_w_L
WingLine L	He_WLL_c_wsc_Me_12_3ch_w_R
WingLine L	He_WLL_set_ptms_mechstayclos_L
WingLine L	He_WLL_set_wos_25_2ch_ptms_a_L
WingLine L	He_WLL_set_wos_25_2ch_ptms_a_R
WingLine L	He_WLL_set_wos_25_2ch_ptms_g_L
WingLine L	He_WLL_set_wos_25_2ch_ptms_g_R
WingLine L	He_WLL_set_wos_25_2ch_ptms_w_L
WingLine L	He_WLL_set_wos_25_2ch_ptms_w_R
WingLine L	He_WLL_set_wos_25_3ch_ptms_a_L
WingLine L	He_WLL_set_wos_25_3ch_ptms_a_R
WingLine L	He_WLL_set_wos_25_3ch_ptms_g_L
WingLine L	He_WLL_set_wos_25_3ch_ptms_g_R
WingLine L	He_WLL_set_wos_25_3ch_ptms_w_L
WingLine L	He_WLL_set_wos_25_3ch_ptms_w_R
WingLine L	He_WLL_set_wos_Li_12_2ch_a_L
WingLine L	He_WLL_set_wos_Li_12_2ch_a_R
WingLine L	He_WLL_set_wos_Li_12_2ch_g_L

Name of the fitting	Connector set
WingLine L	He_WLL_set_wos_Li_12_2ch_g_R
WingLine L	He_WLL_set_wos_Li_12_2ch_w_L
WingLine L	He_WLL_set_wos_Li_12_2ch_w_R
WingLine L	He_WLL_set_wos_Li_12_3ch_a_L
WingLine L	He_WLL_set_wos_Li_12_3ch_a_R
WingLine L	He_WLL_set_wos_Li_12_3ch_g_L
WingLine L	He_WLL_set_wos_Li_12_3ch_g_R
WingLine L	He_WLL_set_wos_Li_12_3ch_w_L
WingLine L	He_WLL_set_wos_Li_12_3ch_w_R
WingLine L	He_WLL_set_wosc_Me_12_2ch_a_L
WingLine L	He_WLL_set_wosc_Me_12_2ch_a_R
WingLine L	He_WLL_set_wosc_Me_12_2ch_g_L
WingLine L	He_WLL_set_wosc_Me_12_2ch_g_R
WingLine L	He_WLL_set_wosc_Me_12_2ch_w_L
WingLine L	He_WLL_set_wosc_Me_12_2ch_w_R
WingLine L	He_WLL_set_wosc_Me_12_3ch_a_L
WingLine L	He_WLL_set_wosc_Me_12_3ch_a_R
WingLine L	He_WLL_set_wosc_Me_12_3ch_g_L
WingLine L	He_WLL_set_wosc_Me_12_3ch_g_R
WingLine L	He_WLL_set_wosc_Me_12_3ch_w_L
WingLine L	He_WLL_set_wosc_Me_12_3ch_w_R
WingLine L	He_WLL_set_wsc_25_2ch_a_L
WingLine L	He_WLL_set_wsc_25_2ch_a_R
WingLine L	He_WLL_set_wsc_25_2ch_g_L
WingLine L	He_WLL_set_wsc_25_2ch_g_R
WingLine L	He_WLL_set_wsc_25_2ch_w_L
WingLine L	He_WLL_set_wsc_25_2ch_w_R
WingLine L	He_WLL_set_wsc_25_3ch_a_L
WingLine L	He_WLL_set_wsc_25_3ch_a_R
WingLine L	He_WLL_set_wsc_25_3ch_g_L
WingLine L	He_WLL_set_wsc_25_3ch_g_R
WingLine L	He_WLL_set_wsc_25_3ch_w_L
WingLine L	He_WLL_set_wsc_25_3ch_w_R
WingLine L	He_WLL_set_wsc_Li_12_2ch_a_L
WingLine L	He_WLL_set_wsc_Li_12_2ch_a_R
WingLine L	He_WLL_set_wsc_Li_12_2ch_g_L
WingLine L	He_WLL_set_wsc_Li_12_2ch_g_R
WingLine L	He_WLL_set_wsc_Li_12_2ch_w_L
WingLine L	He_WLL_set_wsc_Li_12_2ch_w_R
WingLine L	He_WLL_set_wsc_Li_12_3ch_a_L
WingLine L	He_WLL_set_wsc_Li_12_3ch_a_R
WingLine L	He_WLL_set_wsc_Li_12_3ch_g_L
WingLine L	He_WLL_set_wsc_Li_12_3ch_g_R
WingLine L	He_WLL_set_wsc_Li_12_3ch_w_L
WingLine L	He_WLL_set_wsc_Li_12_3ch_w_R

Name of the fitting	Connector set
WingLine L	He_WLL_set_wsc_Me_12_2ch_a_L
WingLine L	He_WLL_set_wsc_Me_12_2ch_a_R
WingLine L	He_WLL_set_wsc_Me_12_2ch_g_L
WingLine L	He_WLL_set_wsc_Me_12_2ch_g_R
WingLine L	He_WLL_set_wsc_Me_12_2ch_w_L
WingLine L	He_WLL_set_wsc_Me_12_2ch_w_R
WingLine L	He_WLL_set_wsc_Me_12_3ch_a_L
WingLine L	He_WLL_set_wsc_Me_12_3ch_a_R
WingLine L	He_WLL_set_wsc_Me_12_3ch_g_L
WingLine L	He_WLL_set_wsc_Me_12_3ch_g_R
WingLine L	He_WLL_set_wsc_Me_12_3ch_w_L
WingLine L	He_WLL_set_wsc_Me_12_3ch_w_R
WingLine L	He_WLL_4D_set_wsc_25_2ch_a_L

5. Sample Articles/cabinets

Name of the fitting	Fitting type
Sliding door systems for inset door position	SlideLine 97
Sliding door systems for overlay door position	SlideLine 55 plus
Sliding door systems for overlay door position	SlideLine M
Sliding door systems for overlay door position	TopLine XL
Sliding door systems for overlay door position	TopLine L
Folding door systems	WingLine 220
Folding door systems	WingLine 77
Folding door systems	WingLine L