

Registered Office:

Hettich India Private Limited

302, Durolite House,
Opp. SAB TV, New Link Road,
Andheri (West), Mumbai - 400053
Ph. No. : + 91 22 2674 3289 / 3356 / 4089
Fax : +91 22 2674 3267

Head Office:

Hettich India Private Limited

A-26/4, 1st floor,
Mohan Co-operative Industrial Estate,
New Delhi - 110044
Ph. No. : +91 11 4889 4000 / 4889 4005
Fax : +91 11 4889 4044



Application Centres:

New Delhi: 61, Panchkuian Road, New Delhi - 110 001, Ph. No. : + 91 11 2358 0713, 2358 4603

Mumbai: 202, Durolite House, Opp. SAB TV, New Link Road, Andheri (West), Mumbai - 400053, Ph. No. : + 91 22 3254 7193

Kolkata: 324 & 325, Homeland, 18B, Ashutosh Mukherjee Road, Bhawanipur, Kolkata - 700 020, Ph. No. : + 91 33 4070 1060

Hyderabad: " Sai Krishna " 797 - A, Road No. 36, Jubilee Hills, Hyderabad - 500 034, Ph. No. : + 91 40 2355 8994

Bangalore: Adventz Center, Ground Floor 28, Cubbon Road, Shivaji Nagar, Bangalore - 560 001, Ph. No. : + 91 80 4530 0400 / 4530 0401

Ahmedabad: 1st Floor, Unit no. 102, Safal Pegasus, Anand Nagar, Ahmedabad-380 015, Ph. No. : +91 93 2764 9453

Chennai: "Heavitree", Ground Floor, 47, Spur Tank Road, Chetpet, Chennai - 600 031, Ph. No. : + 91 44 3295 4717, Fax : +91 44 4263 7227

Pune: Ishanya Speciality Mall, CG 00-01, 2nd floor, Arcade-2, Opp. Golf Course, Yerwada, Pune - 411 006, Ph. No. : +91 020 4132 2638

Lucknow: Umrao Plaza, IIInd Floor, B - 3, Indira Nagar, Faizabad Road, Lucknow - 226016, Ph. No. : +91 522 4078889

**Design Collection
Pantry | Under Sink Solution**

Vadodara Factory:

Plot no. 304, Dhanora - Nandesari Road, Near ECPL, Village Dhanora- 391 346
District - Vadodara, Ph. No. : +91 265 3050511

Enquiry & Customer Services

Toll Free : 1800 209 2096 (office hours)
Email: sales_enquiry@in.hettich.com
customer_services@in.hettich.com
www.hettich.com

Technik für Möbel



Technik für Möbel






Hettich

FREE 
Design Services
incl. bill of qty.

Free Design Service:

Looking for Designs to liven up your Living Room, Bedroom, Bathroom & Kitchen. A dedicated team of highly qualified Interior Designers is at your service to provide customized design solution to suit every taste and budget at zero cost to you.

In order to avail this service, please visit our website www.hettich.com and click on "Free Design Service" listed under Service Tab. Kindly fill in the requisition form and submit it. You would be contacted by our Hettich design representative with in 48 hours of receiving the query.

Toll Free : 1800 209 2096 (office hours), Email: sales_enquiry@in.hettich.com, customer_services@in.hettich.com, www.hettich.com



The company's origins date back to 1888, when Karl Hettich began making the new clock component he had invented. By 1930, his descendants had diversified into furniture fittings, setting up production in East Westphalia – a center of the German furniture industry. Today, Hettich, still family owned, has become an industry leader with a worldwide reputation. We're one of the world's largest manufacturers of high-quality furniture fittings, with presence in more than 100 countries.

The company's success has been built on four enduring values: quality, innovation, close cooperation with customers and absolute reliability. We work to inspire our customers with our ideas and our passion.




After the remarkable success of kitchen design collections year after year, we are now proud to present our new kitchen design collection.

This series will provide you with a wealth of new ideas. This collection provides you solutions for Pantry & Under Sink areas, so this collection not only gives insight of our products and illustrates practical applications but also helps you to create beautiful interiors of kitchen. It will help you to plan, design and realize your dreams.

In keeping with changing lifestyles, the kitchen too has undergone transformation; it is no longer just a place to cook. It is the style statement of the home-maker and is meant to offer convenience, ease and efficiency to the user besides being hi-tech and aesthetically appealing. Hettich helps kitchen manufacturers make elegant, convenient and ergonomically designed user friendly kitchens.

We operate throughout the world. This means we're within reach wherever you need us. The consistently high quality of our products helps us to provide delight to our customers. We guarantee our products and services with our name and with all that it stands for.

Yours sincerely,
Team Hettich India



intelligent kitchens

Intelligent Kitchens :
How to plan a kitchen that's a pleasure to use

The Intelligent Kitchens concept divides the kitchen into five functional areas:

- 1) Food Storage
- 2) Food Preparation
- 3) Pots & Pan
- 4) Cleaning Agents & Waste
- 5) China & Cutlery

A kitchen that is planned to this concept only offers you advantages: short routes, ergonomic sequences and cleverly designed internal fittings.



Pantry Unit

Storage space in perfection: tall units not only accommodate plentiful supplies, but also such bulky items as brooms and vacuum cleaners. Hettich supplies an immense variety of fitting solutions ensuring efficient use of the storage space available in tall units, be it for intelligent supply management or as a classical broom cupboard. Optimum use of the available storage space is assured; all supplies and utensils are stored in well organized fashion and with in easy reach.



Pantry Unit



Pantry Unit
ArciTech



ArciTech Pantry Unit

- ▶ For individual carcass heights and widths
- ▶ Optimum use of storage space
- ▶ Recommended carcass widths: 300 - 600 mm, 450 - 1200 mm, with 2 hinged doors for carcasses wider than 600 mm
- ▶ Recommended hinge: fast-assembly concealed hinge Intermat 9956
- ▶ Other configurations are also possible





Pantry Unit
InnoTech



InnoTech Pantry Unit

- ▶ Flexible applications for individual carcass heights and widths
- ▶ Optimum use of storage space
- ▶ Ideal for retrofitting in larger units and tall units
- ▶ Recommended carcass widths 300 - 600 mm
- ▶ Other configurations are also possible
- ▶ Handleless furniture front can be produced by using the electro mechanical opening system Easys





Pantry Unit
InnoTech



InnoTech Pantry Unit

- ▶ For individual carcass heights and widths
- ▶ Optimum use of storage space
- ▶ Recommended carcass widths 450 - 1200 mm, over 600 mm with 2 hinged doors
- ▶ Recommended hinge: fast-assembly concealed hinge Intermat 9956,
- ▶ Anti-tilt guard
- ▶ Other configurations are also possible





Pantry Unit
CargoTech- Cargo 500



CargoTech- Cargo 500

- ▶ Convenience of modular concept
- ▶ No need for any kind of metal frame
- ▶ Combines convenience with unmatched running action stability and strength
- ▶ Compatible with Quadro runners and KA telescopic runners
- ▶ Comfortably takes uniformly distributed weight of up to 250 kg
- ▶ Can be installed in any standard size drawer cabinet
- ▶ Customized for India for storage of thali, plates, cups & saucers
- ▶ Options to use in different heights with minimum 2 to maximum 6 CargoTechs
- ▶ Larger width unit can be made with openable shutter
- ▶ 10 years warranty against rusting

Multi-purpose Plain Basket for Cargo 500

Load capacity:

CargoTech qty.used	With KA runners	With Quadro runners
2	80 kg	50 kg
3	125 kg	80 kg
4	170 kg	110 kg
5	215 kg	140 kg
6	250 kg	170 kg



100 mm height




150 mm height



200 mm height



Pantry Unit
CargoTech- Cargo 500



CargoTech- Cargo 500

- ▶ Convenience of modular concept
- ▶ No need for any kind of metal frame
- ▶ Combines convenience with unmatched running action stability and strength
- ▶ Compatible with Quadro runners and KA telescopic runners
- ▶ Comfortably takes uniformly distributed weight of up to 250 kg
- ▶ Can be installed in any standard size drawer cabinet
- ▶ Customized for India for storage of thali, plates, cups & saucers
- ▶ Options to use in different heights with minimum 2 to maximum 6 CargoTechs
- ▶ Larger width unit can be made with openable shutter
- ▶ 10 years warranty against rusting



Pantry Unit
Dispensa Swing



Dispensa Swing

- ▶ Swivelling larder unit with ClickFixx fast assembly system
- ▶ Perfect closing thanks to integrated Silent System soft closure
- ▶ When pulled out completely, the entire centre upright can be turned 90° to the left or right
- ▶ The pull-out system is then located at right angles to the cupboard
- ▶ Cupboard contents are now within clear view and easy reach

Centre upright

- ▶ With ClickFixx fast assembly system
- ▶ 200 mm height adjustable with front holders / drawer members
- ▶ Suitable for cabinet widths 300 and 400 mm
- ▶ Minimum inside carcass depth 500 mm
- ▶ Over extension and shelves / baskets must be ordered separately,



Pantry Unit
Dispensa 90°



Dispensa 90°

- ▶ Pharmacist's pull-out with integrated Silent System soft closure
- ▶ With ClickFixx fast assembly system
- ▶ Contents can be accessed from both sides
- ▶ Full or partial extension runner
- ▶ Contents are clearly arranged and compactly stored
- ▶ Can optionally be combined with the electro mechanical, touch Control opening system

Center upright:

- ▶ Complete with Silent System soft closure
- ▶ 400 mm height adjustable
- ▶ Suitable for cabinet widths 300 and 400 mm
- ▶ Minimum inside carcass depth 500 mm
- ▶ Pull-out and shelves / baskets must be ordered separately
- ▶ Steel, powder-coated



Pantry Unit
Dispensa Duo



Dispensa Duo

- ▶ Swivelling pull-out for tall units, complete with Silent System soft closure
- ▶ Door and pull-out shelf ensure full use of the space available
- ▶ The pull-out shelf is pulled forwards when the door is opened
- ▶ Creates enormous storage space and well arranged storage unit
- ▶ Direct access to everything in the cupboard
- ▶ Can also be used for 2-door tall units (900, 1000 and 1200 mm) without center panel



Pantry Unit
WingLine 230



WingLine 230

- ▶ For 1 folding door with 2 panels
- ▶ Overlay door position
- ▶ For wooden doors
- ▶ Suitable for use with soft-closing Sensys hinge
- ▶ Door panel weight 20 to 25 kg
- ▶ Door height up to 3000 mm
- ▶ Door-panel width up to 600 mm





Pantry Unit
WingLine 770



WingLine 770

- ▶ For one folding door with 2 panels
- ▶ Overlay door position
- ▶ For wooden doors
- ▶ Suitable for use with soft-closing Sensys hinge
- ▶ Door panel weight up to 20 kg
- ▶ Door height up to 2200 mm
- ▶ Door-panel width up to 500 mm
- ▶ With WingLine 26 as bottom guide





Pantry Unit
WingLine 780



WingLine 780

- ▶ For one folding door with 2 panels
- ▶ Overlay door position
- ▶ For wooden doors
- ▶ Suitable for use with soft-closing Sensys hinge
- ▶ Door height up to 2200 mm
- ▶ Door-panel width up to 500 mm
- ▶ With WingLine 26 as bottom guide





Pantry Unit
WingLine 170



WingLine 170

- ▶ For one folding door with 2 panels
- ▶ Guide bar mounted on top panel
- ▶ Overlay door position
- ▶ For wooden doors or wood / aluminium-framed doors
- ▶ Suitable for use with soft-closing Sensys hinge
- ▶ Door panel weight depends on hinges
- ▶ Door height up to 2200 mm
- ▶ Door-panel width up to 300 mm
- ▶ Opening angle up to 170°
- ▶ Guide bar only approx. 10 mm thick



Pantry Unit
Wing 77



Wing 77

- ▶ Folding door system with 2 or 4 door panels
- ▶ Overlay door position
- ▶ For wooden doors
- ▶ Door panel weight up to 20 kg (25 kg) with 4 (2) door panels
- ▶ Door height up to 2400 mm
- ▶ Door panel width up to 400 mm (500 mm) with 4 (2) door panels
- ▶ Height adjustment +/- 3 mm
- ▶ Centre panels recessed 40 mm




Pantry Unit
TopLine XL



TopLine XL

- ▶ Two track, top-running sliding door system
- ▶ Overlay door position
- ▶ For wooden doors or wood / aluminium-framed doors
- ▶ Door weight up to 80 kg
- ▶ Door height up to 2600 mm
- ▶ Door width 700 - 2000 mm
- ▶ Door thicknesses 16, 18, 19, 22, 25, 28, 40, 50 mm
- ▶ Height adjustment ± 2 mm
- ▶ Door height, door reveal and closing force can be adjusted
- ▶ Reduced opening force to make doors easier to open
- ▶ Silent System (adjustable) in closing, opening and collision direction
- ▶ Fast assembly of guide components

Pantry Unit
TopLine L




TopLine L

- ▶ Two track, top-running sliding door system
- ▶ Overlay door position
- ▶ For wooden doors or wood / aluminium-framed doors
- ▶ Door weight up to 50 kg
- ▶ Door height up to 2600 mm
- ▶ Door width 700 - 1500 mm
- ▶ Door thicknesses 16, 18, 19, 21, 22, 25, 40 mm
- ▶ Height adjustment +/- 3 mm
- ▶ Individually finished running components
- ▶ Two opening versions: flush or offset when using projecting handles
- ▶ Fast assembly of guide components

Permissible door formats

kg
≤ 50



Set, Silent System Flexible 50:

- ▶ Suitable for wooden or framed doors in combination with runner profile, and the sets for doors running in front of top panel, offset opening
- ▶ For max. door weight 50 kg
- ▶ Can be retrofitted





Pantry Unit
TopLine M



TopLine M

- ▶ 2-track, top-running sliding door system
- ▶ Overlay door position
- ▶ For wooden doors
- ▶ Door weight up to 35 kg
- ▶ Door height up to 2300 mm
- ▶ Door width 650 - 1250 mm
- ▶ Door thicknesses 15, 16, 18, 19 mm
- ▶ 2 opening versions: fully flush or offset when using projecting handles





Pantry Unit
InLine XL



InLine XL

- ▶ Top-running, flush-mounted sliding door system
- ▶ Flush fitting doors
- ▶ For wooden doors or aluminium-framed doors
- ▶ Door weights up to 60 kg
- ▶ Door height up to 2600 mm
- ▶ Door width 750 - 2000 mm
- ▶ Door thickness 16, 18, 19, 22, 25 mm
- ▶ Soft-close Silent System (adjustable) in opening and closing direction

Design purity. Ergonomic perfection.

- ▶ In the opened position, sliding doors are left completely flush, one in front of the other.
- ▶ This makes internal pull-outs particularly easy to use as they are completely unobstructed – entirely without spacers.
- ▶ Flush fitted sliding doors are easy to open from the door's leading edge – bringing convenience and ergonomics previously unwitnessed before the arrival of InLine XL.




Under Sink Unit

Under Sink Unit

A good idea for every type of waste: sorting waste is easy with Hettich waste collection systems, thanks to their sophisticated organisation and clever functions. The comprehensive range provides space-saving solutions for any situation - in pull-outs or behind hinged doors. Attractively designed in robust, durable quality. Aesthetic standards need not stop with waste.






Under Sink Unit
ArciTech



ArciTech Under Sink Drawer

- ▶ For utilising the space below the sink
- ▶ Other configurations are also possible
- ▶ Finish options: Silver, White, Stainless Steel, Anthracite.





Under Sink Unit
ArciTech Pull



ArciTech Pull

- ▶ Top-running waste bin for ArciTech drawer, 94 mm high
- ▶ ArciTech Pull frame is fitted instead of drawer bottom
- ▶ Frame can be equipped as required with various bins and accessories
- ▶ Bins must be ordered separately
- ▶ ArciTech drawer components must be ordered separately
- ▶ Powder-coated steel, silver





Under Sink Unit
InnoTech Pull



InnoTech Pull

- ▶ Top-running waste bin for InnoTech drawer, 70 mm high
- ▶ The InnoTech Pull frame is fitted instead of the drawer bottom
- ▶ Frame can be equipped as required with various bins and accessories
- ▶ Bins must be ordered separately
- ▶ InnoTech drawer components must be ordered separately

InnoTech Pull frame





Under Sink Unit
OrgaFlex



OrgaFlex

- ▶ For utilising the space below the sink
- ▶ The freely positionable and removable plastic containers provide additional storage space to the right and/or left of the waste trap and flexibly adapt to the specific situation they are used in.
- ▶ For standard carcass width 600 and 900 mm
- ▶ For 470 mm nominal length



Under Sink Unit
Innoflex 600



Innoflex 600

- ▶ For InnoTech pot-and-pan drawers with TopSide in steel or plastic
- ▶ For cabinet width 600 mm
- ▶ For nominal length (NL) 520 mm, can be shortened to 470 mm
- ▶ Capacity 34 litres
- ▶ The fitted frame is placed on the railing of the pot-and-pan drawer
- ▶ Bin, fitted frame, stepped drawer and runners: grey plastic



Under Sink Unit
InnoTech



InnoTech Under Sink Drawer

- ▶ For utilising the space below the sink
- ▶ Can be used with lengthwise railing or DesignSide
- ▶ For standard carcass width 900 mm
- ▶ For 470 mm nominal length



Under Sink Unit
CargoTech



Under Sink Cargo Series

- ▶ Convenience of modular concept
- ▶ For utilizing optimum space under the sink, to store detergents / cleaners etc
- ▶ Available for 900 mm cabinet width
- ▶ Combines convenience with unmatched running action, stability & strength
- ▶ Compatible with KA telescopic runners only, thus load capacity up to 45 Kg
- ▶ Sturdy stainless steel wire basket structure
- ▶ Can be mounted alike CargoTech
- ▶ Front panel precise adjustment with fascia parts
- ▶ Finish: Chrome Plated
- ▶ 10 years warranty against rusting



Under Sink Unit
Bin.it Classic



Bin.it Classic

- ▶ For minimum cabinet width 400 mm
- ▶ Capacity 13 litres
- ▶ Can be fitted on the left or right
- ▶ Insert: plastic

Pantry Units

Pantry Units




ArciTech pantry unit



InnoTech pantry unit



CargoTech Pantry unit- Cargo 500



Interior fitting for pantry units-Dispensa Swing



WingLine 780 (Sliding & folding fitting)



WingLine 170 (Sliding & folding fitting)



Wing 77 (Sliding & folding fitting)



TopLine XL (Sliding fitting)



Interior fitting for pantry units-Dispensa 90°



Interior fitting for pantry units-Dispensa Duo



WingLine 230 (Sliding & folding fitting)



WingLine 770 (Sliding & folding fitting)



TopLine L (Sliding fitting)



TopLine M (Sliding fitting)



InLine XL (Sliding fitting)

