

Hettich India Private Limited

Head Office:

302, Durolite House,
Opp. SAB TV, New Link Road,
Andheri (West), Mumbai – 400 053
Ph. No. : +91-22-2674 3289/3356/4089
Fax : +91-22-2674 3267

100XX-Hettich-0209-HMV/D



New Delhi:

61, Punchkuian Road,
New Delhi – 110 001
Ph. No. : +91-11-2358 0713,
2358 4603, 2358 9480
Fax : +91-11-2358 0714

Bangalore:

109 & 110, Raheja Arcade,
5th Block, Koramangala,
Bangalore – 560 095
Ph. No. : +91-80-3298 6868
Fax : +91-80-4175 1317

Chennai:

"Heavitree", Ground Floor,
47, Spur Tank Road,
Chetpet, Chennai – 600 031
Ph. No. : +91-44-3295 4717
Fax : +91-44-4263 7227

Kolkata:

324 & 325, Homeland,
18B, Ashutosh Mukherjee Road,
Kolkata – 700 020
Ph. No. : +91-33-3243 2228
Fax : +91-33-3042 2228

Hyderabad:

"Sai Krishna",
797-A, Road No. 36,
Jubilee Hills,
Hyderabad-500 034
Ph. No. : +91-40-2355 8994

Pune:

B-1, Parmar Paradise,
Near Hotel Woodland,
B.J.Road, Sadhu Vaswani
Chowk, Pune – 411 001
Ph. No. : 09373717581,
09325008019

Enquiry & Customer Services

Toll Free : **1800 209 2096**

Email : sales_enquiry@in.hettich.com, customer_services@in.hettich.com
www.hettich.com/in

Technik für Möbel


Hettich

Technik für Möbel


Hettich





Your success is our goal

After the stupendous success of kitchen design collection vol - I, we are now proud to present kitchen design collection vol - II.

This catalogue will provide you with a wealth of new ideas. It gives details of our products and illustrates practical applications. It will help you to improve your ability to plan, design and realize your customers' dreams.


Behind each separate idea lies the strength of combined experience. We are a family-managed firm with a tradition of innovation and customer service going back over a 100 years. Remaining true to our origins, we offer our customers opportunities to increase their competitive advantage through our continuous innovation.

We operate throughout the world. This means we're within reach wherever you need us. The consistently high quality of our products helps you to maintain your good reputation with your customers. Our reliability makes your planning easier.

We guarantee our products and services with our name and with all that it stands for.

Yours sincerely,

Team Hettich India





introduction

"If this business were split up, I would give you the land and bricks and mortar, and I would take the brands and trademarks, and I would fare better than you."

John Stuart, Chairman of Quaker (ca. 1900)

The tagline with the logo says it all, Hettich is **Technology for Furniture**. This is what we have been doing with great success for over 100 years, with presence in over 100 countries spread across 5 continents.

Our Brand Values – **Quality, Innovation, Reliability, Closeness to Customers** are what we stand for. All our actions are with the end user in mind. We want happy and satisfied customers at the end of the value chain, who guide our every activity.

With the right mix of innovation and continuity, Hettich offers its customers high value and reliable solutions that put life and movement into furniture.

In keeping with changing lifestyles, the kitchen too has undergone transformation; it is no longer just a place to cook. It is a style statement of the home-maker and is meant to offer convenience, ease and efficiency to the consumer besides being hi-tech and looking good. That's why it's so important to get efficiency molded into its design.

Hettich helps kitchen manufacturers make elegant, convenient and ergonomically designed user-friendly kitchens.

Imagine a kitchen where drawers open and close silently and effortlessly at the mere press of a hand or knee – **EASYS**. Or a new way of storage at eye level under the wall unit in the kitchen that provides a stylish and convenient access to crockery, jars, packets and more – **COSARIO**. Or wings attached to your drawer system for organized storage and easy access of small items/packets – **ORGAWING**. Or imagine not having to stand on a stool or stretch your toes to retrieve small items stored at the back of wall mounted cabinets at a height – **CARGO IQ**. These are just some of the **UNIQUE** solutions offered by Hettich for your kitchens.

With its vast experience of doing business with some of the world's biggest and best kitchen manufacturers, Hettich is proud to present 20 contemporary and classic style patterns for your kitchen.

Hettich Furniture Fittings – German Quality you can trust.





Trends in Kitchen



InnoTech pantry cabinet

- Flexible hardware system for individual cabinet heights and widths
- Internal drawers/internal pot-and-pan drawers which are partly connected to the furniture front unimpeded access to the contents
- Easy to use: The user does not have to move the full weight of the storage
- Drawers/pot-and-pan drawers and internal drawers/internal pot-and-pan drawers can be individually organized
- High load capacity (depending on the Quadro drawer slides used)
- Ideal for retrofitting in larger cabinets and pantry cabinets



InnoTech preassembled internal pot-and-pan drawer-Basic

- Quick insertion and removal of the internal pot-and-pan drawer
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently – adapted to the thickness of the cabinet sides with 16, 18 and 19 mm





OrgaTray Basic 2

- Universal application
- Easy to trim to size
- Knife and/or spice rack can be added
- Environmentally friendly: made of fully recyclable polystyrene
- Antistatic, easy to clean
- Surface finish: silver



InnoTech Stainless steel- with DesignSide

- Quick insertion and removal of the pot-and-pan drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently



Lift Advanced HF

- For wooden fronts and wood or aluminium framed fronts
- Max. flap/door weight 15,2 kg
- Adjustable opening and closing force
- Centre hinge not required
- Cross member not required
- Different front heights possible
- Silent System integrated – dampened closing action




InnoTech Stainless steel

- Quick insertion and removal of the drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently – adapted to the thickness of the cabinet sides with 16, 18 and 19 mm






Trends in Kitchen



PLAN




- IOTB - InnoTech drawer system organisation-OrgaTray Basic
- ISSD - InnoTech Stainless steel-with DesignSide
- LHF - Folding-flap fitting-Lift Advanced-HF
- ISS - InnoTech Stainless steel
- IPC - InnoTech pantry cabinet
- IPIBP - InnoTech preassembled internal pot-and-pan drawer-Basic
- D - Dummy drawer





ELEVATION AT - A



ELEVATION AT - B

Drawings Scale: NTS

- IPOFX - InnoTech preassembled under-sink drawer-OrgaFlex
- IOW - InnoTech drawer system organisation-OrgaWing
- DD - Interior fittings for pantry units-Dispensa Duo





Trends in Kitchen



Interior fittings for pantry units Dispensa

- Pantry pull-out with integrated dampened closure Silent System
- Compact, clearly arranged and easy to reach
- Contents can be accessed from both sides
- Part or full-extension
- Front can be adjusted in 3 directions



OrgaStore Deluxe 2/3

- Tailored to standard cabinet widths
- With variable dividers for customised organisation





InnoTech preassembly under-sink drawer

- For utilizing the space below the sink
- Designed for a standard 900 mm cabinet width
- Nominal length 470 mm
- Powder-coated steel, silver



OrgaFlag

- Designed for standard cabinet widths
- Additional OrgaFlag perforated profiles also permit the construction of other drawer widths in 50 mm intervals
- Silver-grey plastic
- Designed sides for aesthetics



OrgaTray Premium 2

- Designed for standard cabinet widths
- Knife and/or spice rack can be added
- Environmentally friendly: made of fully recyclable polystyrene
- Antistatic, easy to clean
- Surface finish: anthracite




InnoTech powder-coated steel-anthracite-with DesignSide

- Quick insertion and removal of the pot-and-pan drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently






Trends in Kitchen




- | | |
|-------|--|
| IPS | - InnoTech preassembled under-sink drawer |
| IOFG | - InnoTech drawer system organisation-OrgaFlag |
| IOTPM | - InnoTech drawer system organisation-OrgaTray Premium |
| IAD | - InnoTech powder-coated steel, anthracite-with DesignSide |
| IOSD | - InnoTech drawer system organisation-OrgaStore Deluxe |
| IPD | - Interior fittings for pantry units-Dispensa |
| IA | - InnoTech powder-coated steel-anthracite |





ELEVATION AT - A




ELEVATION AT - B



ELEVATION AT - D



ELEVATION AT - E



ELEVATION AT - C

Drawings Scale: NTS

- IAT - InnoTech powder-coated steel-anthracite-with TopSide
- IOSB - InnoTech drawer system organisation-OrgaStore Basic
- LHF - Folding-flap fittings-Lift Advanced-HF
- S - Sensys hinges
- IPIBP - InnoTech preassembled internal pot-and-pan drawer-Basic





Trends in Kitchen



Wicker baskets with wooden frame

- With wooden frame and integrated handle moulding
- For cabinet widths of 400, 500 and 600 mm
- Minimum internal cabinet depth 500 mm
- With roll-out prevention
- Solid beech



OrgaWing

- Provides InnoTech pot-and-pan drawers, 144 mm height, with an additional swing-out storage level above the railing.
- The moving compartments automatically swing out to the side when the pot-and-pan drawer is opened. They gently glide back to the home position on closing the drawer.
- Suitable for cabinet widths of 800 mm and over
- For nominal length 470 mm





Folding-flap fitting - Lift Advanced HL

- For wooden fronts and wood or aluminium framed fronts
- Max. flap/door weight 18,5 kg
- Adjustable opening and closing force
- Silent System integrated – dampened closing action
- The fitting can be adapted to different front weights by means of gas pressure springs which must be ordered separately



Swap - LED lights

Accentuating, highlighting and emotionalising – these are the strengths with which LEDs have so far become established as a source of light. The new, innovatively and comprehensively extended magic LED range for the first time offers numerous attractive lighting solutions which – depending on task and choice – not only provide accent, night and orientation light, but also function light for all lighting tasks in and on furniture.



Sensys hinges

- Soft dampened closing from a closing angle of 35°
- Suitable for standard kitchen door formats
- Elegant cover cap for the hinge cup
- Concealed latch Simple, safe, reliable
- Easily fitted, naturally without tools
- Minimum door protrusion : Optimum use of storage space with the aid of inside drawers




InnoTech pantry cabinet

- Flexible hardware system for individual cabinet heights and widths
- Internal drawers/internal pot-and-pan drawers which are partly connected to the furniture front
- Easy to use: The user does not have to move the full weight of the storage
- Drawers/pot-and-pan drawers and internal drawers/internal pot-and-pan drawers can be individually organized
- High load capacity (depending on the Quadro drawer slides used)
- Ideal for retrofitting in larger cabinets and pantry cabinets






Trends in Kitchen




- LHL - Folding-flap fitting-Lift Advanced-HL
- Swap - LED lights
- S - Sensys hinges
- IPC - InnoTech pantry cabinet
- IOW - InnoTech Drawer system-OrgaWing
- WB - Wicker baskets with wooden frame
- IOTB - InnoTech drawer system organisation-OrgaTray Basic






ELEVATION AT - A



ELEVATION AT - C



ELEVATION AT - B

Drawings Scale: NTS

- IWD - InnoTech powder-coated steel-white-with DesignSide
- IOSE - InnoTech drawer system organisation-OrgaStore Exclusiv
- IPOFX - InnoTech preassembled under-sink drawer-OrgaFlex
- IWR - InnoTech powder-coated steel-white-with railing
- LHF - Folding-flap fitting-Lift Advanced-HF





Trends in Kitchen



Sensys hinges

- Soft dampened closing from a closing angle of 35°
- Suitable for standard kitchen door formats
- Elegant cover cap for the hinge cup
- Concealed latch Simple, safe, reliable
- Easily fitted, naturally without tools
- Minimum door protrusion : Optimum use of storage space with the aid of inside drawers



InnoTech preassembled under-sink drawer OrgaFlex

- For utilising the space below the sink
- Freely positionable and removable plastic containers provide additional storage space to the right and/or left of the siphon and flexibly adapt to the specific situation they are used in
- Designed for standard cabinet widths
- Nominal length 470 mm





OrgaStore Professional

- Tailored to standard cabinet widths
- Can also be used for customised drawer widths by shortening the aluminium partition



OrgaTray Deluxe 2

- Designed for standard cabinet widths
- With variable dividers for customised organisation



InnoTech Stainless steel-with railing

- Closes off the sides between railing and drawer profile
- Attractive design
- Easy to install
- Can be retrofitted




OrgaStore Classic

- Tailored to standard cabinet widths
- Can also be used for customised drawer widths by shortening the aluminium partition






Trends in Kitchen




- | | |
|-------|--|
| IOSPF | - InnoTech drawer system organisation-OrgaStore Professional |
| IOTD | - InnoTech drawer system organisation-OrgaTray Deluxe |
| ISSR | - InnoTech Stainless steel-with railing |
| IOSC | - InnoTech drawer system organisation-OrgaStore Classic |
| IPOFX | - InnoTech preassembled under-sink drawer-OrgaFlex |
| S | - Sensys hinges |
| IOW | - InnoTech drawer system organisation-OrgaWing |





ELEVATION AT - A



ELEVATION AT - B

Drawings Scale: NTS

- ISS - InnoTech Stainless steel
- D - Dummy drawer
- VS - Vertico Synchro
- IPC - InnoTech pantry cabinet



Trends in Kitchen



InnoTech preassembled internal pot-and-pan drawer Basic

- Quick insertion and removal of the internal pot-and-pan drawer
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently – adapted to the thickness of the cabinet sides with 16, 18 and 19 mm



OrgaStore Deluxe 2/3

- Tailored to standard cabinet widths
- With variable dividers for customised organisation





OrgaTray Classic 2

- Universal application
- Easy to trim to size
- Dividers, knife and/or spice rack can be added
- Environmentally friendly: made of fully recyclable polystyrene
- Antistatic, easy to clean
- Surface finish: silver



InnoTech powder-coated steel-white

- Quick insertion and removal of the drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently – adapted to the thickness of the cabinet sides with 16, 18 and 19 mm



WingLine 780

- Suitable for use throughout the home
- With runner profile on top panel
- Runner with load-bearing function
- Optionally with bottom guide
- For wooden doors or wood/aluminum framed doors
- Toolless quick-connect door assembly
- Cabinet design also suitable for hinged doors




InnoTech powder-coated-white-with railing

- Quick insertion and removal of the pot-and-pan drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently – adapted to the thickness of the cabinet sides with 16, 18 and 19 mm






Trends in Kitchen




- IOTC - InnoTech drawer system organisation-OrgaTray Classic
- IW - InnoTech powder-coated steel-white
- WL780 - WingLine 780
- IWR - InnoTech powder-coated steel-white-with railing
- IOSD - InnoTech drawer system organisation-OrgaStore Deluxe
- IPIBP - InnoTech preassembled internal pot-and-pan drawer-Basic
- D - Dummy drawer





ELEVATION AT - A




ELEVATION AT - B

Drawings Scale: NTS

- IPOFX - InnoTech preassembled under-sink drawer-OrgaFlex
- IOSB - InnoTech drawer system organisation-OrgaStore Basic
- IOW - InnoTech drawer system organisation-OrgaWing
- S - Sensys hinges
- IPC - InnoTech pantry cabinet



Trends in Kitchen



LeMans

- For complete and unrestricted access to the corner cabinet
- When the cupboard door is opened, the shelves are turned to the front independently of one another and then swivelled out of the cabinet completely.
- Suitable for 900 and 1000 mm wide corner cabinets
- Load capacity 20 kg/shelf
- Arena shelves, melamine coated white wooden shelves with anti-slip special coating



InnoTech preassembled internal drawer Exclusiv

- Quick insertion and removal of the internal drawer
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently – adapted to the thickness of the cabinet sides with 16, 18 and 19 mm





OrgaStore Exclusiv 1 pot-and-pan drawers

- Tailored to standard cabinet widths
- Multiplex beech, varnished
- Dividing rails need to be ordered separately



OrgaStore Deluxe 1

- Tailored to standard cabinet widths
- With variable dividers for customised organisation



Lift Advanced HF

- For wooden fronts and wood or aluminium framed fronts
- Max. flap/door weight 15,2 kg
- Adjustable opening and closing force
- Centre hinge not required
- Cross member not required
- Different front heights possible
- Silent System integrated – dampened closing action




InnoTech powder-coated steel-silver-with TopSide (IST)

- Closes off the sides between railing and drawer profile
- Attractive design
- Easy to install
- Can be retrofitted






Trends in Kitchen




- | | |
|-------|--|
| IOSE | - InnoTech drawer system organisation-OrgaStore Exclusiv |
| IOSD | - InnoTech drawer system organisation-OrgaStore Deluxe |
| LHF | - Folding-flap fittings-Lift Advanced HF |
| IST | - InnoTech powder-coated steel-silver-with TopSide |
| IPIEP | - InnoTech preassembled internal pot-and-pan drawer-Exclusiv |
| LMC | - Corner unit pull-out-LeMans |
| IOTPM | - InnoTech drawer system organisation-OrgaTray Premium |






ELEVATION AT - A



ELEVATION AT - B



ELEVATION AT - C

Drawings Scale: NTS

IS - InnoTech powder-coated steel-silver





Trends in Kitchen



OrgaWing

- Provides InnoTech pot-and-pan drawers, 144 mm height, with an additional swing-out storage level above the railing.
- The moving compartments automatically swing out to the side when the pot-and-pan drawer is opened. They gently glide back to the home position on closing the drawer.
- Suitable for cabinet widths of 800 mm and over
- For nominal length 470 mm



InnoTech powder-coated steel-white

- Quick insertion and removal of the drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently – adapted to the thickness of the cabinet sides with 16, 18 and 19 mm





Interior fittings for kitchen wall units - Cosario

- Innovative organization system for wall cabinets
- All stored items are within full view
- Ideal for retrofitting
- Min. cabinet depth 285 mm
- Height of side when closed 140 mm
- Load capacity 5 kg
- The optional LiteLine Basic light strip illuminates the worktop even when closed - needs to be ordered separately
- Aluminium with plastic



Lift Advanced HF

- For wooden fronts and wood or aluminium framed fronts
- Max. flap/door weight 15,2 kg
- Adjustable opening and closing force
- Centre hinge not required
- Cross member not required
- Different front heights possible
- Silent System integrated - dampened closing action



OrgaTray Exclusiv 1

- Designed for standard cabinet widths
- Cabinet widths of up to 1200 mm can be organised by combining several cutlery/spice trays and universal boxes
- Can be extended by knife, spice or foil holder
- Beech lacquered




InnoTech Vario

- For placing in front pull-out, e.g. for InnoTech, nominal length 470/520 mm
- For cabinet width 600 - 1200 mm
- Capacity 41 litres
- The mat can be cut to the required size for use in wide cabinets
- Installation height 297 mm
- Trim sizes of the mat
Max. width 1125 mm
depth 565 mm
Min. width 468 mm
depth 456 mm
- Bin and lid of grey plastic






Trends in Kitchen




- | | |
|------|---|
| CO | - Interior fittings for kitchen wall-unit-Cosario |
| LHF | - Folding-flap fittings-Lift Advanced HF |
| IOTE | - InnoTech drawer system organisation-OrgaTray Exclusiv |
| IV | - InnoTech Vario |
| IOW | - InnoTech drawer system organisation-OrgaWing |
| IW | - InnoTech powder-coated steel-white |
| IWT | - InnoTech powder-coated steel-white-with TopSide |





ELEVATION AT - A



ELEVATION AT - B

Drawings Scale: NTS

- IPOFX - InnoTech preassembled under-sink drawer-OrgaFlex
- IOSD - InnoTech drawer system organisation-OrgaStore Deluxe
- IPC - InnoTech pantry cabinet





Trends in Kitchen



MultiTech for front pull-outs Railing set

- MultiTech drawer sets with drawer profile widths of 86, 118 and 150 mm can be combined with the railing set to create pot-and-pan drawers
- For drawer lengths 350, 400, 450, 500 and 550 mm
- Load capacity 25 kg (part-extension)
30 kg (over-extension)



InnoFlex 900

- For InnoTech front pull-outs, cabinet width 900 mm
- For drawer depth 520 mm, shortened to 470 mm
- Fitting height from bottom panel up to 295 mm
- Bin, fitted frame, stepped drawer and extensions of grey plastic





OrgaStore Deluxe 1

- Tailored to standard cabinet widths
- With variable dividers for customised organisation



InnoTech preassembled internal drawer Exclusiv

- Quick insertion and removal of the internal drawer
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently – adapted to the thickness of the cabinet sides with 16, 18 and 19 mm



OrgaTray Basic 5

- Universal application
- Easy to trim to size
- Environmentally friendly: made of fully recyclable polystyrene
- Antistatic, easy to clean
- Surface finish: silver




Moving Corner

- Integrated dampened closure Silent System
- Optimum utilisation of space giving full access to provisions stored in the corner unit
- Suitable for 900 and 1000 mm corner unit widths using the simple click-in adjustment facility function for the extension fitting
- Minimum internal cabinet depth 500 mm
- With full-extension mounted in ball bearings
- Plastic-coated steel






Trends in Kitchen




- | | |
|------|--|
| IOSE | - InnoTech drawer system organisation-OrgaStore Exclusiv |
| IPIE | - InnoTech preassembled internal drawer-Exclusiv |
| IOTB | - InnoTech drawer system organsiation-OrgaTray Basic |
| MC | - Moving Corner |
| IF | - InnoFlex-900 |
| MT | - MultiTech for front pull-outs, Railing set |
| IW | - InnoTech powder-coated steel-white |






ELEVATION AT - A



ELEVATION AT - B



ELEVATION AT - C

Drawings Scale: NTS

- IWD - InnoTech powder-coated steel-white-with DesignSide
- D - Dummy drawer
- IPC - InnoTech pantry cabinet
- LHF - Folding-flap fittings-Lift Advanced HF
- IOSD - InnoTech drawer system organisation-OrgaStore Deluxe
- S - Sensys hinges





Trends in Kitchen



Corner unit carousel fittings with D Tray (DT)

- With telescopic semi-circle revolving shelves
- Hinges are secured to the corner post
- Carousel trays can be individually height positioned
- All metal, white plastic-coated



InnoTech internal pot-and-pan drawer Exclusiv

- Quick insertion and removal of the internal pot-and-pan drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently





Lift Advanced HF

- For wooden fronts and wood or aluminium framed fronts
- Max. flap/door weight 15,2 kg
- Adjustable opening and closing force
- Centre hinge not required
- Cross member not required
- Different front heights possible
- Silent System integrated – dampened closing action



OrgaStore Exclusiv 1

- Tailored to standard cabinet widths
- Multiplex beech, varnished
- Dividing rails need to be ordered separately



OrgaTray Basic 4

- Designed for standard cabinet widths
- Knife and/or spice rack can be added, see below
- Environmentally friendly: made of fully recyclable polystyrene
- Antistatic, easy to clean
- Surface finish: silver




InnoTech powder-coated steel-anthracite-with TopSide

- Closes off the sides between railing and drawer profile
- Attractive design
- Easy to install
- Can be retrofitted






Trends in Kitchen



- LHF - Folding-flap fittings-Lift Advanced HF
- IOSE - InnoTech drawer system organisation-OrgaStore Exclusiv
- IOTB - InnoTech drawer system organisation-OrgaTray Basic
- IAT - InnoTech powder-coated steel-anthracite-with TopSide
- IPIEP - InnoTech preassembled internal pot-and-pan drawer-Exclusive
- CC+DT - Corner unit carousel fittings with D Tray (DT)
- IAD - InnoTech powder-coated steel-anthracite-with DesignSide





- IPC - InnoTech pantry cabinet
- IA - InnoTech powder-coated steel-white
- IPS - InnoTech preassembled under-sink drawer





Trends in Kitchen



InnoTech powder-coated steel-white-with DesignSide (IWD)

- Quick insertion and removal of the pot-and-pan drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently



OrgaWing

- Provides InnoTech pot-and-pan drawers, 144 mm height, with an additional swing-out storage level above the railing.
- The moving compartments automatically swing out to the side when the pot-and-pan drawer is opened. They gently glide back to the home position on closing the drawer.
- Suitable for cabinet widths of 800 mm and over
- For nominal length 470 mm





OrgaFlag

- Designed for standard cabinet widths
- Additional OrgaFlag perforated profiles also permit the construction of other drawer widths in 50 mm intervals
- Silver-grey plastic
- Designed sides for aesthetics



Lift Advanced HS

- For wooden fronts and wood or aluminium framed fronts
- Max. flap/door weight 15,9 kg
- Adjustable opening and closing force
- Silent System integrated – dampened closing action
- The fitting can be adapted to different front weights by means of gas pressure springs which must be ordered separately,
- Including fixing accessories
- Housing and hinge mechanism of grey plastic/silver aluminium



OrgaFlex

- For utilising the space below the sink
- Freely positionable and removable plastic containers provide additional storage space to the right and/or left of the siphon and flexibly adapt to the specific situation they are used in
- Designed for standard cabinet widths
- Nominal length 470 mm




ProDecor handle - NEW MODERN

Technology and transparency define modern life and the modern home. Reducing shape to the bare essential, futuristic design makes NEW MODERN handles truly unmistakable. Their shape results from technical means of producing them and creates an exciting, visual fascination.






Trends in Kitchen



- | | |
|-------|--|
| IOFG | - InnoTech drawer system organisation-OrgaFlag |
| LHS | - Folding-flap fittings-Lift Advanced HS |
| IPOFX | - InnoTech preassembled under-sink drawer-OrgaFlex |
| PDH | - ProDecor handle-NEW MODERN |
| IWD | - InnoTech powder-coated steel-white-with DesignSide |
| IOW | - InnoTech drawer system organisation-OrgaWing |
| IW | - InnoTech powder-coated steel-white |





- S - Sensys hinges
- IPIEP - InnoTech preassembled internal pot-and-pan drawer-Exclusiv
- LHL - Folding-flap fittings-Lift Advanced HL
- D - Dummy drawer





Trends in Kitchen



InnoTech powder-coated-silver-with DesignSide (ISD)

- Quick insertion and removal of the pot-and-pan drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently



InnoTech preassembled internal pot-and-pan drawer Basic

- Quick insertion and removal of the internal pot-and-pan drawer
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently – adapted to the thickness of the cabinet sides with 16, 18 and 19 mm





Lift Advanced HK

- For wooden fronts and wood or aluminium framed fronts
- Max. flap/door weight 20,7 kg
- Adjustable opening and closing force
- Silent System integrated – dampened closing action
- The fitting can be adapted to different front weights by means of gas pressure springs which must be ordered separately
- Including fixing accessories



OrgaTray Basic 2

- Universal application
- Easy to trim to size
- Environmentally friendly: made of fully recyclable polystyrene
- Antistatic, easy to clean
- Surface finish: silver



OrgaTray Basic 1

- Universal application
- Easy to trim to size
- Knife and/or spice rack can be added,
- Environmentally friendly: made of fully recyclable polystyrene
- Antistatic, easy to clean
- Surface finish: silver




OrgaWing

- Provides InnoTech pot-and-pan drawers, 144 mm height, with an additional swing-out storage level above the railing.
- The moving compartments automatically swing out to the side when the pot-and-pan drawer is opened. They gently glide back to the home position on closing the drawer.
- Suitable for cabinet widths of 800 mm and over
- For nominal length 470 mm





Trends in Kitchen




- | | |
|-------|---|
| LHK | - Folding-flap fittings-Lift Advanced HK |
| IOTB | - InnoTech drawer system organisation-OrgaTray Basic |
| IOW | - InnoTech drawer system organisation-OrgaWing |
| ISD | - InnoTech powder-coated steel-silver-with DesignSide |
| IPIBP | - InnoTech preassembled internal pot-and-pan drawer-Basic |
| IST | - InnoTech powder-coated steel-silver-with TopSide |
| S | - Sensys hinges |






ELEVATION AT - A



ELEVATION AT - C



ELEVATION AT - B

Drawings Scale: NTS

- IOFG - InnoTech drawer system organisation-OrgaFlag
- IOSB - InnoTech drawer system organisation-OrgaStore Basic
- IPIEP - InnoTech preassembled internal pot-and-pan drawer-Exclusiv
- CO - Interior fittings for kitchen wall-unit-Cosario





Trends in Kitchen



Corner unit carousel fittings

- Fitting height can be varied from 839 to 889 mm by means of adjustable centre column that can also be cut to the appropriate length
- Bearings attached to the corner post
- Fast, simple positioning of revolving shelves by means of adjustable bearings
- Arena STYLE/CLASSIC three-quarter circle carousel shelves: melamine coated white wooden shelves with anti-slip special coating, steel gallery



Bin.it Classic

- Capacity 5 and 13 litres
- For minimum cabinet widths 350 and 400 mm
- Can be fitted on the left or right
- Insert, plastic





Dispensa Duo

- Perfect swivel and pull-out technology for pantry units
- Door and pull-out shelf ensure full use of the space available
- Creates enormous storage space and well arranged storage
- Direct access to everything in the cupboard
- Can also be used for 2-door pantry units (900, 1000 and 1200 mm) without centre support



90° pull-out units, 3-tier

- Base unit front panels permit a large variety of possibilities for combination
- Optional use of the available space with compensating and diagonal base units



ProDecor handle- ORGANIC

Natural materials give the home an authentic feel. Curved, organic shapes and untreated surfaces are the quality features of this sparing use of resources, purist design reduces color content to elementary earthy and pastel shades.




Base unit equipment Portero 3

- Can also be used in base units with siphon
- Integrated dampened closure Silent System
- Part-extension slide
- Easy installation on the cabinet base
- Acid-proof plastic shelves for safely storing cleaning products
- Adaptable system carrier, plastic-coated steel, silver
- Clip-on basket of chrome-plated steel
- Holder und carrying handle of translucent plastic






Trends in Kitchen




- DD - Interior fittings for pantry units-Dispensa Duo
- P03 - 90* pull-out units, 3-tier
- PDH - ProDecor handle - ORGANIC
- IPIEP - InnoTech preassembled internal pot-and-pan drawer-Exclusiv
- BTC - Bin.it Classic
- CC - Corner unit carousel fittings
- IS - InnoTech powder-coated steel-silver





ELEVATION AT - A



ELEVATION AT - B



ELEVATION AT - C

Drawings Scale: NTS

- IOTPF - InnoTech drawer system organisation-OrgaTray Professional
- IOFG - InnoTech drawer system organisation-OrgaFlag
- IOW - InnoTech drawer system organisation-OrgaWing
- LHF - Folding-flap fittings-Lift Advanced HF
- S - Sensys hinges
- IOSE - InnoTech drawer system organisation-OrgaStore-Exclusiv
- IST - InnoTech powder-coated-silver-with TopSide
- PT - Base unit equipment - Portero





Trends in Kitchen



OrgaStore Classic

- Tailored to standard cabinet widths
- With variable dividers for customised organisation



OrgaTray Deluxe 2

- Designed for standard cabinet widths
- With variable dividers for customised organisation





InnoTech powder-coated steels-white-with DesignSide

- Quick insertion and removal of the pot-and-pan drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently



Lift Advanced HS

- For wooden fronts and wood or aluminium framed fronts
- Max. flap/door weight 15,9 kg
- Adjustable opening and closing force
- Silent System integrated – dampened closing action
- The fitting can be adapted to different front weights by means of gas pressure springs which must be ordered separately
- Housing and hinge mechanism of grey plastic/silver aluminium



OrgaFlex

- For utilising the space below the sink
- Freely positionable and removable plastic containers provide additional storage space to the right and/or left of the siphon and flexibly adapt to the specific situation they are used in
- Designed for standard cabinet widths
- Nominal length 470 mm




InnoTech powder-coated steel-white

- Quick insertion and removal of the drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently – adapted to the thickness of the cabinet sides with 16, 18 and 19 mm






Trends in Kitchen




- | | |
|-------|---|
| LHS | - Folding-flap fittings-Lift Advanced HS |
| IPOFX | - InnoTech preassembled under-sink drawer-OrgaFlex |
| IOTD | - InnoTech drawer system organisation-OrgaTray Deluxe |
| IOSC | - InnoTech drawer system organisation-OrgaStore Classic |
| IW | - InnoTech powder-coated steel-white |
| IWR | - InnoTech powder-coated steel-white-with railing |
| D | - Dummy drawer |





ELEVATION AT - A



ELEVATION AT - B



ELEVATION AT - C

Drawings Scale: NTS

- S - Sensys hinges
- IPIBP - InnoTech preassembled internal pot-and-pan drawer-Basic
- IOSE - InnoTech drawer system organisation-OrgaStore Exclusiv
- P02 - 90* pull-out units, 2-tier
- IPC - InnoTech pantry cabinet





Trends in Kitchen



Vertico Synchro

- One moment opens two doors
- Ideal for any part of the home as well as in offices, hotels, contract furnishing and shop-fitting
- For two vertical sliding doors moving in synchrony
- Inset or overlay configuration
- For wooden doors or wood/aluminum framed doors
- Straightforward cabinet design
- Sets with pre-mounted mechanism



Bin.it Classic

- Capacity 5 and 13 litres
- For minimum cabinet widths 350 and 400 mm
- Can be fitted on the left or right
- Insert, plastic





InnoTech internal pot-and-pan drawer Exclusiv

- Quick insertion and removal of the internal pot-and-pan drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently



OrgaStore Basic

- For pot-and-pan drawers, 144 mm height/internal pot-and-pan drawers
- Designed for standard cabinet widths
- Can also be used for customised drawer widths by shortening the crosswise railing



OrgaTray Professional

- Designed for standard cabinet widths
- Organization can be tailored to personal needs using the variable dividers – set contains two dividers per compartment
- Environmentally friendly: made of fully recyclable polystyrene
- Antistatic, easy to clean
- Surface finish: silver




InnoTech powder-coated steel-silver

- Quick insertion and removal of the drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently – adapted to the thickness of the cabinet sides with 16, 18 and 19 mm






Trends in Kitchen




- IS - InnoTech powder-coated steel-silver
- IOSB - InnoTech drawer system organisation-OrgaStore Basic
- IOTPF - InnoTech drawer system organisation-OrgaTray Professional
- IPIEP - InnoTech preassembled internal pot-and-pan drawer-Exclusiv
- VS - Vertico Synchro
- BTC - Bin.it Classic
- IAS - InnoTech drawer system organisation-Add-on set





ELEVATION AT - A



ELEVATION AT - B

Drawings Scale: NTS

- | | |
|------|--|
| LHF | - Folding-flap fittings-Lift Advanced HF |
| LHS | - Folding-flap fittings-Lift Advanced HS |
| S | - Sensys hinges |
| LMC | - Corner unit pull-out-LeMans |
| IOFG | - InnoTech drawer system organisation-OrgaFlag |
| PO2 | - 90* pull-out units, 2-tier |
| IST | - InnoTech powder-coated steel-silver-with TopSide |





Trends in Kitchen



InnoTech internal pot-and-pan drawer Exclusiv

- Quick insertion and removal of the internal pot-and-pan drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently – adapted to the thickness of the cabinet sides with 16, 18 and 19 mm



Sensys hinges

- Soft dampened closing from a closing angle of 35°
- Suitable for standard kitchen door formats
- Elegant cover cap for the hinge cup
- Concealed latch Simple, safe, reliable
- Easily fitted, naturally without tools
- Minimum door protrusion : Optimum use of storage space with the aid of inside drawers





Add-on set

- The 70 mm height drawer set – can be turned into a variable-width pot-and-pan drawer with wooden rear panel using the add-on lengthwise railing set
- Any rear panel height and number of railings can be selected to meet personal needs



OrgaFlag

- Designed for standard cabinet widths
- Additional OrgaFlag perforated profiles also permit the construction of other drawer widths in 50 mm intervals
- Silver-grey plastic



InnoPlus

- Designed for standard cabinet widths
- For nominal length 470 and 520 mm
- Elements simply push together
- Set including anti-slip mat, silver burled
- Environmentally friendly: made of 100% recyclable steel
- Powder-coated steel, silver




SlideLine 66

- Ideal for book cases and shelf systems
- Overlay configuration
- 1-track, bottom-running
- For aluminium, wooden and glass doors
- Straightforward cabinet design





Trends in Kitchen




PLAN

A



- | | |
|-------|--|
| IAS | - InnoTech drawer system organisation-Add-on set |
| IOFG | - InnoTech drawer system organisation-OrgaFlag |
| IPL | - InnoPlus |
| SL66 | - SlideLine 66 |
| S | - Sensys hinges |
| IPIEP | - InnoTech preassembled internal pot-and-pan drawer-Exclusiv |
| IA | - InnoTech powder-coated steel-anthracite |





ELEVATION AT - A

Drawings Scale: NTS

- IOSB - InnoTech drawer system organisation-OrgaStore Basic
- D - Dummy drawer
- LHK - Folding-flap fittings-Lift Advanced HK
- IF - InnoFlex-900



Trends in Kitchen



InnoTech double walled wooden drawer system

- Designed for standard cabinet widths
- For nominal length 470 and 520 mm
- Elements simply push together
- Set including anti-slip mat, silver burled
- Environmentally friendly: made of 100% recyclable steel
- Powder-coated steel, silver



Lift Advanced HF

- For wooden fronts and wood or aluminium framed fronts
- Max. flap/door weight 15,2 kg
- Adjustable opening and closing force
- Centre hinge not required
- Cross member not required
- Different front heights possible
- Silent System integrated – dampened closing action





InnoTech powder-coated steel-anthracite-with DesignSide

- Quick insertion and removal of the pot-and-pan drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently



OrgaStore Basic

- For pot-and-pan drawers, 144 mm height/internal pot-and-pan drawers
- Designed for standard cabinet widths
- Can also be used for customised drawer widths by shortening the crosswise railing



Add-on set, 2nd railing level

- A 2nd railing level can be added quickly and easily to pot-and-pan drawers
- Crosswise railing must be ordered separately




OrgaWing

- Provides InnoTech pot-and-pan drawers, 144 mm height, with an additional swing-out storage level above the railing.
- The moving compartments automatically swing out to the side when the pot-and-pan drawer is opened. They gently glide back to the home position on closing the drawer.
- Suitable for cabinet widths of 800 mm and over
- For nominal length 470 mm






Trends in Kitchen



- | | |
|------|---|
| IAD | - InnoTech powder-coated steel-anthracite-with DesignSide |
| IOSB | - InnoTech drawer system organisation-OrgaStore Basic |
| IAS | - InnoTech drawer system organisation Add-on set |
| IOW | - InnoTech drawer system organisation-OrgaWing |
| LHF | - Folding-flap fittings-Lift Advanced HF |
| IDWD | - InnoTech double walled wooden drawer system |
| IOSE | - InnoTech drawer system organisation-OrgaStore Exclusiv |





ELEVATION AT - A

Drawing Scale: NTS

- IOSD - InnoTech drawer system organisation-OrgaStore Deluxe
- SL66 - SlideLine 66
- BTC - Bin.it Classic





Trends in Kitchen



Lift Advanced HK

- For wooden fronts and wood or aluminium framed fronts
- Max. flap/door weight 20,7 kg
- Adjustable opening and closing force
- Silent System integrated – dampened closing action
- The fitting can be adapted to different front weights by means of gas pressure springs which must be ordered separately
- Including fixing accessories



InnoTech powder-coated steel-white

- Quick insertion and removal of the drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently – adapted to the thickness of the cabinet sides with 16, 18 and 19 mm





90° pull-out units, 2-tier

- Base unit front panels permit a large variety of possibilities for combination
- Optional use of the available space with compensating and diagonal base units



InnoTech preassembled internal drawer Exclusiv

- Quick insertion and removal of the internal drawer
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently – adapted to the thickness of the cabinet sides with 16, 18 and 19 mm



InnoTech internal pot-and-pan drawer Exclusiv

- Quick insertion and removal of the internal pot-and-pan drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently




InnoDeluxe

- Sophisticated system for separate waste collection, for cabinet width 600 - 900 mm
- For placing in InnoTech front pull-out, nominal length 470/520 mm
- Installation height from top edge of drawer bottom 260 mm
- Height of bin 260 mm
- Lid and frame of aluminium with brushed stainless steel finish
- Bins and storage trays of grey plastic





Trends in Kitchen




A

PLAN



- | | |
|-------|--|
| P02 | - 90* pull-out units, 2-tier |
| IPIE | - InnoTech preassembled internal drawer-Exclusiv |
| IPIEP | - InnoTech preassembled internal pot-and-pan drawer-Exclusiv |
| ID | - InnoDeluxe |
| IW | - InnoTech powder-coated steel-white |
| LHK | - Folding-flap fittings-Lift Advanced-HK |
| IWD | - InnoTech powder-coated steel-white-with DesignSide |





ELEVATION AT - A

Drawings Scale: NTS

- D - Dummy drawer
- IOFG - InnoTech drawer system organisation-OrgaFlag
- IOSD - InnoTech drawer system organisation-OrgaStore Deluxe
- IOTPF - InnoTech drawer system organisation-OrgaTray Professional
- IOSB - InnoTech drawer system organisation-OrgaStore Basic
- DD - Interior fittings for pantry units-Dispensa Duo
- S - Sensys hinges





Trends in Kitchen



InnoTech powder coated steel-anthracite-with DesignSide

- Quick insertion and removal of the pot-and-pan drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently



LeMans

- For complete and unrestricted access to the corner cabinet
- When the cupboard door is opened, the shelves are turned to the front independently of one another and then swivelled out of the cabinet completely.
- Suitable for 900 and 1000 mm wide corner cabinets
- Load capacity 20 kg/shelf
- Arena shelves, melamine coated white wooden shelves with anti-slip special coating





OrgaTray Premium 1

- Universal application
- Easy to trim to size
- Knife and/or spice rack can be added
- Environmentally friendly: made of fully recyclable polystyrene
- Antistatic, easy to clean
- Surface finish: anthracite



OrgaStore Exclusiv 1

- Tailored to standard cabinet widths
- Multiplex beech, varnished
- Dividing rails need to be ordered separately



90° pull-out units, 2-tier

- For cabinet width 150 mm
- Full-extension slides with dampened closure Silent System
- Complete with 3-dimensional adjustable front connection
- Only right-hand stop is possible
- Load capacity 12 kg
- Steel




Sensys hinges

- Soft dampened closing from a closing angle of 35°
- Suitable for standard kitchen door formats
- Elegant cover cap for the hinge cup
- Concealed latch Simple, safe, reliable
- Easily fitted, naturally without tools
- Minimum door protrusion : Optimum use of storage space with the aid of inside drawers





Trends in Kitchen




- IOTPM - InnoTech drawer system organisation-OrgaTray Premium
- IOSE - InnoTech drawer system organisation-OrgaStore Exclusiv
- PO2 - 90* pull-out units, 2-tier
- S - Sensys hinges
- LMC - Corner unit pull-out-LeMans
- IA - InnoTech powder-coated steel-anthracite
- IOW - InnoTech drawer system organisation-OrgaWing





ELEVATION AT - A



ELEVATION AT - B

Drawings Scale: NTS

- P03 - 90* pull-out units, 3-tier
- IOSB - InnoTech drawer system organisation-OrgaStore Basic
- IPP - InnoTech preassembled pot-and-pan drawer
- LHK - Folding-flap fittings-Lift Advanced-HK
- PIBP - InnoTech preassembled internal pot-and-pan drawer-Basic
- BTC - Bin.it Classic
- BTB - Bin.it Basic





Trends in Kitchen



Moving Corner Comfort

- Swivel platform fitting
- Height adjustable knob permits ergonomic use
- Baskets at the back can be pulled out individually for outstandingly convenient operation
- For corner units with 450 to 600 mm front width
- Matching clip-on shelves and baskets
- Plastic-coated steel, silver



Electromechanical opening system easys for InnoTech

With, easys, pull-out elements open almost by magic. Gently push or pull any point on the drawer front and the drawer opens gently and noiselessly. If the drawer cannot be opened by hand, because both hands are occupied, wet or dirty, simply tap the drawer front with your knee, foot or hip to open it.

An electromechanical drive unit ensures that the drawer opens smoothly.





Sensys hinges

- Soft dampened closing from a closing angle of 35°
- Suitable for standard kitchen door formats
- Elegant cover cap for the hinge cup
- Concealed latch Simple, safe, reliable
- Easily fitted, naturally without tools
- Minimum door protrusion :
Optimum use of storage space with the aid of inside drawers



ProDecor handle-Touch-in

Touch-in provides freedom of design in shape and color. Ready to install, round and rectangular handles are available in brushed stainless-steel effect or polished chrome. Weather matching or contrasting - the trim panel can be coated in the color of the furniture front or covered with laminate in any preferred effect by the cabinet maker, interior designer and furniture manufacturer.



OrgaTray Premium 1

- Universal application
- Easy to trim to size
- Knife and/or spice rack can be added
- Environmentally friendly: made of fully recyclable polystyrene
- Antistatic, easy to clean
- Surface stainless steel finish




Dispensa

- Pantry pull-out with integrated dampened closure Silent System
- Compact, clearly arranged and easy to reach
- Contents can be accessed from both sides
- Part or full-extension
- Front can be adjusted in 3 directions






Trends in Kitchen




- S - Sensys hinges
- PDH - ProDecor handle-Touch-in
- IOTPM - InnoTech drawer system organisation-OrgaTray Premium
- IPD - Interior fittings for pantry units-Dispensa
- ISS - InnoTech Powder coated-Stainless steel
- MCC - Moving Corner Comfort
- IPIBP - InnoTech preassembled internal pot-and-pan drawer-Basic





ELEVATION AT - A



ELEVATION AT - B

Drawings Scale: NTS

- | | |
|-------|--|
| IOW | - InnoTech drawer system organisation-OrgaWing |
| IOFG | - InnoTech drawer system organisation-OrgaFlag |
| IOSB | - InnoTech drawer system organisation-OrgaStore Basic |
| IOSD | - InnoTech drawer system organisation-OrgaStore Deluxe |
| LHF | - Folding-flap fittings, Lift Advanced-HF |
| easys | - Electromechanical opening system easys for InnoTech |
| BTC | - Bin.it Classic |





Trends in Kitchen



InnoTech powder-coated steel-silver-with DesignSide

- Quick insertion and removal of the pot-and-pan drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently



InnoTech internal pot-and-pan drawer Exclusiv

- Quick insertion and removal of the internal pot-and-pan drawer
- No bottom panel machining
- Toolless assembly/disassembly and convenient front panel adjustment
- Perfect drawer action with Quadro partial or full extension; optionally with Silent System for closing quietly and gently – adapted to the thickness of the cabinet sides with 16, 18 and 19 mm





Front pull-out units

- With 3-dimensional adjustable front panel connection
- For cabinet side panel thicknesses of 16-19 mm
- Minimum internal cabinet depth 493 mm
- Load capacity 30 kg
- Internal drawers
- Chrome-plated steel



Dispensa Duo

- Perfect swivel and pull-out technology for pantry units
- Door and pull-out shelf ensure full use of the space available
- Creates enormous storage space and well arranged storage
- Direct access to everything in the cupboard
- Can also be used for 2-door pantry units (900, 1000 and 1200 mm) without centre support



InnoTech preassembled under-sink drawer

- For utilizing the space below the sink
- Designed for a standard 900 mm cabinet width
- Nominal length 470 mm
- Powder-coated steel, silver




Add-on set

- The 70 mm height drawer set – can be turned into a variable-width pot-and-pan drawer with wooden rear panel using the add-on lengthwise railing set
- Any rear panel height and number of railings can be selected to meet personal needs






Trends in Kitchen



PLAN



- AC - Arena Classic
- DD - Interior fittings for pantry units-Dispensa Duo
- IPS - InnoTech preassembled under-sink drawer
- IAS - InnoTech drawer system organisation-Add-on set
- IPIEP - InnoTech preassembled internal pot-and-pan drawer-Exclusiv
- ISD - InnoTech powder-coated steel-silver-with DesignSide
- D - Dummy drawer





ELEVATION AT - A



ELEVATION AT - B

Drawings Scale: NTS

- IPOFX - InnoTech preassembled under-sink drawer-OrgaFlex
- IOTPF - InnoTech drawer system organisation-OrgaTray Professional
- IOSE - InnoTech drawer system organisation-OrgaStore Exclusiv
- IOSD - InnoTech drawer system organisation-OrgaStore Deluxe
- IS - InnoTech powder-coated steel-silver
- LHS - Folding-flap fittings, Lift Advanced-HS
- S - Sensys hinges



Item Descriptions



*InnoTech powder-coated steel-silver (IS)
refer page 5.2.22*



*InnoTech powder-coated steel-anthracite (IA)
refer page 5.2.22*



*InnoTech powder-coated steel-silver-with railing (ISR)
refer page 5.2.26*



*InnoTech powder-coated steel-anthracite-with railing (IAR)
refer page 5.2.26*



*InnoTech powder-coated steel-silver-with DesignSide (ISD)
refer InnoTech catalog
page 46-47 & 8-9*



*InnoTech powder-coated steel-anthracite-with DesignSide (IAD)
refer InnoTech catalog
page 68-69 & 8-9*



*InnoTech powder-coated steel-silver-with TopSide (IST)
refer page 5.2.96*



*InnoTech powder-coated steel-anthracite-with TopSide (IAT)
refer page 5.2.96*



*InnoTech powder-coated steel-white (IW)
refer InnoTech catalog
page 84-85*



*InnoTech Stainless steel (ISS)
refer page 5.2.22*



*InnoTech powder-coated steel-white-with railing (IWR)
refer InnoTech catalog
page 88-89*



*InnoTech Stainless steel-with railing (ISSR)
refer page 5.2.26*



*InnoTech powder-coated steel-white-with DesignSide (IWD)
refer InnoTech catalog
page 86-87 & 8-9*



*InnoTech Stainless steel-with DesignSide (ISSD)
refer InnoTech catalog
page 104-105 & 8-9*



*InnoTech powder-coated steel-white-with TopSide (IWT)
refer InnoTech catalog
page 90-91 & 8-9*



*InnoTech Stainless steel-with TopSide (ISST)
refer page 5.2.96*



Item Descriptions



*InnoTech pantry cabinet (IPC)
refer page 5.2.62*



*Lift Advanced HK (LHK)
refer page 3.4.18*



*Interior fittings for pantry
units-Dispensa (IPD)
refer page 9.1.95*



*Lift Advanced HL (LHL)
refer page 3.4.22*



*Interior fittings for pantry
units-Dispensa Duo (DD)
refer page 9.1.106*



*Lift Advanced HS (LHS)
refer page 3.4.26*



*Lift Advanced HF (LHF)
refer page 3.4.14*



*Vertico Synchro (VS)
refer page 4.3.10*



*SlideLine 66 (SL66)
refer page 4.2.12*



*InnoTech drawer system orga-
nisation-OrgaTray Classic
(IOTC)
refer page 5.2.84 for Classic 1
refer page 5.2.85 for Classic 2*



*WingLine-780 (WL780)
refer page 4.4.24*



*InnoTech drawer system orga-
nisation-OrgaTray Premium
(IOTPM)
refer page 5.2.86 & 5.2.88
for Premium 1
refer page 5.2.87 & 5.2.89
for Premium 2*



*InnoTech drawer system orga-
nisation-OrgaTray Basic (IOTB)
refer page 5.2.79 for Basic 1
refer page 5.2.80
for Basic 2 & 3
refer page 5.2.81 for Basic 4
refer page 5.2.82 for basic 5*



*InnoTech drawer system orga-
nisation-OrgaTray Exclusiv
(IOTE)
refer page 5.2.90
for Exclusiv 1/Exclusiv 2*



*InnoTech drawer system orga-
nisation-OrgaTray Professional
(IOTPF)
refer page 5.2.83*



*InnoTech drawer system orga-
nisation-OrgaTray Deluxe
(IOTD)
refer page 5.2.92 for Deluxe 1
refer page 5.2.93 for Deluxe 2*



Trends in Kitchen Item Descriptions



*InnoPlus (IPL)
refer page 5.2.94*



*InnoTech drawer system orga-
nisation-OrgaStore Classic
(IOSC)
refer page 5.2.101*



*InnoTech drawer system orga-
nisation-OrgaWing (IOW)
refer page 5.2.95*



*InnoTech drawer system orga-
nisation-OrgaStore Professional
(IOSPF)
refer page 5.2.102*



*InnoTech drawer system orga-
nisation-OrgaFlag (IOFG)
refer page 5.2.99*



*InnoTech drawer system orga-
nisation-OrgaStore Exclusiv
(IOSE)
refer page 5.2.103
for Exclusiv 1/Exclusiv 2*



*InnoTech drawer system orga-
nisation-OrgaStore Basic (IOSB)
refer page 5.2.100*



*InnoTech Add-on set (IAS)
refer page 5.2.98*





InnoTech drawer system organisation-OrgaStore Deluxe (IOSD)
refer page 5.2.104 for Deluxe 1
refer page 5.2.105 for Deluxe 2/3



InnoFlex (IF)
refer page 9.1.69



InnoTech preassembled under-sink drawer-OrgaFlex (IPOFX)
refer page 5.2.106



Bin.it Classic (BTC)
refer page 9.1.81



InnoTech XXL drawer (IXXL)
refer page 5.2.111



InnoDeluxe (ID)
refer page 9.1.72



InnoTech Pull (IPU)
refer page 9.1.68



Front Pull-out units-Arena Classic (AC)
refer page 9.1.22



Trends in Kitchen Item Descriptions



*InnoTech Vario (IV)
refer page 9.1.73*



*Moving corner (MC)
refer page 9.1.46*



*Sensys hinges (S)
refer page 3.1.4*



*Moving corner Comfort (MCC)
refer page 9.1.44*



*Wicker baskets (WB)
refer page 9.1.37*



*Corner unit Carousel fittings
(CC)
refer page 9.1.51*



*LeMans (LMC)
refer page 9.1.49*



*Interior fittings for kitchen-wall
units-Cosario (CO)
refer page 9.1.124*



*InnoTech preassembled drawer
(IP)
refer page 5.2.40*



*InnoTech preassembled internal
pot-and-pan drawer-Basic
(IPIBP)
refer page 5.2.48*



*InnoTech preassembled pot-
and-pan drawer (IPP)
refer page 5.2.42*



*InnoTech preassembled internal
pot-and-pan drawer-Exclusiv
(IPIEP)
refer page 5.2.50*



*InnoTech preassembled internal
drawer-Basic (IPIB)
refer page 5.2.44*



*D Tray (DT)
refer page 9.1.52*



*InnoTech preassembled internal
drawer-Exclusiv (IPIE)
refer page 5.2.46*



*MultiTech for front pull-outs
Railing set (MT)
refer page 5.3.14*

Trends in Kitchen Item Descriptions



*90° pull-out units, 2-tier (PO2)
refer page 9.1.18*



*InnoTech Doubled walled woo-
den drawer system (IDWD)
refer page 5.2.58*



*90° pull-out, 3-tier (PO3)
refer page 9.1.19*



*InnoTech Doubled walled woo-
den drawer system for pot-and-
pan (IDWDP)
refer page 5.2.60*



*InnoTech preassembled under-
sink drawer (IPS)
refer page 5.2.108*



*Base unit equipment
Portero 3
refer page 9.1.61*



*ProDecor Handle (PDH)
refer ProDecor Handle catalog
page 21*

