

Inner values are called for

Practical value behind magnificent fronts. Making use of alcoves, narrow cabinets and corners. Utilising space with high expectations: simple handling, unobstructed vision, direct access, adaptable organiser systems, high quality and good looks. Hettich has the answers to satisfy all of these wishes.



Ingenious organiser for larder units – Dispensa Swing. Centre upright can be turned through 90° to the left and right. Extremely easy to install with ClickFixx fast-installation system. Featuring Touch-Control, the unit opens in response to a light tap.



Effective use of space in wall units with Hettich Cargo IQ. For narrow and tall elements in the kitchen and bathroom. Versatile, smoothly running, attractive drawers.



Efficient use of corner units with Hettich Revo 90°. For up to 3 revolving carousel trays. Cushioned, quiet action with Silent System.

Versatile and appealing organiser options for cabinets with a perspective – Arena Vario shelves with elegant glass sides.





Interior fittings for base units
90° pull-out unit Cargo IQ plus

9.2 - 9.3



Interior fittings for base units
Folding door corner unit revolving fitting
Revo 90°

9.4 - 9.5



Waste systems behind drawer fronts
Stainless steel foot pedal Pull

9.6



Interior fittings for pantry units
Dispensa Swing ClickFixx/Dispensa ClickFixx


9.7 - 9.17



Interior fittings for kitchen wall units
Internal drawer 90° Cargo IQ plus

9.18

Interior fittings for base units 90° pull-out unit Cargo IQ plus 150, 2-tier



- For cabinet width 150 mm
- Max. load capacity 15 kg
- Minimum internal cabinet dimensions:
Width 112 mm
Depth 495 mm
Height 590 mm
- Please make out a separate order for full-extension Quadro V6 runner with Silent System soft closure and trays, please see below
- Stopper can be mounted either on the right or left
- Steel, silver







Article	Finish	Order no.	PU
1 Cargo IQ plus 150	silver	9 077 588	10
2 Insert tray	translucent	9 077 601	40


Quadro V6 Silent System

- Nominal length 470 mm




EB mm	Order no. left	right	PU
12,5	9 046 288	9 046 289	20
10,5	9 047 452	9 047 453	20
9,5	9 047 289	9 047 290	20





Interior fittings for base units 90° pull-out unit Cargo IQ plus 300, 2-tier



- For cabinet width 300 mm
- Max. load capacity 15 kg
- Minimum internal cabinet dimensions:
Width 262 mm
Depth 495 mm
Height 590 mm
- Please make out a separate order for full-extension Quadro V6 runner with Silent System soft closure and trays, please see below
- Stopper is required on the left and right
- Steel, silver





Article	Finish	Order no.	PU
1 Cargo IQ plus 300	silver	9 065 860	4
2 Insert tray	translucent	9 065 862	40



Quadro V6 Silent System

- Nominal length 470 mm


EB mm	Order no. left	right	PU
12,5	9 046 288	9 046 289	20
10,5	9 047 452	9 047 453	20
9,5	9 047 289	9 047 290	20



Interior fittings for base units

Folding door corner unit revolving fitting

Revo 90°



- Basic fitting for cabinet dimensions 800 x 800 and 900 x 900 mm
- With integrated soft closure Silent System
- For inside heights of 660 – 860 mm
- Complete with mounting cross – an additional top panel is not required
- Can be upgraded with a third shelf – also in the fully assembled and fitted cupboard
- Variable telescoping tube
- Door assembly without the aid of tools
- Adjustment of the closing speed without the aid of tools
- 3-dimensional adjustment
- Support for third carousel tray, Order no. 9 079 831, PU 1 pc
- Silver plastic-coated steel

Set contains:

- 1 mounting cross
- 1 centre column with folding door mechanism
- 2 revolving shelf supports
- 2 distance pieces 3 mm

Order no.	PU
9 080 040	1 set



Arena STYLE anti-slip pull-out shelf

- Wood base, white melamine coated, with special anti-slip coating
- Chrome-plated steel railing

Order no.	800 x 800 mm	900 x 900 mm	PU
9 080 042		9 080 043	1/2



Arena CLASSIC anti-slip pull-out shelf

- Wood base, white melamine coated, with special anti-slip coating
- Steel railing




Article	Order no. 800 x 800 mm	900 x 900 mm	PU
① Arena CLASSIC, chrome-plated railing	0 048 678	0 048 679	1/2
plastic-coated silver railing	9 082 232	9 082 233	1/2
② Divider, chrome-plated	0 048 445	0 048 446	1
③ Saucepan lid rack, chrome-plated	0 048 444	0 048 444	1



Revolving 3/4 wire shelf

- Steel

Finish	Order no. 800 x 800 mm	900 x 900 mm	PU
chrome-plated	0 048 675	0 048 677	1/2
silver plastic-coated	9 082 230	9 082 231	1/2



Interior fittings for base units

Folding door corner unit revolving fitting

Revo saucepan shelf



- Additional Arena anti-slip pull-out shelf for saucepans etc.
- Can be added to Revo 90° corner unit carousel fitting
- Including shelf support, continuously height adjustable
- Edging either in chrome-plated steel or silver-coloured plastic coating



Arena saucepan shelf

- Wood base, white melamine coated, with special anti-slip coating
- Edging, chrome-plated steel

Order no.	PU
9 111 674	1




Arena Saucepan shelf

- Wood base, white melamine coated, with special anti-slip coating
- Edging, silver plastic-coated steel


Order no.	PU
9 111 675	1

Waste systems behind drawer fronts Stainless steel foot pedal Pull





Stainless steel foot pedal Pull

- Upgradeable foot pedal for pull-out waste systems, e.g. InnoTech Pull
- Elegant design
- Stainless steel



Order no.	PU
9 111 679	1






Quickly assembled – with ClickFixx


Assembly time is an important factor in optimising costs and increasingly determines which components to use. Benefiting from the ClickFixx fast assembly system, the Dispensa larder unit is ideally prepared for the future, extending the use of toolless assembly as well as providing far easier, clearer and self-explanatory adjustment – while also helping to reduce assembly time significantly.

Using ClickFixx, all components of the Dispensa larder unit clip into place, making the use of tools unnecessary. Result: assembly time is cut by as much as 50 per cent. Adjustment is the only work requiring the use of a standard PZ2 screwdriver.



The front is aligned at one screw in each direction of adjustment and no longer needs to be fixed in place.

Turning the adjustment screw has an effect that is immediately visible. This not only makes adjustment easier and faster but also more accurate.



In particular, it is the clip-on front connector that significantly simplifies and shortens assembly.

The centre upright is no longer screwed to the drawer runner either, but clipped to it instead.

Interior fittings for pantry units

Dispensa Swing ClickFixx




- Swivelling larder unit with ClickFixx fast assembly system
- Perfect closing thanks to integrated Silent System soft closure
- When pulled out completely, the entire center upright can be turned 90° to the left or right
- The pull-out system is then located at right angles to the cupboard
- Cupboard contents are within clear view and easy reach

Centre upright

- With ClickFixx fast assembly system
- 200 mm height adjustable with front brackets/rails
- For use with cabinet widths 300 and 400 mm
- Minimum inside cabinet depth 500 mm
- Over-extension needs to be ordered separately, see below
- Plastic-coated steel

Set contains:

- 1 height adjustable center upright
- 2 height adjustable front rails
- 2 front brackets



Minimum inside cabinet width mm	Inside cabinet height mm	Centre upright height mm	Number of baskets	Order no.		PU
				silver	brilliant white	
262	1600 - 1800	1473 - 1673	4 - 5	0 046 630	9 079 981	1 set
262	1800 - 2000	1673 - 1873	5 - 6	0 046 631	9 079 982	1 set
262	2000 - 2200	1873 - 2073	6	0 046 632	9 079 983	1 set
362	1600 - 1800	1473 - 1673	4 - 5	0 046 633	9 080 000	1 set
362	1800 - 2000	1673 - 1873	5 - 6	0 046 634	9 080 008	1 set
362	2000 - 2200	1873 - 2073	6	0 046 635	9 080 012	1 set




Over-extension slide

- With ClickFixx fast assembly system
- With integrated soft closure Silent System
- Load capacity 70 kg
- With integrated pull-out and swivel mechanism
- Plastic-coated steel



Finish	Order no.	PU
silver	0 046 636	1
brilliant white	9 079 808	1

Arena anti-slip clip-on shelves, clip-on baskets and other accessories see pages 9.14 - 9.17




Hettich
CAD


Interior fittings for pantry units Dispensa Swing ClickFixx

Assembly



Top cabinet slide



Bottom cabinet slide




Front brackets/rails




16		/	
	ø4,5 x 16		ø6,3 x 15
19		/	
	ø4,5 x 16		ø6,3 x 18


Size B = inside cabinet height

Size A = (frame-exterior dimension)
= inside cabinet height (size B) - 127





- Pantry pull-out with integrated soft closure Silent System
- With ClickFixx fast assembly system
- Compact, clearly arranged and easy to reach
- Contents can be accessed from both sides
- Part or full-extension
- Front can be adjusted in 3 directions




Height adjustable centre upright, fast assembly system with front brackets/rails with ClickFixx

- Complete with soft closure Silent System
- 400 mm height adjustable
- For use with cabinet widths 300 and 400 mm
- Minimum inside cabinet depth 500 mm
- Plastic-coated steel

Set contains:

- 1 height adjustable center upright
- 2 height adjustable front brackets
- 2 front rails



Minimum inside cabinet width mm	Inside cabinet height mm	Centre upright height mm	Number of baskets	Order no.		PU
				silver	brilliant white	
262	1200 - 1600	1145 - 1545	4 - 5	9 117 198	9 117 215	1 set
262	1600 - 2000	1545 - 1945	5 - 6	9 117 200	9 117 216	1 set
262	1900 - 2300	1845 - 2245	6	9 117 211	9 117 217	1 set
362	1200 - 1600	1145 - 1545	4 - 5	9 117 212	9 117 218	1 set
362	1600 - 2000	1545 - 1945	5 - 6	9 117 213	9 117 219	1 set
362	1900 - 2300	1845 - 2245	6	9 117 214	9 117 220	1 set

Arena anti-slip clip-on shelves, clip-on baskets and other accessories see pages 9.14 - 9.17



Interior fittings for pantry units

Dispensa ClickFixx

Dispensa Touch Control



Part-extension slide ClickFixx

- For Dispensa centre-running upright
- Load capacity 100 kg
- Travel 370 mm
- Plastic-coated steel, silver

Order no.	PU
9 117 221	1



Full-extension slide with low overall height ClickFixx

- Complete with soft closure Silent System
- For Dispensa centre-running upright
- Part-extension and full-extension slide with low overall height may therefore be used in units with identical inside cabinet height
- Load capacity 100 kg
- Travel 470 mm
- Plastic-coated steel

Finish	Order no.	PU
silver	9 117 222	1
brilliant white	9 117 223	1




Electromechanical opening system Touch Control

- Suitable for Dispensa and Dispensa ClickFixx larger units
- Responds to a tap on the front
- Can be combined with Dispensa full-extension slides, Order no. 0010 008 / 9 079 794, see "Furniture Fittings and Applications" catalogue page 9.1.96 and Dispensa ClickFixx full-extension slides, Order no. 9 117 222 / 9 117 223 see above
- Silver or white




Finish	Power cord	Order no.	PU
① silver	Europe (type C)	9 111 286	1
brilliant white	Europe (type C)	9 111 281	1
② silver	UK (type G)	9 111 287	1
brilliant white	UK (type G)	9 111 283	1
③ silver	Australia / New Zealand (type I)	9 111 289	1
brilliant white	Australia / New Zealand (type I)	9 111 285	1
④ silver	US (type A)	9 111 288	1
brilliant white	US (type A)	9 111 284	1




Assembly

Dispensa with part-extension slide – 100 kg


Top cabinet slide



Bottom cabinet slide




Front brackets/rails




Dispensa with full-extension slide, low overall height – 100 kg


Top cabinet slide




Bottom cabinet slide




Front brackets/rails






Dispensa with full-extension slide, low overall height – 100 kg with Touch Control



Bottom cabinet slide



Front brackets/rails





Interior fittings for pantry units Dispensa ClickFixx Accessories



Bracket

- Required when using filler-fronts
- For optional use
- Plastic-coated steel

For cabinet width mm	Order no. silver	brilliant white	PU
300	0 070 798	9 080 055	1
400	0 070 799	9 080 059	1



Bracket


- For use in any position
- For optional use
- Plastic-coated steel

Finish	Order no.	PU
silver	0 070 800	1
brilliant white	9 080 064	1



Basket support for height-adjustable centre upright

- Optimum use of the space available in the adjusting range of the center upright
- Height 125 mm
- Plastic-coated steel




Finish	Order no.	PU
silver	0 074 848	1
brilliant white	9 080 073	1



Arena Vario anti-slip clip-on shelves

- With side glass railing
- Exclusive design, chrome with glass
- For clipping onto centre upright
- Wood base, white melamine coated, with special anti-slip coating
- Edging and glass-railing supports, chrome-plated steel
- 1 set consists of 2 shelves

For cabinet width mm	Width x depth x height mm	Order no.	PU
300	250 x 450 x 80	9 111 677	1 set
400	350 x 450 x 80	9 111 678	1 set



Arena STYLE anti-slip clip-on shelves

- For clipping onto centre upright
- Wood base, white melamine coated, with special anti-slip coating
- Chrome-plated steel railing

For cabinet width mm	Width x depth x height mm	Order no.	PU
300	250 x 462 x 110	9 080 084	1
400	350 x 462 x 110	9 080 089	1



Arena CLASSIC anti-slip clip-on shelves

- For clipping onto centre upright
- Wood base, white melamine coated, with special anti-slip coating
- Steel railing

For cabinet width mm	Width x depth x height mm	Railing		PU
		chrome-plated	silver plastic-coated	
300	250 x 462 x 106	0 013 907	9 082 247	1
400	350 x 462 x 106	0 013 908	9 082 249	1


Clip-on baskets

- For clipping onto centre upright
- With triple railing
- Chrome-plated steel
- See below for matching basket base inserts

For cabinet width mm	Width x depth x height mm	Order no.	PU
300	250 x 467 x 110	0 013 909	1
400	350 x 467 x 110	0 013 910	1


Clip-on baskets

- For clipping onto centre upright
- With double railing
- Steel, chrome-plated or plastic coated silver
- See below for matching basket base inserts

For cabinet width mm	Width x depth x height mm	Finish		PU
		chrome-plated	silver plastic-coated	
300	250 x 467 x 110	0 073 564	9 080 077	1
400	350 x 467 x 110	0 073 565	9 080 079	1


Basket base inserts

- For clip-on baskets
- White plastic

For cabinet width mm	Width x depth x height mm	Order no.	PU
300	238 x 450 x 12	0 070 801	1
400	338 x 450 x 12	0 070 802	1



Clip-on baskets

- White plastic-coated steel

For cabinet width mm	Width x depth x height mm	Order no.	PU
300	250 x 468 x 75	0 073 568	1
400	350 x 468 x 75	0 073 569	1



Bottle baskets

- With fixed dividers
- Steel

For cabinet width mm	Width x depth x height mm	Finish chrome-plated	silver plastic-coated	PU
300	250 x 467 x 110	0 070 803	9 082 250	1
400	350 x 467 x 110	0 070 804	9 082 251	1



Support for wood shelves

- Chrome-plated steel
- Trim sizes for wood shelves:
Cabinet width 300 mm: width 255 mm
depth 420 mm
Cabinet width 400 mm: width 355 mm
depth 420 mm

For cabinet width mm	Width x depth x height mm	Order no.	PU
300	250 x 460 x 124	0 073 566	1
400	350 x 460 x 124	0 073 567	1



Divider

- Steel
- Adapter, black plastic

For cabinet width mm	Version	Finish chrome-plated	silver plastic- coated	PU
300	CLASSIC	0 049 248	9 082 236	1
400	CLASSIC	0 049 249	9 082 239	1
300	STYLE	9 079 797	–	1
400	STYLE	9 079 798	–	1



Interior fittings for pantry units Dispensa ClickFixx Accessories



- For a tidy, well organised pantry
- Interior equipment systems can be individually organized
- Two sets can be clipped onto each level of the center upright
- Can be retrofitted at any time
- Dispensa storage system, the alternative to Arena clip-on shelves or baskets
- For clipping into the Dispensa centre upright

Storage container set

- For clipping into the Dispensa centre upright

Set contains:

- 1 aluminium supporting element plastic coated silver
- 4 1,2 litre storage containers, clear plastic, with lid, grey plastic

Order no.	PU
0 041 171	1 set



Storage box set



- For clipping into the Dispensa centre upright

Set contains:

- 1 aluminium supporting element plastic coated silver
- 2 open storage boxes, clear plastic
- 1 slot-in partition, transparent plastic


Order no.	PU
0 041 172	1 set

Assembly



Interior fittings for kitchen wall units

Internal drawer 90° Cargo IQ plus, 2-tier



- Usable left or right
- Max. load capacity 10 kg
- Minimum internal cabinet dimensions:
Width 112 mm
Depth 290 mm
Height 548 mm
- Top basket height-adjustable
- Please make out a separate order for full-extension Quadro V6 runner with Silent System soft closure and trays, please see below
- Steel




Article	Version	Order no.	PU
Cargo IQ plus 90°	powder-coated silver	9 066 486	10
	chrome-plated	9 077 616	10
Insert tray	translucent	9 066 464	40

Quadro V6 Silent System

- Nominal length 260 mm



EB mm	Order no.		PU
	left	right	
12,5	9 047 180	9 047 181	20
10,5	9 047 392	9 047 393	20
9,5	9 047 281	9 047 282	20



Disassembly

